IEC 61968-100

Edition 2.0 2022-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

iTeh STANDARD
PREVIEW
(standards.iteh.ai)

Application integration at electric utilities – System interfaces for distribution management –
Part 100: IEC implementation profiles for application integration

Intégration d'applications pour les services électriques – Interfaces système pour la gestion de la distribution –
Partie 100: Profils de mise en œuvre IEC pour l'intégration d'application

IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

IEC 61968-100:2022-02(en-fr)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

iTeh STANDARD
PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, …). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

IEC 61968-100

Edition 2.0 2022-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

iTeh STANDARD
PREVIEW
(standards.iteh.ai)

Application integration at electric utilities – System interfaces for distribution management – Part 100: IEC implementation profiles for application integration

Intégration d'applications pour les services électriques – Interfaces système pour la gestion de la distribution – Partie 100: Profils de mise en œuvre IEC pour l'intégration d'application

IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0b48b085-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.200

ISBN 978-2-8322-1071-4

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FOREWORD 14
INTRODUCTION 16
1 Scope 17
1.1 General 17
1.2 About this document 17
1.3 What is not covered by this document 17
1.4 Future considerations 17
1.4.1 Choice of Encoding Mechanisms 17
1.4.2 Choice of Web Service Technologies 17
2 Normative references 18
3 Terms, definitions and abbreviated terms 18
3.1 Terms and definitions 18
3.2 Abbreviated terms 19
4 Overview 19
4.1 General 19
4.2 Message format 19
4.3 Profiles 20
4.4 Message archetypes 20
4.5 Header verb and noun 20
4.6 Example IEC 61968-100 messages 21
4.7 Message exchange patterns 21
4.7.1 General 21
4.7.2 Request/response message exchange pattern 21
4.7.3 Unsolicited event message exchange pattern 21
4.7.4 Consequential event message exchange pattern 22
4.8 Basic request/response message types 22
5 Message archetypes 23
5.1 General 23
5.2 Request message 23
5.2.1 General 23
5.2.2 Root element 23
5.2.3 Structure 23
5.2.4 Header element 24
5.2.5 Application-specific data 24
5.2.6 Side-effects of a request message 24
5.3 Response message 24
5.3.1 General 24
5.3.2 Root element 24
5.3.3 Structure 24
5.3.4 Header element 25
5.3.5 Application-specific data and status notifications 25
5.3.6 Simple acknowledgement message 25
5.4 Event message 26
5.4.1 General 26
5.4.2 Root element 26
5.4.3 Structure 26

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

5.4.4 Header element 26
5.4.5 Application-specific data 26
5.5 Fault message 27
5.5.1 General 27
5.5.2 Root element 27
5.5.3 Structure 27
5.5.4 Reply element 27
6 Elementary message exchange patterns 27
6.1 General 27
6.2 Request/response message exchange pattern 27
6.2.1 General 27
6.2.2 Response messages 28
6.3 Unsolicited event message exchange pattern 29
6.4 Consequential event message exchange pattern 29
6.5 Simple acknowledgement message exchange patterns 30
6.5.1 General 30
6.5.2 Request/response message exchange pattern with simple acknowledgement messages 31
6.5.3 Unsolicited event message exchange pattern with simple acknowledgement message 32
6.5.4 Consequential event message exchange pattern with simple acknowledgement messages 32
7 Message details 33
7.1 General 33
7.2 Message encoding 34
7.3 Schema definition and validation 34
7.4 Top-level structure 34
7.4.1 General 34
7.4.2 Structure of request messages 34
7.4.3 Structure of response messages 37
7.4.4 Structure of event messages 39
7.5 The <Header> element 42
7.5.1 General 42
7.5.2 Message header subelements 42
7.5.3 Message header for request messages 44
7.5.4 Message header for response messages 46
7.5.5 Message header for event messages 48
7.6 The <Reply> element 50
7.6.1 General 50
7.6.2 Structure 51
7.6.3 Reply subelements 51
7.6.4 The <Reply><Status> subelement 51
7.6.5 Combining the <Reply><Status><ObjectID>, <OperarionSet>, <UpdateID> and <TransactionID> elements 58
7.6.6 The <Reply><Transaction> element 59
7.7 The <Payload> element 59
7.7.1 General 59
7.7.2 Payload subelements 59
7.7.3 The <Payload><OperationSet> element 60

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

7.7.4 The <Payload><ObjectUpdate> element 66
7.7.5 AbstractPayloadType data 68
7.7.6 Multiple abstract payloads 68
7.8 The <CompressedPayload> element 68
7.8.1 General 68
7.8.2 Structure 68
7.8.3 CompressedPayload elements 69
7.8.4 The <CompressedPayload><CompressionType> subelement 69
7.8.5 The <CompressedPayload><Base64> subelement 69
7.9 The Transaction Type 69
8 Constraints and conventions 70
8.1 General 70
8.2 Application-specific data 70
8.2.1 General 70
8.2.2 The AbstractPayloadType 71
8.2.3 Application-specific customisation 71
8.2.4 RDF data 71
8.3 Object management requests and notifications 71
8.3.1 General 71
8.3.2 Create request message 72
8.3.3 Change request message 72
8.3.4 Delete request message 73
8.3.5 Update request message 73
8.3.6 Object management notifications 74
8.4 Get requests 74
8.4.1 Making a get request 74
8.4.2 Specifying multiple constraints in a request message 75
8.4.3 Responding to a get request 76
8.5 Cancelling transactions 76
8.5.1 General 76
8.5.2 Message exchange pattern 76
8.5.3 Transactions IDs 77
8.5.4 Receiving a transaction ID 78
8.5.5 Sending a cancellation request message 78
8.5.6 Responding to a cancellation request message 78
8.6 Object identification 78
8.6.1 General 78
8.6.2 Rules for object identification 79
8.6.3 Identifying objects using an <mRID> element 79
8.6.4 Identifying objects using a <Name> element 79
8.6.5 Referencing objects 80
8.7 The ObjectIdentificationRevisionSets profile 81
8.7.1 General 81
8.7.2 Structure 81
8.7.3 Using the ObjectIdentificationRevisionSets profile 83
8.7.4 Adding one or more new identifiers 83
8.7.5 Removing one or more identifiers 84
8.7.6 Possible Errors Pertaining To ObjectIdentificationRevisionSets Requests 84

iTeh STANDARD PREVIEW (standards.iteh.ai)
IEC 61968-100:2022 https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

9 Transporting messages 84
9.1 General 84
9.2 Transporting over SOAP web services 85
9.2.1 General 85
9.2.2 Encoding of IEC 61968-100 messages inside SOAP messages 85
9.2.3 Example SOAP message 85
9.2.4 Mapping of IEC 61968-100 messages to SOAP messages 85
9.2.5 WSDL files 86
9.3 Transporting over JMS 87
9.3.1 General 87
9.3.2 Message exchange patterns 88
9.3.3 Application-level acknowledgement messages 88
9.3.4 JMS headers 88
Annex A (normative) XSD files 90
A.1 General 90
A.2 The Message.xsd file 90
A.3 The `AbstractPayloadType.xsd` file 102
A.4 The LegacyObjectIdentificationRevisionSets.xsd File 103
A.5 The `RDF.xsd` file 108
Annex B (normative) Template files 110
B.1 General 110
B.2 The GenericMessageWsdlTemplate.txt file 110
B.3 The `StrongMessageXsdTemplate.txt` file 116
B.4 The `StrongMessageWsdlTemplate.txt` file 128
Annex C (informative) Example XSD profiles inheriting from AbstractPayloadType 135
C.1 GetMeterReadings profile 135
C.2 BinaryData profile 136
Annex D (informative) Example IEC 61968-100:2021 messages 138
D.1 General 138
D.2 Messages dealing with object instantiation 138
D.2.1 General 138
D.2.2 Sequence diagram 138
D.2.3 Meter instantiation request (request message) 139
D.2.4 Meter instantiation response (step 4, success case) 141
D.2.5 Meter instantiation response (step 4, failure case) 141
D.3 Messages dealing with the event notification of object instantiation 142
D.3.1 General 142
D.3.2 Sequence diagram 142
D.3.3 Publication of a meter instantiation (event message) 142
D.3.4 Publication of a meter instantiation (simple acknowledgement message) 146
D.4 Messages dealing with requests for information concerning an object instantiation 146
D.4.1 General 146
D.4.2 Sequence diagram 146
D.4.3 Request for information concerning a meter instantiation (request message) 147
D.4.4 Request for information concerning a meter instantiation (response message) 148
D.5 Messages utilizing an operationset to enforce transactional integrity 149

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

D.5.1 General 149
D.5.2 Sequence diagram 149
D.5.3 Using an operationset to enforce transactional integrity (request message) 150
D.5.4 Using an operationset to enforce transactional integrity (response message) 153
D.6 Messages dealing with the publication of data 153
D.6.1 General 153
D.6.2 Sequence diagram 153
D.6.3 Publication of meter readings (event message) 154
D.6.4 Publication of meter readings (simple acknowledgement message) 155
D.7 Messages dealing with an on-demand data request resulting in a single response 156
D.7.1 General 156
D.7.2 Sequence Diagram 156
D.7.3 On-demand meter reading message (request message) 157
D.7.4 On-demand meter reading message (response message) 158
D.8 Messages dealing with an on-demand data request resulting in multiple responses 159
D.8.1 General 159
D.8.2 Sequence diagram 159
D.8.3 Request for an on-demand meter ping (request message) 160
D.8.4 Request for an on-demand meter ping (response message 1) 161
D.8.5 Request for an on-demand meter ping (response message 2) 162
D.8.6 Request for an on-demand meter ping (simple acknowledgement of message 2) 163
D.8.7 Request for an on-demand meter ping (response message 3) 164
D.8.8 Request for an on-demand meter ping (simple acknowledgement of message 3) 165
D.9 Messages dealing with historical data request 165
D.9.1 General 165
D.9.2 Sequence diagram 165
D.9.3 Historical meter read (request message) 166
D.9.4 Historical meter read (response message) 167
D.10 Messages dealing with historical data request (responses spread over several messages) 168
D.10.1 General 168
D.10.2 Historical meter read (response message 1 of 4) 169
D.10.3 Historical meter read (response message 2 of 4) 169
D.10.4 Historical meter read (response message 3 of 4) 170
D.10.5 Historical meter read (response message 4 of 4) 171
D.11 Messages dealing with multiple statuses within a response 172
D.11.1 General 172
D.11.2 Sequence diagram 173
D.11.3 Historical meter read (response message) 174
D.12 Messages dealing with a consequential event message 176
D.12.1 General 176
D.12.2 Sequence diagram 176
D.12.3 Request for a meter connect (request message) 177
D.12.4 Request for a meter connect (response message) 178

iTeh STANDARD
PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0818899...
4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

D.12.5 Request for a meter connect (event message) 179
D.12.6 Request for a meter connect (simple acknowledgement message) 180
D.13 Using two operationsets to sequence multiple operations with transactional integrity 180
D.13.1 General 180
D.13.2 Using two OperationSets to read two meters before disconnecting them (request message) 181
D.13.3 Using two OperationSets to read two meters before disconnecting them (response message) 182
D.14 Messages dealing with object deletion 184
D.14.1 General 184
D.14.2 Sequence diagram 184
D.14.3 Request to delete a meter (request message) 185
D.14.4 Request to delete a meter (response message) 185
D.15 Messages dealing with cancellation of a single transaction 185
D.15.1 Meter control request message 185
D.15.2 Response message containing a single transaction id 186
D.15.3 Cancellation request (request message) 187
D.15.4 Cancellation request (response message) 187
D.16 Messages dealing with cancellation of multiple transactions 188
D.16.1 Response message containing multiple transaction IDs 188
D.16.2 Cancellation request (request message) 189
D.16.3 Cancellation request (response message) 190
D.17 Messages dealing with failed XSD validation 190
D.17.1 General 190
D.17.2 Message that fails XSD validation (request message) 191
D.17.3 Message that fails XSD validation (response message) 191
D.18 Messages dealing with malformed requests 192
D.18.1 General 192
D.18.2 Message that is malformed (request message) 192
D.18.3 Message that is malformed (response message) 193
Annex E (informative) Example IEC 61968-100:2021 messages for updating objects 194
E.1 General 194
E.2 CreateMeterConfig.xml 194
E.3 ModifyFormNumber.xml 195
E.4 RemoveFormNumber.xml 196
E.5 AddMeterMultiplier.xml 196
E.6 ModifyMeterMultiplierKind.xml 197
E.7 ModifyMeterMultiplierValue.xml 198
E.8 RemoveMeterMultiplierValue.xml 199
E.9 RemoveMeterMultiplier.xml 200
E.10 AddMeterSeal.xml 201
E.11 AddMeterSealKind.xml 201
E.12 ModifyMeterSealCondition.xml 202
E.13 RemoveMeterSealCondition.xml 203
E.14 RemoveMeterSeal.xml 204
E.15 ModifyProgramId.xml 205
E.16 RemoveProgramId.xml 205
E.17 AddChannel.xml 206

iTeh STANDARD PREVIEW (standards.iteh.ai) IEC 61968-100:2022 https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

E.18 ModifyChannelReadingType.xml 207
E.19 RemoveChannel.xml 208
E.20 AddConnectDisconnectFunction.xml 209
E.21 RemoveConnectDisconnectFunction.xml 210
E.22 DeleteMeterConfig.xml 211
E.23 DeleteMeterConfig.xml 211
E.24 CreateMeterConfigs.xml 212
E.25 MultipleObjectChanges.xml 214
E.26 MultipleObjectChangesWithOperationSet.xml 216
Annex F (informative) Examples of ObjectIdentificationRevisionSets Messages 220
F.1 General 220
F.2 Add an mRID for the meter object 220
F.3 Modify name two of the meter object 222
F.4 Add name three of the meter object 223
F.5 Remove Name One of the Meter Object 225
F.6 Modify the mRID of the meter object 226
F.7 Remove the mRID of the meter object 228
F.8 Add an mRID and modify name two of the meter object 229
F.9 Modify name two of the meter object and add name one of the customer object 230
F.10 Add name two of the customer object to carry a new IdentifiedObject.name 233
Annex G (informative) Example IEC 61968-100:2021 messages illustrating the cross-product rule 235
G.1 General 235
G.2 Specifying "OR" operations over the selection criteria 235
G.3 Specifying "AND" operations over the selection criteria 235
G.4 Specifying a combination of logical "AND" and "OR" operations 236
G.5 Example of multiple AbstractPayloadType profiles in a single message 237
Annex H (informative) Validation of received messages 239
H.1 General 239
H.2 Example message validation using Altova XMLSpy 239
H.3 Example message validation using a Java validator 240
Annex I (informative) Significant changes between IEC 61968-100:2013 and IEC 61968-100:2021 241
Bibliography 247

Figure 1 – Structure of a request message 24
Figure 2 – Structure of a ResponseMessage 25
Figure 3 – Structure of an EventMessage 26
Figure 4 – Structure of a FaultMessage 27
Figure 5 – Request/response message exchange pattern 28
Figure 6 – Unsolicited event message exchange pattern 29
Figure 7 – Consequential event message exchange pattern 30
Figure 8 – Request/response message exchange pattern with simple acknowledgement messages 31
Figure 9 – Unsolicited message exchange pattern with simple acknowledgement messages 32

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/06180985-4d66-4bab-a30a-27454c1a7dad/iec-61968-100-2022

Figure 10 – Consequential event message exchange pattern with simple acknowledgement messages 33
Figure 11 – Structure of the <CancelRequestMessage> element 35
Figure 12 – Structure of the <ChangeRequestMessage> element 35
Figure 13 – Structure of the <CreateRequestMessage> element 35
Figure 14 – Structure of the <DeleteRequestMessage> element 36
Figure 15 – Structure of the <ExecuteRequestMessage> element 36
Figure 16 – Structure of the <GetRequestMessage> element 36
Figure 17 – Structure of the <UpdateRequestMessage> element 37
Figure 18 – Structure of the <CancelResponseMessage> element 37
Figure 19 – Structure of the <ChangeResponseMessage> element 38
Figure 20 – Structure of the <CreateResponseMessage> element 38
Figure 21 – Structure of the <DeleteResponseMessage> element 38
Figure 22 – Structure of the <ExecuteResponseMessage> element 39
Figure 23 – Structure of the <GetResponseMessage> element 39
Figure 24 – Structure of the <UpdateResponseMessage> element 39
Figure 25 – Structure of the <CanceledEventMessage> element 40
Figure 26 – Structure of the <ChangedEventMessage> element 40
Figure 27 – Structure of the <CreatedEventMessage> element 41
Figure 28 – Structure of the <DeletedEventMessage> element 41
Figure 29 – Structure of the <ExecutedEventMessage> element 41
Figure 30 – Structure of the <UpdatedEventMessage> element 42
Figure 31 – Structure of the <Header> element for request messages 45
Figure 32 – Structure of the <Header> element for response messages 47
Figure 33 – Structure of the <Header> element for event messages 49
Figure 34 – Structure of the <Reply> element 51
Figure 35 – Structure of the <Reply><Status> element 52
Figure 36 – Example of error indications in a <Reply> element 58
Figure 37 – Structure of the <Payload><OperationSet> element for request messages 61
Figure 38 – Structure of the <Payload><OperationSet> element for response messages 62
Figure 39 – Structure of the <Payload><OperationSet> element for event messages 62
Figure 40 – Structure of the <Payload><OperationSet><Operation> element for request messages 64
Figure 41 – Structure of the <Payload><OperationSet><Operation> element for response messages 65
Figure 42 – Structure of the <Payload><OperationSet><Operation> element for event messages 66
Figure 43 – Structure of the <Payload><ObjectUpdate> element 67
Figure 44 – Structure of the <CompressedPayload> element 69
Figure 45 – Structure of the TransactionType 70

iTeh STANDARD PREVIEW (standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0818b985-408f-4bdb-a96a-27484d37e55f/iec-61968-100-2022

Figure 46 – Message Exchange Pattern for a Cancellation Request 77
Figure 47 – General Naming Scheme 80
Figure 48 – Structure of an <ObjectID> element 80
Figure 49 – ObjectIdentificationRevisionSets profile 82
Figure 50 – Example SOAP message 85
Figure A.1 – Contents of Message.xsd file 102
Figure A.2 – Contents of AbstractPayloadType.xsd file 102
Figure A.3 – Contents of LegacyObjectIdentificationRevisionSets.xsd file 108
Figure A.4 – Contents of the RDF.xsd file 109
Figure B.1 – Contents of GenericMessageXsdTemplate.txt file 115
Figure B.2 – Contents of StrongMessageXsdTemplate.txt file 128
Figure B.3 – Contents of StrongMessageWsdlTemplate.txt file 134
Figure C.1 – Example XSD profile illustrating inheritance from `AbstractPayloadType` 136
Figure C.2 – Example XSD profile suitable for the transmission of binary data 137
Figure D.1 – Example sequence diagram for a meter instantiation request 139
Figure D.2 – Example meter instantiation request message 141
Figure D.3 – Example meter instantiation response message (success case) 141
Figure D.4 – Example meter instantiation response message (failure case) 141
Figure D.5 – Example sequence diagram for the publication of a meter instantiation 142
Figure D.6 – Example publication of a meter instantiation (event message) 146
Figure D.7 – Example publication of a meter instantiaion (simple acknowledgement message) 146
Figure D.8 – Example sequence diagram for requests for information concerning an object instantiation 147
Figure D.9 – Example request for information concerning a meter instantiation (request message) 148
Figure D.10 – Example request for information concerning a meter instantiation (response message) 149
Figure D.11 – Example sequence diagram for an OperationSet request 150
Figure D.12 – Example OperationSet message to enforce transactional integrity (request message) 153
Figure D.13 – Example OperationSet message to enforce transactional integrity (response message) 153
Figure D.14 – Example sequence diagram for the publication of meter readings 154
Figure D.15 – Example publication of routine meter readings (event message) 155
Figure D.16 – Example publication of routine meter readings (simple acknowledgement message) 156
Figure D.17 – Example sequence diagram for the retrieval of on-demand meter readings 157
Figure D.18 – Example on-demand meter readings request message 158
Figure D.19 – Example on-demand meter readings response message 159
Figure D.20 – Example sequence diagram for an on-demand meter ping request 160
Figure D.21 – Example on-demand meter ping request (request message) 161
Figure D.22 – Example on-demand meter ping request (response message) 162
Figure D.23 – Example on-demand meter ping request (response message 2) 163

iTeh STANDARD
PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

Figure D.24 – Example on-demand meter ping request (simple acknowledgement message 2) 164
Figure D.25 – Example on-demand meter ping request (response message 3) 164
Figure D.26 – Example on-demand meter ping request (simple acknowledgement message 3) 165
Figure D.27 – Example sequence diagram for the retrieval of historical meter readings 166
Figure D.28 – Example historical meter read request (request message) 167
Figure D.29 – Example historical meter read request (response message) 168
Figure D.30 – Example historical meter read request (response message 1 of 4) 169
Figure D.31 – Example historical meter read request (response message 2 of 4) 170
Figure D.32 – Example historical meter read request (response message 3 of 4) 171
Figure D.33 – Example historical meter read request (response message 4 of 4) 172
Figure D.34 – Example sequence diagram for the retrieval of historical meter readings (request message) 173
Figure D.35 – Example historical meter read request, mixed success and failure cases (request message) 174
Figure D.36 – Example historical meter read request, mixed success and failure cases (response message) 176
Figure D.37 – Example sequence diagram for the requesting a meter connect 177
Figure D.38 – Example meter connect (request message) 178
Figure D.39 – Example meter connect (response message) 179
Figure D.40 – Example meter connect (event message) 180
Figure D.41 – Example meter connect (simple acknowledgement message) 180
Figure D.42 – Using two OperationSets to read two meters before disconnecting them (request message) 182
Figure D.43 – Using two OperationSets to Read two meters before disconnecting them (response message) 183
Figure D.44 – Example sequence diagram for the deletion of a meter 184
Figure D.45 – Example meter deletion (request message) 185
Figure D.46 – Example meter deletion (response message) 185
Figure D.47 – Example create(EndDeviceControls) request message 186
Figure D.48 – Example response message containing a single transaction ID 187
Figure D.49 – Example cancellation request message 187
Figure D.50 – Example response to a cancellation request message 188
Figure D.51 – Example response message containing several transaction IDs 189
Figure D.52 – Example cancellation request message 190
Figure D.53 – Example response to a cancellation request message 190
Figure D.54 – Example message that fails XSD validation (request message) 191
Figure D.55 – Example message that fails XSD validation (response message) 192
Figure D.56 – Example malformed message (request message) 192
Figure D.57 – Example malformed message (response message) 193
Figure E.1 – CreateMeterConfig.xml 195
Figure E.2 – ModifyFormNumber.xml 196
Figure E.3 – RemoveFormNumber.xml 196
Figure E.4 – AddMeterMultiplier.xml 197

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022

Figure E.5 – ModifyMeterMultiplierKind.xml 198
Figure E.6 – ModifyMeterMultiplierValue.xml 199
Figure E.7 – RemoveMeterMultiplierValue.xml 200
Figure E.8 – RemoveMeterMultiplier.xml 200
Figure E.9 – AddMeterSeal.xml 201
Figure E.10 – AddMeterSealKind.xml 202
Figure E.11 – ModifyMeterSealCondition.xml 203
Figure E.12 – RemoveMeterDealCondition.xml 204
Figure E.13 – RemoveMeterSeal.xml 204
Figure E.14 – ModifyProgramId.xml 205
Figure E.15 – RemoveProgramId.xml 206
Figure E.16 – AddChannelId.xml 207
Figure E.17 – ModifyChannelReadingType.xml 208
Figure E.18 – RemoveChannel.xml 209
Figure E.19 – AddConnectDisconnectFunction.xml 210
Figure E.20 – RemoveConnectDisconnectFunction.xml 211
Figure E.21 – DeleteMeterConfig.xml 211
Figure E.22 – DeleteMeterConfig.xml 212
Figure E.23 – CreateMeterConfigs.xml 214
Figure E.24 – MultipleObjectChanges.xml 216
Figure E.25 – MultipleObjectChangesWithOperationSet.xml 219
Figure F.1 – Add an mRID for the Meter Object 221
Figure F.2 – Modify name two of the meter object 223
Figure F.3 – Add name three of the meter object 224
Figure F.4 – Remove name one of the meter object 226
Figure F.5 – Modify the mRID of the meter object 227
Figure F.6 – Remove the mRID of the meter object 228
Figure F.7 – Add an mRID and modify name two of the meter object 230
Figure F.8 – Add name one of the customer object and modify name two of the meter object 232
Figure F.9 – Add name two of the customer object to carry a new IdentifiedObject.name 234
Figure G.1 – Example get(MeterConfig) request illustrating a logical "OR" operation 235
Figure G.2 – Example get(MeterReadings) request illustrating a logical "AND" operation 236
Figure G.3 – Example request message illustrating combined logical "AND" and "OR" operations 237
Figure G.4 – Example of multiple AbstractPayloadType profiles in a single message 238
Figure H.1 – Example message suitably modified to specify the locations of the relevant XSD files 240
Figure H.2 – Example of local modifications made to the Message.xsd file 240

Table 1 – List of top-level root elements in request messages 34
Table 2 – List of top-level root elements in response messages 37
Table 3 – List of top-level root elements in event messages 40

iTeh STANDARD PREVIEW
(standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1e7ea5/iec-61968-100-2022

Table 4 – Elements in the Message <Header> element 42
Table 5 – Verbs used in request messages 45
Table 6 – Verbs used in event messages 49
Table 7 – Subelements within the <Reply> element 51
Table 8 – Subelements within the <Reply><Status> element 53
Table 9 – Values of the <Reply><Status><Level> element 54
Table 10 – Normative values for the <Reply><Status><Code> element 54
Table 11 – Subelements within the <Payload> element 60
Table 12 – Subelements within the <Payload><OperationSet> element 61
Table 13 – Subelements within the <Payload><OperationSet><Operation> element 63
Table 14 – Subelements within the <Payload><ObjectUpdate> element 67
Table 15 – Subelements within the <Payload><ObjectUpdate><UpdateAction> element 68
Table 16 – Subelements within the <CompressedPayload> element 69
Table 17 – Values of the <CompressedPayload><CompressionType> element 69
Table 18 – Elements of a transaction type 70
Table 19 – Subelements within an <ObjectID> element 81
Table 20 – Elements of an ObjectIdentificationRevisionSets profile 83
Table 21 – Generic WSDL template variable names 86
Table 22 – Strongly-typed message XSD template variable names 87
Table 23 – Strongly-typed WSDL template variable names 87
Table F.1 – Initial naming states of the example meter object 220
Table F.2 – Initial naming states of the example customer object 220
Table F.3 – Add an mRID for the meter object 221
Table F.4 – Modify name two of the meter object 222
Table F.5 – Add name three of the meter object 224
Table F.6 – Remove name one of the meter object 225
Table F.7 – Modify the mRID of the meter object 227
Table F.8 – Remove the mRID of the meter object 228
Table F.9 – Add an mRID and modify name two of the meter object 229
Table F.10 – Modify name two of the meter object 231
Table F.11 – Add name one of the customer object 231
Table F.12 – Add name two of the customer object to carry a new IdentifiedObject.name 233
Table I.1 – Significant changes introduced in IEC 61968-100:2021 since IEC 61968-100:2013 242
Table I.2 – Detailed changes introduced from IEC 61968-100:2013 to IEC 61968-100:2021 243
Table I.3 – Elements removed from IEC 61968-100:2013 244

iTeh STANDARD PREVIEW (standards.iteh.ai)
IEC 61968-100:2022
https://standards.iteh.ai/catalog/standards/sist/0bf8b985-4086-4bab-a96a-27484c1a7aa5/iec-61968-100-2022