



Edition 2.0 2021-11 REDLINE VERSION

INTERNATIONAL STANDARD



Household and similar electrical appliances – Safety – Part 2-99: Particular requirements for commercial electric hoods

Document Preview

IEC 60335-2-99:2021

https://standards.iteh.ai/catalog/standards/iec/f5ba6469-d879-4830-92fe-2461d209ddf2/iec-60335-2-99-2021





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.







Edition 2.0 2021-11 REDLINE VERSION

INTERNATIONAL STANDARD



Household and similar electrical appliances – Safety – Part 2-99: Particular requirements for commercial electric hoods

Document Preview

IEC 60335-2-99:2021

https://standards.iteh.ai/catalog/standards/iec/f5ba6469-d879-4830-92fe-2461d209ddf2/iec-60335-2-99-2021

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 97.040.20

ISBN 978-2-8322-4134-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	REWORD	Z
IN	FRODUCTION	2
1	Scope	8
2	Normative references	9
3	Terms and definitions	9
4	General requirement	1(
5	General conditions for the tests	1(
6	Classification	1(
7	Marking and instructions	10
8	Protection against access to live parts	12
9	Starting of motor-operated appliances	12
10	Power input and current	12
11	Heating	12
12	Void Charging of metal-ion batteries	13
13	Leakage current and electric strength at operating temperature	
14	Transient overvoltages	14
15	Moisture resistance	14
16	Leakage current and electric strength	
17	Overload protection of transformers and associated circuits	
18	Endurance Document Preview	14
19	Abnormal operation	14
20	Stability and mechanical hazards	1
21	Mechanical strength and and s/iec/15ba6469-d879-4830-9216-2461d209dd12/iec-60335	
22		
23	Internal wiring	16
24	Components	
25	Supply connection and external flexible cords	
26	Terminals for external conductors	
27	Provision for earthing	
28	Screws and connections	
29	Clearances, creeping distances and solid insulation	
30	Resistance to heat and fire	
31	Resistance to rusting	
32	Radiation, toxicity and similar hazards	
An	nexes	
An	nex B (normative) Battery-operated appliances, separable batteries and tachable batteries for battery-operated appliances	
An	nex N (normative) Proof tracking test	
	nex P (informative) Guidance for the application of this standard to appliances used tropical climates	22
	Jliography	

IEC 60335-2-99:2021 RLV © IEC 2021 - 3 -

Table 102 101 – Assembling torques for s	crewed connections providing earthing
continuity	

l

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60335-2-99:2021

https://standards.iteh.ai/catalog/standards/iec/f5ba6469-d879-4830-92fe-2461d209ddf2/iec-60335-2-99-2021

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-99: Particular requirements for commercial electric hoods

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60335-2-99:2003+AMD1:2017 CSV. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60335-2-99 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This second edition cancels and replaces the first edition published in 2003 and Amendment 1:2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the text has been aligned with IEC 60335-1:2020;
- b) some notes have been converted to normative text (Clause 1, 11.7, 22.102, 22.104, 27.2, 30.101);
- c) exclusion of battery-operated appliances and appliances used in areas open to the public (Clause 1);
- d) addition of requirement for appliances incorporating means for ionizing air (32.101);
- e) conciliation of the text of IEC 60335-2-99 with other standards under IEC/TC61/MT32.

The text of this International Standard is based on the following documents:

Draft	Report on voting
61/6371/FDIS	61/6421/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60335 series, published under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This Part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for commercial electric hoods.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

requirements: in roman type;

- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below.

- 6.1: Class 01 hoods are allowed (Japan).
- 13.2: Leakage current limits are different (Japan).
- 16.2: Leakage current limits are different (Japan).

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

https://standards.iteh.ai/catalog/standards/iec/f5ba6469-d879-4830-92fe-2461d209ddf2/iec-60335-2-99-2021

INTRODUCTION

It has been assumed in the drafting of this international standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website

https://www.iec.ch/tc61/supportingdocuments

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another Part 2 of IEC 60335, the relevant Part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a Part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the Part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods for measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-99: Particular requirements for commercial electric hoods

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of electrically operated commercial **hoods** intended for installation above commercial cooking appliances such as ranges, griddles, griddle grills and deep fat fryers, and not intended for household and similar use, their **rated voltage** being not more than 250 V for single phase **hoods** connected between one phase and neutral, and 480 V for other **hoods**. Only single complete units and **hoods** supplied as separate parts which when assembled form a complete working **hood**, incorporating a fan, are within the scope of the standard.

NOTE 101 **Hoods** are used, for example in kitchens of restaurants, canteens, hospitals and in commercial enterprises such as bakeries, butcheries, etc.

The hood may be used above one or more appliance-of the same or different types of appliances.

The following extraction systems are within the scope of this standard:

- back-draft ventilation systems; Ument Preview
- down-draft ventilation systems;
- fume extraction modules.

IEC 60335-2-99:2021

These appliances are not intended for household and similar purposes. They are used in areas not open to the public, for example in kitchens of restaurants, canteens, hospitals and in commercial enterprises such as bakeries and butcheries.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances.

NOTE 102 Attention is drawn to the fact that:

- for hoods appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may can be necessary;
- in many countries additional requirements including ventilation requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.
- for hoods incorporating a filter system with means for ionizing the air, IEC 60335-2-65 also applies.

NOTE 103 This standard does not apply to:

- domestic range hoods (IEC 60335-2-31);
- purpose-built hoods, although this standard can be used as a guide (a purpose-built hood is either constructed on-site or specially constructed in the factory and is not mass produced);
- hoods appliances not incorporating a fan;

- hoods appliances designed exclusively for industrial purposes;
- hoods appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- battery-operated appliances.

NOTE 104 Requirements for hoods with externally mounted fans are under consideration.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-65:2002, Household and similar electrical appliances – Safety – Part 2-65: Particular requirements for air-cleaning appliances IEC 60335-2-65:2002/AMD1:2008 IEC 60335-2-65:2002/AMD2:2015¹

ISO 898-1, Mechanical properties of fasteners made of carbon steel and alloy steel – Part 1: Bolts, screws and studs with specified property classes – Coarse thread and fine pitch thread

ISO 3506-1, Fasteners – Mechanical properties of corrosion-resistant stainless steel fasteners – Part 1: Bolts, screws and studs with specified grades and property classes

ISO 3506-2, Fasteners – Mechanical properties of corrosion-resistant stainless steel fasteners – Part 2: Nuts with specified grades and property classes

ISO 3506-3, Mechanical properties of corrosion-resistant stainless steel fasteners – Part 3: Set screws and similar fasteners not under tensile stress

ISO 3506-4, Mechanical properties of corrosion-resistant stainless steel fasteners – Part 4: Tapping screws

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

3.1.4 Addition:

Note 101 to entry The **rated power input** is the sum of the power inputs of all the individual elements in the **hood** appliance that can be on at one time; where several of such combinations are possible, that the one giving the highest power input is used in determining the **rated power input**.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions:

The **hood** appliance is operated after installation in accordance with the instructions, except that it is not connected to a duct.

Appliances intended to be used in combination with other appliances are tested in combination with the other appliances in operation. Appliances that are not interlocked with other appliances are also tested with the other appliances in operation and the fan switched off.

¹ There exists a consolidated edition 2.2:2015 that includes edition 2 and its Amendment 1 and Amendment 2.

3.5 Definitions relating to types of appliances

3.5.101

hood

motor-operated appliance intended to collect and remove contaminated air from catering appliances

Note 1 to entry: The contaminated air may pass through filter systems and be discharged back into the room or removed from the room.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Replacement:

iTeh Standards

Hoods Appliances shall be class I with respect to protection against electric shock.

Compliance is checked by inspection and by the relevant tests.

7 Marking and instructions IEC 60335-2-99:2021

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Hoods Appliances shall be marked on or near the lampholder with the maximum power input of replaceable illumination lamps as follows:



lamp max..... W

The word "lamp" may be replaced by symbol IEC 60417-5012 (2002-10).

7.12 Addition:

The instructions for use shall state the substance of the following:

- there shall be adequate air intake into the room when the hood appliance is used at the same time as with appliances burning gas or other fuels;
- the details concerning the method and frequency of cleaning and
- that filters must be cleaned regularly;

- there is a fire risk if cleaning is not carried out in accordance with the instructions;
- do not flambé under the hood appliance.

Instructions for **user maintenance**, for example the method and frequency of cleaning, shall also be given. They shall include a statement that the appliance is not to be cleaned with a water jet or a steam cleaner.

The instructions shall include the substance of the following:

These appliances are intended to be used for commercial applications, for example in kitchens of restaurants, canteens, hospitals and in commercial enterprises such as bakeries, butcheries, etc., but not for continuous mass production of food.

If the manufacturer wants to limit the use of the appliance to less than the above, this has to be clearly stated in the instructions.

Modification:

The instruction concerning persons (including children) with reduced physical, sensory or mental capabilities or lack of experience and knowledge and children playing with the appliance is not applicable.

7.12.1 Replacement:

The **hood** appliance shall be accompanied by instructions detailing any special precautions necessary for installation. The instructions for installation shall state:

- the minimum distance between the appliance and the lowest part of the hood appliance;
- that regulations concerning the air intake and discharge of exhaust air have to be fulfilled;
- that ventilation requirements specified for the cooking equipment shall be observed;
- that special consideration is needed when there are other open flued appliances in the same room to prevent back-suction of flue gasses;
 - that if the-hood appliance is used above a gas appliance, a non-self-resetting device that turns off the gas supply to the appliance if the-hood appliance stops operating must be installed in accordance with national gas regulations;
 - that the installation of the hood appliance must not infringe gas regulations.

Instructions for **user maintenance**, for example cleaning, shall also be given. They shall include a statement that the **hood** is not to be cleaned with a water jet or a steam cleaner.

Compliance is checked by inspection.

7.12.9 Not applicable.

7.1415 Addition:

The marking for maximum power input rated wattage of a replaceable illumination lamp shall be visible during replacement of the lamp.

7.101 Equipotential bonding terminals shall be marked with symbol IEC 60417-1-5021 (2002-10).

The marking shall not be placed on screws, removable washers or other parts which can be removed when conductors are being connected.

Compliance is checked by inspection.

8 **Protection against access to live parts**

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is applicable except as follows.

9.101 Fan motors providing a cooling effect in order to comply with the requirements of Clause 11 shall start under all voltage conditions which may can occur in use. The supply source is such that during the test the drop in voltage does not exceed 1 %.

Compliance is checked by starting the motor three times at a voltage equal to 0,85 times **rated voltage**, the motor being at room temperature at the beginning of the test.

Compliance is checked by the following tests using a supply source such that its drop in voltage does not exceed 1 % during the tests, the appliance being returned to **room temperature** after each test.

The motor appliance is started each time under the conditions occurring at the beginning of **normal operation** or, for automatic appliances, at the beginning of the normal cycle of operation, the motor being allowed to come to rest between successive starts a voltage equal to 0,85 times **rated voltage** being applied to the input terminals of the appliance. For appliances provided with motors having other than centrifugal starting switches, this test is repeated at a voltage equal to 1,06 times **rated voltage** being applied to the input terminals of the appliance.

The test is carried out three times.

In all cases, the motor shall start and it shall function in such a way that safety is not affected, and the overload **protection protective devices** of the motor shall not operate.

nttps://standards.iteh.ai/catalog/standards/iec/f5ba6469-d879-4830-92fe-2461d209ddf2/iec-60335-2-99-2021 10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.2 *Replacement:*

Hoods are operated in accordance with the manufacturer's instructions.

Hoods Appliances intended to be placed above a hob are installed so that the distance between their lowest point and the hob surface is the minimum distance specified in the instructions for installation. The hob selected for the test shall have uniformly arranged gas burners with a total heat input equal to 30 kW/m² of the gross area (width times depth) of the <u>hood</u> appliance. Vessels containing water are placed without lids on the gas burners, which are operated to maintain boiling. The diameters or sizes of the vessels are approximately equal to that of the cooking zones.

Other **hoods** appliances are operated in the most severe conditions installed according to the manufacturer's instructions.