

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Installation couplers intended for permanent connection in fixed installations

Coupleurs d'installation pour connexions permanentes dans les installations fixes

Document Preview

[IEC 61535:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/991eeeca-66ba-4f2a-a4a9-6dd740ef51fe/iec-61535-2023>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Installation couplers intended for permanent connection in fixed installations

Coupleurs d'installation pour connexions permanentes dans les installations fixes

Document Preview

[IEC 61535:2023](https://standards.iteh.ai/catalog/standards/iec/991eeeca-66ba-4f2a-a4a9-6dd740ef51fe/iec-61535-2023)

<https://standards.iteh.ai/catalog/standards/iec/991eeeca-66ba-4f2a-a4a9-6dd740ef51fe/iec-61535-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.99

ISBN 978-2-8322-6700-4

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
4 General requirements	12
5 Conditions for tests.....	13
5.1 General.....	13
5.2 Test conditions	13
5.3 Tests on non-rewirable installation couplers.....	13
5.4 Order of tests.....	13
5.5 Specification of tests.....	13
5.6 Compliance requirements	13
5.7 Routine tests for non-rewirable installation couplers	14
6 Ratings.....	14
6.1 Rated voltage	14
6.2 Rated current.....	14
6.3 Rated connecting capacity.....	15
6.4 Tests	15
7 Classification.....	15
8 Marking and documentation.....	16
8.1 General.....	16
8.2 Use of symbols or letters	16
8.3 Markings.....	16
8.4 Documentation.....	17
9 Dangerous compatibility	18
9.1 Unintended or improper connection.....	18
9.2 Engagement	18
9.3 Compatibility of different installation coupler systems	18
9.4 Compatibility with standard systems	18
10 Protection against electric shock	19
10.1 Degree of protection against ingress of solid foreign objects.....	19
10.2 Access to live parts.....	19
10.3 External parts	19
11 Terminals, terminations and connectable conductors.....	19
11.1 Terminals and terminations	19
11.1.1 General	19
11.1.2 Terminals of rewirable installation couplers	20
11.1.3 Terminations of non-rewirable installation couplers.....	20
11.2 Connectable conductors.....	20
12 Construction.....	21
12.1 Connection between earthing contacts.....	21
12.2 Locking against rotation	21
12.3 Mechanical strength of contacts.....	21
12.4 Housing of rewirable installation couplers	21

12.5	Housing of non-rewirable installation couplers	22
12.6	Dismantling and opening of rewirable installation couplers.....	22
12.7	Earthing contact and earthing terminal.....	22
12.8	Loose conductor strands	22
12.8.1	General	22
12.8.2	Strand test for rewirable installation couplers.....	23
12.8.3	Strand test for non-rewirable non-moulded-on installation couplers	23
12.8.4	Strand test for non-rewirable moulded-on installation couplers	23
12.9	Incorporation of electrical devices	23
12.10	Retaining means	24
12.11	Distribution blocks	24
12.12	Shrouds	24
12.13	Factory wiring	24
12.14	Stress test	24
12.14.1	General	24
12.14.2	Stress test of rewirable installation couplers	24
12.14.3	Stress test of non-rewirable installation couplers	25
12.15	Separation of non-rewirable installation couplers	25
13	Protection against harmful ingress of solid foreign objects and against harmful ingress of water	25
13.1	General.....	25
13.2	Protection against harmful ingress of solid foreign objects	25
13.3	Protection against harmful ingress of water	25
14	Insulation resistance and electric strength	26
14.1	General.....	26
14.2	Insulation resistance	26
14.3	Electric strength.....	26
15	Construction of contacts	27
15.1	Resiliency	27
15.2	Resistance of connections	27
15.3	Contact pressure	28
16	Temperature rise	28
17	Breaking capacity	29
18	Forces necessary to disengage the parts of the installation coupler.....	30
19	Cables and their connection	30
19.1	Capability of being fitted	30
19.2	Relief from pull, thrust and torsion	30
19.3	Cable anchorage.....	30
19.4	Capability to connect cables with different cross-sectional area	31
19.5	Sharp edges	33
20	Mechanical strength	33
21	Resistance to heat and ageing.....	34
21.1	Resistance to heat	34
21.2	Dry heat storage	34
21.3	Ball pressure test.....	34
21.4	Ageing of elastomeric and thermoplastic material	35
21.5	Current cycling test.....	35
22	Screws, current-carrying parts and connections.....	36

22.1	Screws and nuts	36
22.2	Screws and insulating material.....	37
22.3	Screws and rivets for electrical and mechanical connections.....	38
22.4	Metals of current-carrying parts	38
23	Clearances, creepage distances and distances through solid insulation.....	38
24	Resistance to abnormal heat and to tracking	42
24.1	Resistance to abnormal heat.....	42
24.2	Resistance to tracking.....	44
25	Resistance to rusting	44
Annex A (normative) Routine protective earth continuity tests		46
Annex B (normative) Test circuits for temperature rise test		47
Annex C (normative) Number of sets of test samples used for the tests and sequence of tests for each set		50
Annex D (informative) Guide to use		51
D.1	General.....	51
D.2	Applications	51
D.3	Examples of use of installation couplers	51
Annex E (normative) Warning symbol used in DC applications.....		54
Annex F (informative) Additional tests and requirements for installation couplers intended to be used in ambient air temperature below –5 °C down to and including –45 °C		55
F.1	General.....	55
F.2	General requirements on tests	55
F.3	Additional marking and documentation.....	55
F.3.1	Additional marking	55
F.3.2	Additional documentation.....	55
F.4	Mechanical strength at lower ambient air temperatures.....	55
Bibliography.....		57
Figure 1 – Apparatus for testing the cable anchorage		32
Figure 2 – Apparatus for measuring the distortion (example)		33
Figure 3 – Ball-pressure apparatus		35
Figure 4 – Explanation of "small part"		44
Figure B.1 – 1P + N + PE installation couplers, including N		47
Figure B.2 – 1P + N + PE installation couplers, including PE		47
Figure B.3 – 3P + N + PE installation couplers, 3 phases loaded		47
Figure B.4 – 3P + N + PE installation couplers, N and PE loaded.....		47
Figure B.5 – 1P + N + PE distribution block, phase and N loaded		48
Figure B.6 – 1P + N + PE distribution block, phase and PE loaded		48
Figure B.7 – 3P + N + PE to 1P + N + PE distribution block, 3 phases loaded.....		49
Figure B.8 – 3P + N + PE to 1P + N + PE distribution block, N and PE loaded		49
Figure D.1 – Examples of use of installation couplers		52
Figure D.2 – Magnified area of Figure D.1 to show installation couplers.....		53
Figure E.1 – Symbol "DO NOT CONNECT OR DISCONNECT UNDER LOAD"		54
Table 1 – Voltage rating for installation couplers in AC application		14

Table 2 – Voltage rating for installation couplers in DC application	14
Table 3 – Classification of installation couplers	15
Table 4 – Test currents for installation couplers	29
Table 5 – Forces to be applied to cable anchorages	31
Table 6 – Torque applied for the tightening and loosening test.....	37
Table 7 – Installation couplers intended for use in supply systems with a maximum voltage to earth of 150 V AC, rated impulse voltage 2,5 kV	38
Table 8 – Installation couplers intended for use in supply systems with a maximum voltage to earth of 300 V AC, rated impulse voltage 4,0 kV	39
Table 9 – Installation couplers intended for use in single-phase two-wire systems 50 V DC and single-phase three-wire systems 60 V DC, rated impulse voltage 0,8 kV	40
Table 10 – Installation couplers intended for use in single-phase two-wire systems 120 V DC and single-phase three-wire systems 240 V DC, rated impulse voltage 2,5 kV	41
Table 11 – Installation couplers intended for use in single-phase two-wire systems 220 V DC and single-phase three-wire systems 440 V DC, rated impulse voltage 4,0 kV	42
Table C.1 – Sets of samples	50

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 61535:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/991eeeca-66ba-4f2a-a4a9-6dd740ef51fe/iec-61535-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INSTALLATION COUPLERS INTENDED FOR PERMANENT CONNECTION IN FIXED INSTALLATIONS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61535 has been prepared by IEC technical committee 23: Electrical accessories. It is an International Standard.

This third edition cancels and replaces the second edition published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) inclusion of a definition for "live part" based on IEC 61140;
- b) additional optional cross medial documentation, e.g. marking with QR-Code;
- c) corrections on the consistent use of the expressions "earth", "earthing contact", "earthing circuit" and "protective earth(ing)" throughout the document;
- d) addition of missing compliance provisions to 13.3;
- e) update of Figure D.1 of Annex D;
- f) inclusion of new Annex F for cold climate requirements.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23/1062/FDIS	23/1066/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

In this standard, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type;*
- explanatory matter: in smaller roman type.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

<https://standards.iteh.ai/>

<https://standards.iteh.ai/catalog/standards/iec/991eeeca-66ba-4f2a-a4a9-6dd740ef51fe/iec-61535-2023>

INTRODUCTION

AC and DC installation couplers according to this document may be used, for example, in prefabricated buildings, commercial showrooms, installation cavities, such as suspended floors and ceilings, in partition walls and in any similar applications, or cable tray systems, cable ladder systems, cable ducting systems and cable trunking systems or in furniture complying with IEC 60364-7-713.

This document may be used as a guide for installation couplers with additional contacts for voltages other than mains voltages.

Particular requirements for installation couplers, for example, for use at higher or lower ambient temperatures, with higher mechanical durability (e.g. metal housings), with higher fire resistance and for use in control circuits (e.g. SELV), are under consideration.

National rules can have requirements concerning the accessibility of installation couplers.

National rules can specify who is allowed to carry out the connection and disconnection of installation couplers.

National rules can have requirements concerning installation couplers with metal conduits.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[IEC 61535:2023](#)

<https://standards.itih.ai/catalog/standards/iec/991eeeca-66ba-4f2a-a4a9-6dd740ef51fe/iec-61535-2023>

INSTALLATION COUPLERS INTENDED FOR PERMANENT CONNECTION IN FIXED INSTALLATIONS

1 Scope

This document applies to two-wire, up to five-wire installation couplers, with or without earthing contact, if provided, with a rated voltage up to and including 500 V AC or 500 V DC and a rated connecting capacity up to and including 10 mm² and a rated current not exceeding 32 A for permanent connection in electrical installations. Installation couplers with additional contacts for voltages other than mains voltages are outside the scope of this document.

An installation coupler consists of an installation female connector and an installation male connector for permanent connection not intended to be engaged or disengaged under load nor to be engaged or disengaged other than during first installation or during reconfiguration or maintenance of the wiring system in which installation couplers have been installed. This means that installation couplers are intended for infrequent use only.

Installation couplers are not suitable for use in place of socket-outlet systems. Installation couplers are not suitable for use in place of devices for connecting luminaires (DCLs) according to IEC 61995 (all parts) or in place of luminaire supporting couplers (LSCs).

Installation couplers complying with this document are suitable for use at ambient temperatures not normally exceeding +40 °C, but their average over a period of 24 h does not exceed +35 °C, with a lower limit of the ambient air temperature of –5 °C, either for indoor or outdoor use.

NOTE 1 Additional tests for use in cold climates are shown in Annex F, which is normative in following countries: FI. Necessary information can be given in the manufacturer's installation instructions.

NOTE 2 For other temperatures, necessary information can be given in the manufacturer's installation instructions.

In locations where special conditions prevail, as in ships, vehicles and the like and in hazardous locations, for example where explosions are liable to occur, special constructions can be required.

NOTE 3 Installation couplers are intended to be installed by instructed or skilled persons.

NOTE 4 As a guide to using installation coupler systems, see Annex D.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-31:2008, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*

IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*
IEC 60529:1989/AMD1:1999
IEC 60529:1989/AMD2:2013

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 60695-2-11, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end products (GWEPT)*

IEC 60998-2-3, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-3: Particular requirements for connecting devices as separate entities with insulation-piercing clamping units*

IEC 60999-1:1999, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm² up to 35 mm² (included)*

IEC 61032:1997, *Protection of persons and equipment by enclosures – Probes for verification*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

Where the terms "voltage" and "current" are used in this document, they are RMS values, unless otherwise specified.

3.1 rated voltage

voltage assigned to the installation coupler by the manufacturer

3.2 rated current

maximum current assigned to the installation coupler by the manufacturer

Note 1 to entry: Rated current refers to the installation coupler itself and not to an electric circuit.

3.3 rated connecting capacity

cross-sectional area of the largest conductor(s) to be connected as stated by the manufacturer of the installation coupler

3.4 permanent connection

connecting method in an installation which is only opened for maintenance or wiring system re-configuration

Note 1 to entry: The expression "permanent connection" is to be understood as a connection which is maintained as long as an installation exists.

3.5 installation coupler

connecting device consisting of an installation female connector and an installation male connector provided with retaining means for permanent connection not intended to be engaged or disengaged under load nor to be engaged or disengaged other than during first installation, during maintenance of the wiring system or during re-configuration of the wiring system

3.6**installation male connector**

load side portion of an installation coupler which contains the male contacts

3.7**installation female connector**

supply side portion of an installation coupler which contains the female contacts

3.8**installation coupler system**

family of installation couplers consisting of one or more installation female connectors compatible by mechanical coding features with one or more installation male connectors, with the same ratings produced according to the specification of one manufacturer

Note 1 to entry: The meaning of "one manufacturer" in this case, is "one and the same manufacturer".

3.9**wiring system**

assembly made up of a cable or cables or busbars and the parts which secure and if necessary enclose the cables or busbars

[SOURCE: IEC 60364-5-52:2009, 520.3.1, modified – "bare or insulated conductors" has been replaced with "a cable".]

3.10**rewirable installation coupler**

installation coupler so constructed that the cable can be replaced

3.11**non-rewirable installation coupler**

installation coupler so constructed that it forms a complete unit with the cable after connection and assembly by the manufacturer

[IEC 61535:2023](https://standards.iteh.ai/catalog/standards/iec/991eeeca-66ba-4f2a-a4a9-6dd740ef51fe/iec-61535-2023)

<https://standards.iteh.ai/catalog/standards/iec/991eeeca-66ba-4f2a-a4a9-6dd740ef51fe/iec-61535-2023>

Note 1 to entry: See also 12.15.

3.12**non-rewirable moulded-on installation coupler**

non-rewirable installation coupler so constructed that the contacts, terminals or connections and the attached cable ends are surrounded by insulating material manufactured by a moulding process

3.13**non-rewirable non-moulded-on installation coupler**

non-rewirable installation coupler so constructed that the contacts, terminals or connections and the attached cable ends are surrounded by separate parts of insulating material

3.14**distribution block**

device intended for branching of circuits

3.15**retaining means**

arrangement by which an installation female connector and an installation male connector are held in position when they are properly engaged and prevents unintentional disengagement

Note 1 to entry: The disengagement may be done by hand or by the use of a tool.

3.16

cap

removable barrier to prevent ready accessibility to an unused installation female connector

3.17

routine test

test to which each device is subjected during and/or after manufacture to ascertain whether it complies with certain criteria

3.18

type test

test of one or more devices made to a certain design to show that the design meets certain requirements

3.19

readily accessible, adj

accessible to touch from any point on a surface where persons usually stand or move about to the limits which a person can reach with the hand, in any direction without assistance

Note 1 to entry: See IEC 60364-4-41:2005, Annex B.

3.20

terminal

part of an accessory to which a conductor is attached, providing a reusable connection

3.21

termination

part of an accessory to which a conductor is permanently attached

[SOURCE: IEC 60050-442:1998, 442-06-06]

3.22

live part

conductive part intended to be energized in normal conditions, including a neutral conductor or mid-point conductor, but by convention not a PEN conductor or PEM conductor or PEL conductor

Note 1 to entry: This concept does not necessarily imply a risk of electric shock.

[SOURCE: IEC 61140:2016, 3.4]

4 General requirements

Installation couplers shall be so designed and constructed that, in normal use, their performance is reliable and without danger to the user or damage to the surroundings.

Compliance is checked by carrying out all the relevant tests specified in this document.

NOTE In some countries, installation couplers are not permitted to be used where they will not be visible after installation: CA, US.