

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Electricity metering data exchange – The DLMS®/COSEM suite –  
Part 6-2: COSEM interface classes**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –  
Partie 6-2: Classes d'interfaces COSEM**

[IEC 62056-6-2:2023](https://standards.iteh.ai/catalog/standards/iec/9114d41e-b7bc-4504-a7c8-5e466f846814/iec-62056-6-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/9114d41e-b7bc-4504-a7c8-5e466f846814/iec-62056-6-2-2023>





**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2023 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

---

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Recherche de publications IEC -

#### [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [sales@iec.ch](mailto:sales@iec.ch).

---

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Electricity metering data exchange – The DLMS®/COSEM suite –  
Part 6-2: COSEM interface classes**

**Échange des données de comptage de l'électricité – La suite DLMS/COSEM –  
Partie 6-2: Classes d'interfaces COSEM**

[IEC 62056-6-2:2023](https://standards.iteh.ai/standards/iec/9114d41e-b7bc-4504-a7c8-5e466f846814/iec-62056-6-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/9114d41e-b7bc-4504-a7c8-5e466f846814/iec-62056-6-2-2023>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 17.220, 35.110, 91.140.50

ISBN 978-2-8322-7344-9

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

|  |     |
|--|-----|
| FOREWORD.....  | 12  |
| INTRODUCTION.....  | 14  |
| 1 Scope.....   | 16  |
| 2 Normative references .....   | 16  |
| 3 Terms, definitions and abbreviated terms .....                                       | 18  |
| 3.1 Terms and definitions related to the Image transfer process (see 4.4.6).....       | 19  |
| 3.2 Terms and definitions related to the S-FSK PLC setup classes (see 4.10) .....      | 20  |
| 3.3 Terms and definitions related to the PRIME NB OFDM PLC setup ICs (see 4.12).....   | 21  |
| 3.4 Terms and definitions related to the ISO/IEC 14908 setup ICs (see 4.18) .....      | 22  |
| 3.5 Terms and definitions related to ZigBee® (see 4.15).....                           | 23  |
| 3.6 Terms and definitions related to Payment metering interface classes (see 4.6)..... | 24  |
| 3.7 Terms and definitions related to the Arbitrator IC (see 4.5.12) .....              | 28  |
| 3.8 Abbreviated terms.....   | 29  |
| 4 The COSEM interface classes .....  | 33  |
| 4.1 Basic principles.....  | 33  |
| 4.1.1 General .....  | 33  |
| 4.1.2 Referencing methods.....   | 34  |
| 4.1.3 Reserved base_names for special COSEM objects.....                               | 35  |
| 4.1.4 Class description notation.....  | 35  |
| 4.1.5 Common data types.....   | 38  |
| 4.1.6 Data formats.....  | 39  |
| 4.1.7 The COSEM server model .....   | 44  |
| 4.1.8 The COSEM logical device .....   | 45  |
| 4.1.9 Information security .....   | 46  |
| 4.2 Overview of the COSEM interface classes .....                                      | 47  |
| 4.3 Interface classes for parameters and measurement data .....                        | 53  |
| 4.3.1 Data (class_id = 1, version = 0) .....   | 53  |
| 4.3.2 Register (class_id = 3, version = 0) .....                                       | 54  |
| 4.3.3 Extended register (class_id = 4, version = 0) .....                              | 58  |
| 4.3.4 Demand register (class_id = 5, version = 0).....                                 | 60  |
| 4.3.5 Register activation (class_id = 6, version = 0).....                             | 64  |
| 4.3.6 Profile generic (class_id = 7, version = 1) .....                                | 66  |
| 4.3.7 Utility tables (class_id = 26, version = 0) .....                                | 72  |
| 4.3.8 Register table (class_id = 61, version = 0).....                                 | 73  |
| 4.3.9 Status mapping (class_id = 63, version = 0) .....                                | 76  |
| 4.3.10 Compact data (class_id: 62, version: 1).....                                    | 77  |
| 4.4 Interface classes for access control and management .....                          | 85  |
| 4.4.1 Overview .....   | 85  |
| 4.4.2 Client user identification .....   | 85  |
| 4.4.3 Association SN (class_id = 12, version = 4).....                                 | 86  |
| 4.4.4 Association LN (class_id = 15, version = 3) .....                                | 91  |
| 4.4.5 SAP assignment (class_id = 17, version = 0) .....                                | 98  |
| 4.4.6 Image transfer (class_id = 18, version = 0).....                                 | 98  |
| 4.4.7 Security setup (class_id = 64, version = 1) .....                                | 106 |
| 4.4.8 Push interface classes and objects .....   | 112 |

|        |   |     |
|--------|---|-----|
| 4.4.9  | COSEM data protection (class_id = 30, version = 0).....                         | 125 |
| 4.4.10 | Function control (class_id: 122, version: 0).....                               | 140 |
| 4.4.11 | Array manager (class_id = 123, version = 0).....                                | 142 |
| 4.4.12 | Communication port protection (class_id = 124, version = 0).....                | 147 |
| 4.5    | Interface classes for time- and event bound control .....                       | 150 |
| 4.5.1  | Clock (class_id = 8, version = 0).....  | 150 |
| 4.5.2  | Script table (class_id = 9, version = 0).....                                   | 154 |
| 4.5.3  | Schedule (class_id = 10, version = 0).....                                      | 155 |
| 4.5.4  | Special days table (class_id = 11, version = 0).....                            | 158 |
| 4.5.5  | Activity calendar (class_id = 20, version = 0).....                             | 160 |
| 4.5.6  | Register monitor (class_id = 21, version = 0).....                              | 164 |
| 4.5.7  | Single action schedule (class_id = 22, version = 0).....                        | 165 |
| 4.5.8  | Disconnect control (class_id = 70, version = 0).....                            | 166 |
| 4.5.9  | Limiter (class_id = 71, version = 0).....                                       | 170 |
| 4.5.10 | Parameter monitor (class_id = 65, version = 1).....                             | 172 |
| 4.5.11 | Sensor manager (class_id = 67, version = 0).....                                | 176 |
| 4.5.12 | Arbitrator (class_id = 68, version = 0).....                                    | 180 |
| 4.5.13 | Modelling examples: tariffication and billing.....                              | 184 |
| 4.6    | Payment metering related interface classes .....                                | 186 |
| 4.6.1  | Overview of the COSEM accounting model.....                                     | 186 |
| 4.6.2  | Account (class_id = 111, version = 0).....                                      | 188 |
| 4.6.3  | Credit interface class (class_id = 112, version = 0).....                       | 197 |
| 4.6.4  | Charge (class_id = 113, version = 0).....                                       | 208 |
| 4.6.5  | Token gateway (class_id = 115, version = 0).....                                | 214 |
| 4.7    | Interface classes for setting up data exchange via local ports and modems ..... | 216 |
| 4.7.1  | IEC local port setup (class_id = 19, version = 1).....                          | 216 |
| 4.7.2  | IEC HDLC setup (class_id = 23, version = 1).....                                | 218 |
| 4.7.3  | IEC twisted pair (1) setup (class_id = 24, version = 1).....                    | 220 |
| 4.7.4  | Modem configuration (class_id = 27, version = 1).....                           | 223 |
| 4.7.5  | Auto answer (class_id = 28, version = 2).....                                   | 224 |
| 4.7.6  | Auto connect (class_id = 29, version = 2).....                                  | 228 |
| 4.7.7  | GPRS modem setup (class_id = 45, version = 0).....                              | 230 |
| 4.7.8  | GSM diagnostic (class_id: 47, version: 2).....                                  | 231 |
| 4.7.9  | LTE monitoring (class_id: 151, version: 1).....                                 | 233 |
| 4.8    | Interface classes for setting up data exchange via M-Bus .....                  | 236 |
| 4.8.1  | Overview .....  | 236 |
| 4.8.2  | M-Bus slave port setup (class_id = 25, version = 0).....                        | 237 |
| 4.8.3  | M-Bus client (class_id = 72, version = 1).....                                  | 238 |
| 4.8.4  | Wireless Mode Q channel (class_id = 73, version = 1).....                       | 242 |
| 4.8.5  | M-Bus master port setup (class_id = 74, version = 0).....                       | 243 |
| 4.8.6  | DLMS®/COSEM server M-Bus port setup (class_id = 76, version = 0).....           | 244 |
| 4.8.7  | M-Bus diagnostic (class_id = 77, version = 0).....                              | 246 |
| 4.9    | Interface classes for setting up data exchange over the Internet .....          | 248 |
| 4.9.1  | TCP-UDP setup (class_id = 41, version = 0).....                                 | 248 |
| 4.9.2  | IPv4 setup (class_id = 42, version = 0).....                                    | 250 |
| 4.9.3  | IPv6 setup (class_id = 48, version = 0).....                                    | 253 |
| 4.9.4  | MAC address setup (class_id = 43, version = 0).....                             | 257 |
| 4.9.5  | PPP setup (class_id = 44, version = 0).....                                     | 257 |
| 4.9.6  | SMTP setup (class_id = 46, version = 0).....                                    | 262 |

|         |  |     |
|---------|--|-----|
| 4.9.7   | NTP setup (class_id = 100, version = 0) .....  | 263 |
| 4.10    | Interface classes for setting up data exchange using S-FSK PLC.....  | 264 |
| 4.10.1  | General .....  | 264 |
| 4.10.2  | Overview .....   | 265 |
| 4.10.3  | S-FSK Phy&MAC set-up (class_id = 50, version = 1) .....  | 267 |
| 4.10.4  | S-FSK Active initiator (class_id = 51, version = 0) .....  | 272 |
| 4.10.5  | S-FSK MAC synchronization timeouts (class_id = 52, version = 0).....   | 274 |
| 4.10.6  | S-FSK MAC counters (class_id = 53, version = 0).....   | 276 |
| 4.10.7  | IEC 61334-4-32 LLC setup (class_id = 55, version = 1) .....  | 279 |
| 4.10.8  | S-FSK Reporting system list (class_id = 56, version = 0).....  | 280 |
| 4.11    | Interface classes for setting up the LLC layer for ISO/IEC 8802-2 .....  | 281 |
| 4.11.1  | General .....  | 281 |
| 4.11.2  | ISO/IEC 8802-2 LLC Type 1 setup (class_id = 57, version = 0).....  | 281 |
| 4.11.3  | ISO/IEC 8802-2 LLC Type 2 setup (class_id = 58, version = 0).....  | 282 |
| 4.11.4  | ISO/IEC 8802-2 LLC Type 3 setup (class_id = 59, version = 0).....  | 283 |
| 4.12    | Interface classes for setting up and managing DLMS®/COSEM narrowband<br>OFDM PLC profile for PRIME networks .....      | 285 |
| 4.12.1  | Overview .....   | 285 |
| 4.12.2  | Mapping of PRIME NB OFDM PLC PIB attributes to COSEM IC<br>attributes .....  | 286 |
| 4.12.3  | 61334-4-32 LLC SSSS setup (class_id = 80, version = 0).....  | 288 |
| 4.12.4  | PRIME NB OFDM PLC Physical layer parameters .....  | 289 |
| 4.12.5  | PRIME NB OFDM PLC Physical layer counters (class_id = 81, version =<br>0).....   | 289 |
| 4.12.6  | PRIME NB OFDM PLC MAC setup (class_id = 82, version = 0) .....   | 290 |
| 4.12.7  | NB OFDM PLC MAC functional parameters (class_id = 83 version = 0) .....  | 292 |
| 4.12.8  | PRIME NB OFDM PLC MAC counters (class_id = 84, version = 0).....   | 294 |
| 4.12.9  | PRIME NB OFDM PLC MAC network administration data (class_id = 85,<br>version = 0) .....                                | 295 |
| 4.12.10 | PRIME NB OFDM PLC MAC address setup (class_id = 43, version = 0) .....   | 298 |
| 4.12.11 | PRIME NB OFDM PLC Application identification (class_id = 86, version<br>= 0).....                                      | 298 |
| 4.13    | Interface classes for setting up and managing the DLMS®/COSEM<br>narrowband OFDM PLC profile for G3-PLC networks ..... | 299 |
| 4.13.1  | Overview .....   | 299 |
| 4.13.2  | Mapping of G3-PLC PIB attributes to COSEM IC attributes .....  | 300 |
| 4.13.3  | G3-PLC MAC layer counters (class_id = 90, version = 1).....  | 301 |
| 4.13.4  | G3-PLC MAC setup (class_id = 91, version = 2) .....  | 303 |
| 4.13.5  | G3-PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 2).....  | 311 |
| 4.14    | Interface classes for setting up and managing DLMS®/COSEM HS-PLC<br>ISO/IEC 12139-1 neighbourhood networks.....        | 318 |
| 4.14.1  | Overview .....   | 318 |
| 4.14.2  | HS-PLC ISO/IEC 12139-1 MAC setup (class_id = 140, version = 0).....  | 318 |
| 4.14.3  | HS-PLC ISO/IEC 12139-1 CPAS setup (class_id = 141, version = 0) .....  | 320 |
| 4.14.4  | HS-PLC ISO/IEC 12139-1 IP SSAS setup (class_id = 142, version = 0).....  | 320 |
| 4.14.5  | HS-PLC ISO/IEC 12139-1 HDLC SSAS setup (class_id = 143, version =<br>0).....   | 321 |
| 4.15    | ZigBee® setup classes .....  | 322 |
| 4.15.1  | Overview .....   | 322 |
| 4.15.2  | ZigBee® SAS startup (class_id = 101, version = 0).....   | 324 |
| 4.15.3  | ZigBee® SAS join (class_id = 102, version = 0).....  | 326 |



|        |  |     |
|--------|--|-----|
| 4.15.4 | ZigBee® SAS APS fragmentation (class_id = 103, version = 0) .....  | 327 |
| 4.15.5 | ZigBee® network control (class_id = 104, version = 0).....   | 328 |
| 4.15.6 | ZigBee® tunnel setup (class_id = 105, version = 0) .....   | 334 |
| 4.16   | Interface classes for setting up and managing the DLMS®/COSEM profile for LPWAN networks .....             | 335 |
| 4.16.1 | General .....  | 335 |
| 4.16.2 | Generic interface classes .....  | 335 |
| 4.16.3 | LPWAN specific interface classes .....   | 341 |
| 4.17   | Interface classes for setting up and managing the DLMS®/COSEM profile for Wi-SUN networks.....             | 348 |
| 4.17.1 | Wi-SUN setup (class_id = 95, version 0).....   | 348 |
| 4.17.2 | Wi-SUN diagnostic (class_id = 96, version 0) .....   | 352 |
| 4.17.3 | RPL diagnostic (class_id = 97, version 0) .....  | 356 |
| 4.17.4 | MPL diagnostic (class_id = 98, version 0).....   | 358 |
| 4.18   | Interface classes for setting up and managing the DLMS®/COSEM profile for ISO/IEC 14908 PLC networks ..... | 360 |
| 4.18.1 | General .....  | 360 |
| 4.18.2 | ISO/IEC 14908 identification (class_id = 130, version = 0).....  | 360 |
| 4.18.3 | ISO/IEC 14908 protocol setup (class_id = 131, version = 0) .....   | 361 |
| 4.18.4 | ISO/IEC 14908 protocol status (class_id = 132, version = 0).....   | 361 |
| 4.18.5 | ISO/IEC 14908 diagnostic (class_id = 133, version = 0).....  | 363 |
| 5      | Previous versions of interface classes .....   | 366 |
| 5.1    | General.....   | 366 |
| 5.1.1  | New versions of interface classes .....  | 366 |
| 5.1.2  | New interface classes .....  | 366 |
| 5.1.3  | Removal of interface classes .....   | 366 |
| 5.2    | Previous versions of interface classes – general .....   | 366 |
| 5.3    | Previous versions of interface classes for parameters and measurement data .....                           | 366 |
| 5.3.1  | Profile generic (class_id = 7, version = 0) .....  | 366 |
| 5.3.2  | Compact data (class_id = 62, version = 0) .....  | 370 |
| 5.4    | Previous versions of interface classes for access control and management .....                             | 373 |
| 5.4.1  | Association SN (class_id = 12, version = 0) .....  | 373 |
| 5.4.2  | Association SN (class_id = 12, version = 1) .....  | 375 |
| 5.4.3  | Association SN (class_id = 12, version = 2) .....  | 378 |
| 5.4.4  | Association SN (Class_id = 12, version =3) .....   | 382 |
| 5.4.5  | Association LN (class_id = 15, version = 0) .....  | 387 |
| 5.4.6  | Association LN (class_id = 15, version = 1) .....  | 392 |
| 5.4.7  | Association LN (class_id = 15, version = 2) .....  | 397 |
| 5.4.8  | Security setup (class_id = 64, version = 0) .....  | 403 |
| 5.4.9  | Push Setup (class_id = 40, version = 0).....   | 405 |
| 5.4.10 | Push Setup (class_id = 40, version = 1).....   | 410 |
| 5.5    | Previous versions of interface classes for time- and event-bound control .....                             | 417 |
| 5.5.1  | Parameter monitor (class_id = 65, version = 0).....  | 417 |
| 5.6    | Previous versions of payment metering related interface classes .....                                      | 418 |
| 5.7    | Previous versions of interface classes for setting up data exchange via local ports and modems .....       | 419 |
| 5.7.1  | IEC local port setup (class_id = 19, version = 0) .....  | 419 |
| 5.7.2  | IEC HDLC setup, (class_id = 23, version = 0) .....   | 420 |
| 5.7.3  | IEC twisted pair (1) setup (class_id = 24, version = 0) .....  | 422 |

|        |  |     |
|--------|--|-----|
| 5.7.4  | PSTN modem configuration (class_id = 27, version = 0) .....  | 424 |
| 5.7.5  | Auto answer (class_id = 28, version = 0) .....   | 426 |
| 5.7.6  | PSTN auto dial (class_id = 29, version = 0) .....  | 428 |
| 5.7.7  | Auto connect (class_id = 29, version = 1) .....  | 429 |
| 5.7.8  | GSM diagnostic (class_id = 47, version = 0) .....  | 431 |
| 5.7.9  | GSM diagnostic (class_id: 47, version: 1) .....  | 433 |
| 5.7.10 | LTE monitoring (class_id: 151, version: 0) .....   | 435 |
| 5.8    | Previous versions of interface classes for setting up data exchange via M-Bus .....  | 436 |
| 5.8.1  | M-Bus client (class_id = 72, version = 0) .....  | 436 |
| 5.9    | Previous versions of interface classes for setting up data exchange over the internet .....  | 441 |
| 5.10   | Previous versions of interface classes for data exchange using S-FSK PLC .....   | 441 |
| 5.10.1 | S-FSK Phy&MAC setup (class_id = 50, version = 0) .....   | 441 |
| 5.10.2 | S-FSK IEC 61334-4-32 LLC setup (class_id = 55, version = 0) .....  | 446 |
| 5.11   | Previous versions of interface classes for setting up the LLC layer for ISO/IEC 8802-2 .....   | 447 |
| 5.12   | Previous versions of interface classes for setting up and managing DLMS®/COSEM narrowband OFDM PLC profile for PRIME networks .....  | 447 |
| 5.13   | Previous versions of interface classes for setting up and managing DLMS®/COSEM narrowband OFDM PLC profile for G3-PLC networks ..... | 447 |
| 5.13.1 | Mapping of G3-PLC IB attributes to COSEM IC attributes (Original version) .....  | 447 |
| 5.13.2 | G3 NB OFDM PLC MAC layer counters (class_id = 90, version = 0) .....   | 449 |
| 5.13.3 | G3 NB OFDM PLC MAC setup (class_id = 91, version = 0) .....  | 450 |
| 5.13.4 | G3 NB OFDM PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 0) .....   | 454 |
| 5.13.5 | Mapping of G3-PLC PIB attributes to COSEM IC attributes (previous version) .....   | 460 |
| 5.13.6 | G3-PLC MAC setup (class_id = 91, version = 1) .....  | 462 |
| 5.13.7 | G3-PLC 6LoWPAN adaptation layer setup (class_id = 92, version = 1) .....   | 468 |
| 5.14   | Previous versions of interface classes for setting up and managing DLMS®/COSEM HS-PLC ISO/IEC 12139-1 neighbourhood networks .....   | 474 |
| 5.15   | Previous versions of ZigBee® setup classes .....   | 474 |
| 6      | Relation to OBIS .....   | 474 |
| 6.1    | General .....  | 474 |
| 6.2    | Abstract COSEM objects .....   | 475 |
| 6.2.1  | Use of value group C .....   | 475 |
| 6.2.2  | Data of historical billing periods .....   | 476 |
| 6.2.3  | Billing period values / reset counter entries .....  | 478 |
| 6.2.4  | Other abstract general purpose OBIS codes .....  | 478 |
| 6.2.5  | Clock objects (class_id = 8) .....   | 479 |
| 6.2.6  | Modem configuration and related objects .....  | 479 |
| 6.2.7  | Script table objects (class_id = 9) .....  | 480 |
| 6.2.8  | Special days table objects (class_id = 11) .....   | 481 |
| 6.2.9  | Schedule objects (class_id = 10) .....   | 481 |
| 6.2.10 | Activity calendar objects (class_id = 20) .....  | 482 |
| 6.2.11 | Register activation objects (class_id = 6) .....   | 482 |
| 6.2.12 | Single action schedule objects (class_id = 22) .....   | 482 |
| 6.2.13 | Register monitor objects (class_id = 21) .....   | 483 |
| 6.2.14 | Parameter monitor objects (class_id = 65) .....  | 483 |



|        |  |     |
|--------|--|-----|
| 6.2.15 | Limiter objects (class_id = 71) .....  | 483 |
| 6.2.16 | Array manager objects (class_id = 123) .....   | 483 |
| 6.2.17 | Payment metering related objects .....   | 483 |
| 6.2.18 | IEC local port setup objects (class_id = 19) .....                                       | 484 |
| 6.2.19 | Standard readout profile objects (class_id = 7) .....                                    | 484 |
| 6.2.20 | IEC HDLC setup objects (class_id = 23) .....   | 485 |
| 6.2.21 | IEC twisted pair (1) setup objects (class_id = 24) .....                                 | 485 |
| 6.2.22 | Objects related to data exchange over M-Bus .....  | 486 |
| 6.2.23 | Objects to set up data exchange over the Internet .....                                  | 487 |
| 6.2.24 | Objects to set up Push Setup (class_id = 40) .....                                       | 488 |
| 6.2.25 | Objects for setting up data exchange using S-FSK PLC .....                               | 489 |
| 6.2.26 | Objects for setting up the ISO/IEC 8802-2 LLC layer .....                                | 489 |
| 6.2.27 | Objects for data exchange using narrowband OFDM PLC for PRIME networks .....             | 490 |
| 6.2.28 | Objects for data exchange using narrow-band OFDM PLC for G3-PLC networks .....           | 490 |
| 6.2.29 | ZigBee® setup objects .....  | 491 |
| 6.2.30 | Objects for setting up and managing data exchange using ISO/IEC 14908 PLC networks ..... | 491 |
| 6.2.31 | Objects for data exchange using HS-PLC ISO/IEC 12139-1 ISO/IEC 12139-1 networks .....    | 491 |
| 6.2.32 | Objects for data exchange using Wi-SUN networks .....                                    | 492 |
| 6.2.33 | Association objects (class_id = 12, 15) .....  | 492 |
| 6.2.34 | SAP assignment object (class_id = 17) .....  | 493 |
| 6.2.35 | COSEM logical device name object .....   | 493 |
| 6.2.36 | Information security related objects .....   | 493 |
| 6.2.37 | Image transfer objects (class_id = 18) .....   | 494 |
| 6.2.38 | Function control objects (class_id = 122) .....  | 494 |
| 6.2.39 | Communication port protection objects (class_id = 124) .....                             | 494 |
| 6.2.40 | Utility table objects (class_id = 26) .....  | 494 |
| 6.2.41 | Compact data objects (class_id = 62) .....   | 495 |
| 6.2.42 | Device ID objects .....  | 495 |
| 6.2.43 | Metering point ID objects .....  | 496 |
| 6.2.44 | Parameter changes and calibration objects .....  | 496 |
| 6.2.45 | I/O control signal objects .....   | 496 |
| 6.2.46 | Disconnect control objects (class_id = 70) .....   | 496 |
| 6.2.47 | Arbitrator objects (class_id = 68) .....   | 497 |
| 6.2.48 | Status of internal control signals objects .....   | 497 |
| 6.2.49 | Internal operating status objects .....  | 497 |
| 6.2.50 | Battery entries objects .....  | 498 |
| 6.2.51 | Power failure monitoring objects .....   | 498 |
| 6.2.52 | Operating time objects .....   | 499 |
| 6.2.53 | Environment related parameters objects .....   | 499 |
| 6.2.54 | Status register objects .....  | 499 |
| 6.2.55 | Event code objects .....   | 499 |
| 6.2.56 | Communication port log parameter objects .....   | 500 |
| 6.2.57 | Consumer message objects .....   | 500 |
| 6.2.58 | Currently active tariff objects .....  | 500 |
| 6.2.59 | Event counter objects .....  | 500 |
| 6.2.60 | Profile entry digital signature objects .....  | 501 |

|                       |   |     |
|-----------------------|---|-----|
| 6.2.61                | Profile entry counter objects .....   | 501 |
| 6.2.62                | Meter tamper event related objects .....  | 501 |
| 6.2.63                | Error register objects .....  | 502 |
| 6.2.64                | Alarm register, Alarm filter and Alarm descriptor objects .....                     | 502 |
| 6.2.65                | General list objects .....  | 503 |
| 6.2.66                | Event log objects (class_id 7) .....  | 503 |
| 6.2.67                | Inactive objects .....  | 504 |
| 6.3                   | Electricity related COSEM objects .....   | 504 |
| 6.3.1                 | Value group D definitions .....   | 504 |
| 6.3.2                 | ID numbers – Electricity .....  | 504 |
| 6.3.3                 | Billing period values / reset counter entries .....                                 | 505 |
| 6.3.4                 | Other electricity related general purpose objects .....                             | 505 |
| 6.3.5                 | Measurement algorithm .....   | 506 |
| 6.3.6                 | Metering point ID (electricity related) .....                                       | 508 |
| 6.3.7                 | Electricity related status objects .....  | 508 |
| 6.3.8                 | List objects – Electricity (class_id = 7) .....                                     | 508 |
| 6.3.9                 | Threshold values .....  | 509 |
| 6.3.10                | Register monitor objects (class_id = 21) .....                                      | 510 |
| 6.4                   | Coding of OBIS identifications .....  | 510 |
| Annex A (informative) | Additional information on Auto answer and Auto connect ICs .....                    | 512 |
| Annex B (informative) | Additional information to M-Bus client (class_id = 72, version 1) .....             | 514 |
| Annex C (informative) | Additional information on IPv6 setup class (class_id = 48, version = 0) .....       | 516 |
| C.1                   | General .....   | 516 |
| C.2                   | IPv6 addressing .....   | 516 |
| C.3                   | IPv6 header format .....  | 517 |
| C.4                   | IPv6 header extensions .....  | 519 |
| C.4.1                 | Overview .....  | 519 |
| C.4.2                 | Hop-by-Hop options .....  | 519 |
| C.4.3                 | Destination options .....   | 520 |
| C.4.4                 | Routing options .....   | 520 |
| C.4.5                 | Fragment options .....  | 520 |
| C.4.6                 | Security options .....  | 520 |
| Annex D (informative) | Overview of the narrow-band OFDM PLC technology for PRIME networks .....            | 521 |
| Annex E (informative) | Overview of the narrow-band OFDM PLC technology for G3-PLC networks .....           | 522 |
| Annex F (informative) | Significant technical changes with respect to IEC 62056-6-2, Edition 3.0:2017 ..... | 523 |
| Bibliography          | .....   | 524 |
| Figure 1              | – The meaning of the definitions concerning the Image .....                         | 19  |
| Figure 2              | – An interface class and its instances .....  | 34  |
| Figure 3              | – The COSEM server model .....  | 44  |
| Figure 4              | – Combined metering device .....  | 45  |
| Figure 5              | – Overview of the interface classes – Part 1 .....                                  | 48  |
| Figure 6              | – Overview of the interface classes – Part 2 .....                                  | 49  |
| Figure 7              | – Overview of the interface classes – Part 3 .....                                  | 50  |

|   |     |
|---|-----|
| Figure 8 – The time attributes when measuring sliding demand .....  | 60  |
| Figure 9 – The attributes in the case of block demand .....   | 61  |
| Figure 10 – The attributes in the case of sliding demand (number of periods = 3) .....                                    | 61  |
| Figure 11 – Image transfer process flow chart.....  | 104 |
| Figure 12 – COSEM model of push operation .....   | 113 |
| Figure 13 – Push windows and delays .....   | 115 |
| Figure 14 – COSEM model of data protection .....  | 126 |
| Figure 15 – Example: Read <i>protection_buffer</i> attribute.....   | 128 |
| Figure 16 – Example of managing an array .....  | 143 |
| Figure 17 – The generalized time concept.....   | 151 |
| Figure 18 – State diagram of the Disconnect control IC.....   | 167 |
| Figure 19 – Definition of upper and lower thresholds.....   | 180 |
| Figure 20 – COSEM tariffication model (example).....  | 185 |
| Figure 21 – COSEM billing model (example).....  | 185 |
| Figure 22 – Outline Account model .....   | 187 |
| Figure 23 – Diagram of attribute relationships.....   | 188 |
| Figure 24 – Credit States when priority >0 .....  | 198 |
| Figure 25 – Operation of current_credit_status flags.....   | 201 |
| Figure 26 – Interaction of current_credit_amount and available_credit with Token<br>“Credit” and Emergency “Credit” ..... | 207 |
| Figure 27 – Object model of DLMS®/COSEM servers .....   | 265 |
| Figure 28 – Object model of DLMS®/COSEM servers .....   | 286 |
| Figure 29 – Example of a ZigBee® network .....  | 323 |
| Figure 30 – Push windows and delays .....   | 406 |
| Figure 31 – Data of historical billing periods – example with module 12, VZ = 5.....                                      | 477 |
| Figure A.1 – Network connectivity example for a GSM/GPRS network .....  | 512 |
| Figure B.1 – Encryption key status diagram .....  | 514 |
| Figure C.1 – IPv6 address formats.....  | 517 |
| Figure C.2 – IPv6 header format .....   | 518 |
| Figure C.3 – Traffic class parameter format .....   | 518 |
| <br>  |     |
| Table 1 – Reserved base_names for SN referencing.....   | 35  |
| Table 2 – Interface class overview .....  | 35  |
| Table 3 – Common data types .....   | 38  |
| Table 4 – List of interface classes by class_id .....   | 50  |
| Table 5 – Enumerated values for physical units .....  | 56  |
| Table 6 – Examples for scaler_unit .....  | 58  |
| Table 7 – Parameters for selective access to the buffer attribute .....   | 70  |
| Table 8 – Parameters for selective access to the buffer attribute .....   | 72  |
| Table 9 – Daily billing data.....   | 81  |
| Table 10 – Attributes of the “Compact data” object .....  | 81  |
| Table 11 – A-XDR encoding of the data (SEQUENCE OF Get-Data-Result).....  | 82  |
| Table 12 – Diagnostic and Alarm data.....   | 82  |

|  |     |
|--|-----|
| Table 13 – Attributes of the “Compact data” object .....   | 83  |
| Table 14 – Encoding the data read from the buffer attribute of a “Profile generic” object.....                     | 83  |
| Table 15 – Logbook data .....  | 83  |
| Table 16 – Attributes of the “Compact data” object .....   | 84  |
| Table 17 – Attributes of the “Compact data” object .....   | 84  |
| Table 18 – A-XDR encoding of the data read from the <i>buffer</i> attribute.....                                   | 85  |
| Table 19 – Parameters for selective access to the <i>object_list</i> and <i>access_rights_list</i> attribute ..... | 89  |
| Table 20 – Parameters for selective access to the <i>object_list</i> attribute.....                                | 93  |
| Table 21 – Encoding of selective access parameters with <i>data_index</i> .....                                    | 124 |
| Table 22 – Key information required to establish data protection keys .....  | 135 |
| Table 23 – Protection parameters of <i>protection_parameters_get</i> attribute .....                               | 136 |
| Table 24 – Protection parameters of <i>protection_parameters_set</i> attribute .....                               | 137 |
| Table 25 – Protection parameters of <i>get_protected_attributes</i> method .....                                   | 138 |
| Table 26 – Protection parameters of <i>set_protected_attributes</i> method .....                                   | 139 |
| Table 27 – Protection parameters of <i>invoke_protected_method</i> method.....                                     | 140 |
| Table 28 – Example values for NCA and CLT .....  | 149 |
| Table 29 – Schedule .....  | 155 |
| Table 30 – Special days table .....  | 155 |
| Table 31 – Disconnect control IC – states and state transitions.....   | 168 |
| Table 32 – Explicit presentation of threshold value arrays.....  | 180 |
| Table 33 – Explicit presentation of <i>action_sets</i> .....   | 180 |
| Table 34 – Credit states.....  | 198 |
| Table 35 – Credit state transitions .....  | 199 |
| Table 36 – ADS address elements .....  | 222 |
| Table 37 – Fatal error register .....  | 223 |
| Table 38 – Mapping IEC 61334-4-512:2001 MIB variables to COSEM IC attributes / methods.....                        | 266 |
| Table 39 – MAC addresses in the S-FSK profile.....   | 272 |
| Table 40 – Mapping of PRIME NB OFDM PLC PIB attributes to COSEM IC attributes.....                                 | 287 |
| Table 41 – Mapping of G3-PLC IB attributes to COSEM IC attributes.....   | 300 |
| Table 42 – Use of ZigBee® setup COSEM interface classes .....  | 323 |
| Table 43 – C/D Rule 1 .....  | 339 |
| Table 44 – Parameters for selective access to the <i>object_list</i> attribute.....                                | 376 |
| Table 45 – Parameters for selective access to the <i>object_list</i> and <i>access_rights_list</i> attribute ..... | 381 |
| Table 46 – Parameters for selective access to the <i>object_list</i> attribute.....                                | 385 |
| Table 47 – Parameters for selective access to the <i>object_list</i> attribute.....                                | 391 |
| Table 48 – Encoding of selective access parameters with <i>data_index</i> .....                                    | 410 |
| Table 49 – ADS address elements .....  | 423 |
| Table 50 – Mapping of G3-PLC IB attributes specified in ITU-T G.9903:2017 to COSEM IC attributes .....             | 448 |
| Table 51 – Mapping of G3-PLC IB attributes to COSEM IC attributes.....   | 461 |
| Table 52 – Use of value group C for abstract objects in the COSEM context.....                                     | 475 |

|  |     |
|--|-----|
| Table 53 – Representation of various values by appropriate ICs .....                         | 504 |
| Table 54 – Measuring algorithms – enumerated values .....                                    | 507 |
| Table 55 – Threshold objects, electricity .....  | 509 |
| Table 56 – Register monitor objects, electricity .....                                       | 510 |
| Table B.1 – Encryption key is preset in the slave and cannot be changed .....                | 515 |
| Table B.2 – Encryption key is preset in the slave and new key is set after installation..... | 515 |
| Table B.3 – Encryption key is not preset in the slave, but can be set, case a).....          | 515 |
| Table B.4 – Encryption key is not preset in the slave, but can be set, case b).....          | 515 |
| Table C.1 – IPv6 header vs. IPv6 IC .....  | 519 |
| Table C.2 – Optional IPv6 header extensions vs. IPv6 IC.....                                 | 519 |

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[IEC 62056-6-2:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/9114d41e-b7bc-4504-a7c8-5e466f846814/iec-62056-6-2-2023>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICITY METERING DATA EXCHANGE –  
THE DLMS®/COSEM SUITE –****Part 6-2: COSEM interface classes**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62056-6-2 has been prepared by IEC technical committee 13: Electrical energy measurement and control. It is an International Standard.

This fourth edition cancels and replaces the third edition of IEC 62056-6-2 published in 2017. It constitutes a technical revision.

The significant technical changes with respect to the previous edition are listed in Annex F (Informative).