

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Luminaire –
Part 2-2: Particular requirements – Recessed luminaire and recessed air-
handling luminaire**

**Luminaire –
Partie 2-2: Exigences particulières – Luminaire encastré et luminaire à
circulation d'air encastré**

[IEC 60598-2-2:2023](#)

<https://standards.iteh.ai/catalog/standards/iec/b9405700-4129-40bb-83b9-bd96a0cbc80e/iec-60598-2-2-2023>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Luminaire –
Part 2-2: Particular requirements – Recessed luminaire and recessed air-
handling luminaire**

**Luminaire –
Partie 2-2: Exigences particulières – Luminaire encastré et luminaire à
circulation d'air encastré**

<https://standards.iteh.ai/catalog/standards/iec/b9405700-4129-40bb-83b9-bd96a0cbc80e/iec-60598-2-2-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.140.50

ISBN 978-2-8322-6331-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	3
2.1 Scope	5
2.2 Normative references	5
2.3 Terms and definitions	5
2.4 General test requirements	6
2.5 Classification of luminaires	6
2.6 Marking	6
2.7 Construction	7
2.8 Creepage distances and clearances	7
2.9 Provision for earthing	7
2.10 Terminals	7
2.11 External and internal wiring	7
2.12 Protection against electric shock	7
2.13 Endurance tests and thermal tests	8
2.14 Resistance to dust and moisture	8
2.15 Insulation resistance and electric strength	9
2.16 Resistance to heat, fire and tracking	9
Annex A (normative) Measurement of ambient temperature in an installation	10
Annex B (normative) Recessed luminaires thermal test methods	11
Annex C (informative) Explanation of t_a with respect to air-handling luminaires	14
Annex D (informative) Schedule of amended subclauses containing more serious or critical requirements which require products to be retested	15
Bibliography	16
Figure 1 – Symbol for luminaires not suitable for direct mounting on normally flammable surfaces (suitable only for mounting on non-combustible surfaces)	6
Figure 2 – Symbol for luminaires not suitable for covering with thermally insulating material	7
Figure B.1 – Example of test recess where a luminaire suitable for covering with thermal insulating material comprises separate parts	11
Figure B.2 – Example of test recess where a luminaire not suitable for covering with thermal insulating material comprises separate parts	12
Figure B.3 – Correct test box size (insulating ceilings) for settable and adjustable luminaires	13
Table 1 – Operating temperature of cable	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LUMINAIRES –

**Part 2-2: Particular requirements –
Recessed luminaires and recessed air-handling luminaires**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60598-2-2 has been prepared by subcommittee 34D: Luminaires, of IEC technical committee 34:Lighting. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition (there are no major technical changes, see Annex D):

- a) The requirements specific to recessed luminaires given in IEC 60598-1 are now incorporated in this Part 2-2.
- b) The requirements for air-handling luminaires given in IEC 60598-2-19 are now incorporated in this Part 2-2.
- c) The references to Part 1 have been updated.

The text of this International Standard is based on the following documents:

Draft	Report on voting
34D/1681/FDIS	34D/1688/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60598 series, published under the general title *Luminaires* can be found on the IEC website.

This Part 2-2 is to be used in conjunction with the latest edition of IEC 60598-1 and its amendment(s). It was established on the basis of the ninth edition (2020).

NOTE 1 When "Part 1" is mentioned in this document, it refers to IEC 60598-1.

NOTE 2 In this document, the following print type is used:

- compliance statements: *in italic type*.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

<https://standards.iteh.ai/>
<https://standards.iteh.ai/catalog/standards/iec/b9405700-4129-40bb-83b9-bd96a0cbc80e/iec-60598-2-2-2023>

LUMINAIRES –

Part 2-2: Particular requirements – Recessed luminaires and recessed air-handling luminaires

2.1 Scope

This part of IEC 60598 specifies requirements for recessed luminaires incorporating electric light sources for operation from supply voltages up to 1 000 V. It also specifies requirements for recessed air-handling luminaires for use with a ventilation duct or ventilated space (plenum).

NOTE The expressions "ventilation" and "ventilated" in this document refer to forced ventilation.

2.2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60245 (all parts), *Rubber insulated cables – Rated voltages up to and including 450/750 V*

IEC 60598-1, *Luminaires – Part 1: General requirements and tests*

<https://standards.iteh.ai/standards/iec/60598-2-2-2023>

<https://standards.iteh.ai/standards/iec/60598-2-2-2023>

2.3 Terms and definitions

For the purposes of this document, the terms and definitions given in Part 1 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

2.3.1

air-handling luminaire

luminaire specially designed for use in association with an air conditioning system

Note 1 to entry: The air can pass either through the lamp chamber or through separate passages.

Note 2 to entry: For an explanation of the significance of t_a as applied to air-handling luminaires, see Annex C.

2.3.2

static operation

operation of a luminaire when not handling either forced supply or extract air but permitting natural convection

2.4 General test requirements

The provisions of Section 0 of Part 1 apply. The tests described in each appropriate section of Part 1 shall be carried out in the order listed in this document.

A procedure measuring ambient temperature in an installation is given in Annex A.

NOTE Annex A provides additional information on how ambient temperature is considered within the recessed cavity area relative to the t_a marking of the luminaire.

2.5 Classification of luminaires

Luminaires shall be classified in accordance with the provisions of Section 2 of Part 1.

2.6 Marking

2.6.1 The provisions of Section 3 of Part 1 apply, together with the requirements of 2.6.2, 2.6.3 and 2.6.4.

The following information shall be distinctly and durably marked on the luminaire and be visible during installation or behind a cover or part which is removed during installation.

2.6.2 For recessed luminaires with two IP ratings, both ratings shall be visible during installation and it shall be obvious to which parts of the luminaire the ratings refer. The relevant information shall be provided even if the rating is IP20 or the lower rating is specified as ordinary.

2.6.3 Where applicable, the relevant symbol for recessed luminaires not suitable for direct mounting on normally flammable surfaces shall be distinctly and durably marked on the luminaire and be visible during installation or behind a cover or part which is removed during installation.

When marked, this symbol shall be explained on the luminaire or in the manufacturer's instructions provided with the luminaire.

The minimum size of the symbol shall be 25 mm for each side. See Figure 1.



Figure 1 – Symbol for luminaires not suitable for direct mounting on normally flammable surfaces (suitable only for mounting on non-combustible surfaces)

2.6.4 Where applicable, the relevant symbol for luminaires not suitable for covering with thermally insulated material shall be distinctly and durably marked on the luminaire and be visible during installation or behind a cover or part which is removed during installation.

When marked, this symbol shall be explained on the luminaire or in the manufacturer's instructions provided with the luminaire.

The minimum size of the symbol shall be 25 mm for each side. See Figure 2.



Figure 2 – Symbol for luminaires not suitable for covering with thermally insulating material

2.7 Construction

The provisions of Section 4 of Part 1 apply.

2.8 Creepage distances and clearances

The provisions of Section 11 of Part 1 apply.

2.9 Provision for earthing

The provisions of Section 7 of Part 1 apply.

2.10 Terminals

The provisions of Sections 14 and 15 of Part 1 apply.

2.11 External and internal wiring

The provisions of Section 5 of Part 1 apply, together with the following.

Flexible cables or cords used as a means of connection to the supply, when supplied by the luminaire manufacturer, shall be at least equal in their mechanical and electrical properties to those specified in the IEC 60227 series or the IEC 60245 series and shall be capable of withstanding without deterioration the highest temperature to which they can be exposed under normal conditions of use. Materials other than PVC and rubber are suitable if the above requirements are met.

Compliance shall be checked by the tests specified in Clause 2.13.

NOTE The use of flexible cables and cords with recessed luminaires is appropriate for the following reasons:

- 1) The flexible cable or cord cannot be easily touched as it is normally out of reach within the recess.
- 2) To facilitate installation of the luminaire into the recess.
- 3) To permit the adjustment of settable and adjustable recessed luminaires.

2.12 Protection against electric shock

The provisions of Section 8 of Part 1 apply, together with the following.

The parts of the luminaire and components within the ceiling space or cavity shall provide the same degree of protection against electric shock as the luminaire parts below the ceiling space.

NOTE The ceiling space or cavity is regarded as accessible for installation and maintenance, and the barriers do not provide adequate protection against electric shock.

Compliance is checked by inspection.

2.13 Endurance tests and thermal tests

2.13.1 The provisions of Section 12 of Part 1 apply, together with the following requirements.

2.13.2 The luminaire shall be mounted and tested according to Annex B.

Luminaires with an IP classification greater than IP20 shall be subjected to the relevant tests of Clauses 12.4, 12.5, 12.6 and 12.7 of Section 12 of Part 1 after the test(s) of Clause 9.2 but before the test(s) of Clause 9.3 of Section 9 of Part 1 specified in Clause 2.14 of this document.

2.13.3 Wiring, for connection to the supply, which passes into or can touch the luminaire, shall not reach an unsafe temperature.

Compliance shall be checked by the following tests:

The luminaire is connected to the supply using the cable provided with the luminaire or using a cable in accordance with the marking on the luminaire or, if not marked, as specified in the manufacturer's instruction sheet; otherwise PVC cable complying with the IEC 60227 series is used.

The hottest point is found (along the internal route or on the outer surface of the luminaire) with which the cable is likely to lie in contact during normal service. The cable is lightly held in contact at this point and the temperature of the insulation at the point of contact is measured as described in Annex K of Part 1.

The operating temperature of the cable shall not exceed the limits given in Table 1.

Table 1 – Operating temperature of cable

Designation of cable	Limit of operating temperature
Cable (including sleeves) provided with the luminaire	The maximum temperature specified in Table 12.2 of Part 1
Cable not provided with the luminaire:	
a) luminaires with cable temperature marking	The marked temperature
b) luminaires without cable temperature marking	The maximum temperature specified in Table 12.2 of Part 1 for ordinary PVC not subject to mechanical stress

2.13.4 The test for air-handling luminaires is made under static operating conditions.

When testing air-handling luminaires with stubs for connection of ventilation ducts, the stubs are suitably connected to the sides or to the top of the test box according to the installation instructions.

- a) Normal operating conditions: During the test, the temperature of upward facing surfaces within the main air path shall not exceed 100 °C, except that for surfaces of light sources, the temperature shall not exceed 150 °C.
- b) Abnormal operating conditions: The temperature of the convection air when leaving the luminaire shall not exceed 100 °C. During the test, the temperature of upward facing surfaces within the main air path shall not exceed 130 °C except that for surfaces of light sources, the temperature shall not exceed 150 °C.

2.14 Resistance to dust and moisture

2.14.1 The provisions of Section 9 of Part 1 apply, as well as the following.

2.14.2 For luminaires with an IP classification greater than IP20, the order of the tests specified in Section 9 of Part 1 shall be as specified in Clause 2.13 of this document.

2.14.3 For recessed luminaires, the parts in the recess and the parts protruding from the recess shall each be tested according to their IP classification as indicated in the manufacturer's mounting instructions. A box encapsulating the part in the recess can be necessary.

NOTE The claimed IP rating is only applicable to the enclosure of the luminaire. In the case of a recessed luminaire, the IP rating of the luminaire does not protect the integrity of any seals outside of the luminaire, e.g. between the lower and upper parts of the ceiling.

2.15 Insulation resistance and electric strength

The provisions of Section 10 of Part 1 apply.

2.16 Resistance to heat, fire and tracking

The provisions of Section 13 of Part 1 apply.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 60598-2-2:2023](https://standards.iteh.ai/catalog/standards/iec/b9405700-4129-40bb-83b9-bd96a0cbc80e/iec-60598-2-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/b9405700-4129-40bb-83b9-bd96a0cbc80e/iec-60598-2-2-2023>