

TECHNICAL REPORT



Graphical symbols for diagrams – Part 1: General, qualifying and generic symbols

STANDARD PREVIEW
(standards.iteh.ai)

[IEC TR 63358-1:2023](https://standards.iteh.ai/catalog/standards/sist/1901dcec-9f9b-4163-8fa6-d1462422639b/iec-tr-63358-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/1901dcec-9f9b-4163-8fa6-d1462422639b/iec-tr-63358-1-2023>





THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

[IEC TR 63358-1:2023](https://standards.iteh.ai/catalog/standards/sis/1901dccc-9d96-4169-81a6-d1462422639b/iec-tr-63358-1-2023)

<https://standards.iteh.ai/catalog/standards/sis/1901dccc-9d96-4169-81a6-d1462422639b/iec-tr-63358-1-2023>

TECHNICAL REPORT



**Graphical symbols for diagrams –
Part 1: General, qualifying and generic symbols**

[IEC TR 63358-1:2023](https://standards.iteh.ai/catalog/standards/sist/1901dcec-9f9b-4163-8fa6-d1462422639b/iec-tr-63358-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/1901dcec-9f9b-4163-8fa6-d1462422639b/iec-tr-63358-1-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 01.080.10

ISBN 978-2-8322-6436-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Classification of graphical symbols	7
4.1 General symbols.....	7
4.2 Qualifying symbols.....	20
4.3 Generic symbols for common use	40
Bibliography.....	46
Figure 1 – Relationship among types of graphical symbols for diagrams	5
Table 1 – Examples of general symbols applicable in all domains.....	7
Table 2 – Examples of applicable general symbols specific to binary logic elements.....	17
Table 3 – Examples of qualifying symbols.....	20
Table 4 – Examples of generic symbols	41

IEC STANDARD PREVIEW
(standards.iteh.ai)

[IEC TR 63358-1:2023](https://standards.iteh.ai/catalog/standards/sist/1901dcec-9f9b-4163-8fa6-d1462422639b/iec-tr-63358-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/1901dcec-9f9b-4163-8fa6-d1462422639b/iec-tr-63358-1-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

GRAPHICAL SYMBOLS FOR DIAGRAMS –

Part 1: General, qualifying and generic symbols

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 63358-1 has been prepared by IEC technical committee 3: Documentation, graphical symbols and representations of technical information. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
3/1488/DTR	3/1539/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.


iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC TR 63358-1:2023](https://standards.iteh.ai/catalog/standards/sist/1901dcec-9f9b-4163-8fa6-d1462422639b/iec-tr-63358-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/1901dcec-9f9b-4163-8fa6-d1462422639b/iec-tr-63358-1-2023>

INTRODUCTION

Initial work was done by TC 3 Maintenance Team 60617 with the aim to clarify the terminology used in the naming of some of the graphical symbols for diagrams standardized in IEC 60617. This document also highlights improved naming of some graphical symbols categorized according to the concepts of generic symbol, general symbol and qualifying symbol, where the symbol "name" is recognized as giving a short description of the meaning of the graphical symbol for diagrams. Figure 1 provides the relationship among types of graphical symbols for diagrams.



IEC

[IEC TR 63358-1:2023](https://www.iec.ch/standards/iec-tr-63358-1-2023)

<https://www.iec.ch/standards/iec-tr-63358-1-2023> **Figure 1 – Relationship among types of graphical symbols for diagrams** [/iec-tr-63358-1-2023](https://www.iec.ch/standards/iec-tr-63358-1-2023)

GRAPHICAL SYMBOLS FOR DIAGRAMS –

Part 1: General, qualifying and generic symbols

1 Scope

This document contains, by way of example, a collection of generic symbols, general symbols and qualifying symbols for diagrams taken from IEC 60617. Some of the wording of entries in the IEC 60617 database are annotated and/or modified for the purpose of clarification. Existing symbols in the IEC 60617 database are classified according to the classification proposed in this document.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

graphical symbol

visually perceptible figure with a particular meaning used to transmit information independently of language

Note 1 to entry: The graphical symbol may represent objects of interest, such as products, functions or requirements for manufacturing, quality control, etc.

Note 2 to entry: A graphical symbol is not to be confused with the simplified representation of products which is normally drawn to scale and which can look like a graphical symbol.

[SOURCE: ISO 81714-1:2010, 3.1]

3.2

basic symbol

graphical symbol representing a defined concept, applicable for use in diagrams

Note 1 to entry: A basic symbol can be:

- used alone; or
- qualified by qualifying symbols or other basic symbols; or
- used as a qualifier to another basic symbol.

3.3

general symbol

basic symbol that forms the basis for other basic symbols representing the same main concept but with different specific characteristics

Note 1 to entry: IEC 60617 graphical symbols S00001, S00227, S00457, S00555, S00567, S00583, S00641, S00841, and S00842 are examples of the concept of "general symbol".

3.4 qualifying symbol

graphical symbol applicable only for providing additional information to a basic symbol

Note 1 to entry: IEC 60617 categories "Qualifiers only" and "Functional attribute only" provide a list of qualifying symbols, e.g., S00077, S00120 and S00223.

3.5 generic symbol

graphical symbol that represents a main concept and is intended to be adapted with characters, qualifying symbols or basic symbols when being applied

Note 1 to entry: IEC 60617 graphical symbols S00066, S00819, S00910, S00911, S00912, S01870, S01921 are examples of the concept of "generic symbol".

3.6 name

short description of the meaning of the graphical symbol for diagram

[SOURCE: IEC 60617, General description, modified – the introductory "a" has been removed, and "meaning of the symbol" has been replaced with "meaning of the graphical symbol for diagram".]




4 Classification of graphical symbols






4.1 General symbols






General symbols are the bases for a set of other basic symbols representing the same main concept but with different specific characteristics. Table 1 provides examples of general symbols for concepts applicable to all domains, for use in diagrams. Table 2 provides examples of general symbols for the domain of binary logic elements.









NOTE In Table 1 and Table 2, the column with the heading "Name" of graphical symbols sometimes includes additional wording after the comma which is not included in IEC 60617 at the time of publication of this document. Such additional wording will form part of the information to be used when a complete maintenance of IEC 60617 takes place. It is useful to keep consistency of naming. Therefore, any additions or deletions are highlighted in red.









Table 1 – Examples of general symbols applicable in all domains





Symbols	ID	Name
	S00001	Connection, general symbol
	S00031	Contact, female (of a socket or plug), general symbol
	S00032	Contact, male (of a socket or plug), general symbol






Symbols	ID	Name
	S00213	Converter, general symbol
	S00227	Make contact, general symbol; Switch, general symbol
	S00229	Break contact, general symbol
	S00230	Change-over break before make contact, general symbol
	S00270	Multi-position switch, general symbol

Symbols	ID	Name
	S00271	Multi-position switch, maximum four positions, general symbol
	S00297	Motor starter, general symbol
	S00305	Operating device, general symbol; Relay coil, general symbol
	S00362	Fuse, general symbol
	S00371	Spark gap, general symbol

Symbols	ID	Name
	S00376	Static switch, general symbol
	S00453	Box, general symbol
	S00457	Socket outlet (power) general symbol
	S00465	Socket outlet (telecommunications), general symbol
	S00466	On/Off switch, general symbol for installation diagrams
	S00484	Luminaire, general symbol; Fluorescent lamp, general symbol
	S00487	Projector, general symbol
	S00498	Straight section, general symbol

Symbols	ID	Name
	S00533	Aeronautical ground light, elevated, general symbol
	S00534	Aeronautical ground light, surface, general symbol
	S00552	Warning sign, general symbol; Guidance sign, general symbol
	S00555	Resistor, general symbol
	S00567	Capacitor, general symbol
	S00583	Coil, general symbol; Winding, general symbol
	S00608	Delay line, general symbol; Delay element, general symbol
	S00641	Semiconductor diode, general symbol

Symbols	ID	Name
	<p>S00841</p>	<p>Transformer with two windings, general symbol /Form 1</p>
	<p>S00842</p>	<p>Transformer with two windings, general symbol /Form 2</p>
	<p>S00844</p>	<p>Transformer with three windings, general symbol /Form 1</p>
	<p>S00845</p>	<p>Transformer with three windings, general symbol /Form 2</p>

Symbols	ID	Name
	S00846	Auto-transformer, general symbol /Form 1
	S00847	Auto-transformer, general symbol /Form 2
	S00848	Reactor, general symbol /Form 1
	S00849	Reactor, general symbol /Form 2
	S00850	Current transformer, general symbol /Form 1