

# INTERNATIONAL STANDARD



Digital twin – Concepts and terminology

ITeH Standards  
(<https://standards.iteh.ai>)  
Document Preview

[ISO/IEC 30173:2023](https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023)

<https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2023 ISO/IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

ITeH Standards.us  
[standards.iteh.ai](http://standards.iteh.ai)  
Document Preview

[ISO/IEC 30173:2023](https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023)

<https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023>

# INTERNATIONAL STANDARD



---

**Digital twin – Concepts and terminology**

**ITeH Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ISO/IEC 30173:2023](https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023)

<https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 35.020

ISBN 978-2-8322-7680-8

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	6
3.1 General terms .....	6
3.2 Data-related terms .....	9
3.3 Model-related terms .....	9
3.4 Performance-related terms.....	9
3.5 Application-related terms .....	10
4 Symbols and abbreviated terms.....	11
5 Concepts .....	12
5.1 General.....	12
5.2 Advantages and benefits of digital twin .....	12
5.3 Digital twin and related concepts.....	13
5.3.1 Digital twin and the semiotic triangle.....	13
5.3.2 Digital twin and use of system control elements in the information model.....	14
5.3.3 Digital twin and simulation .....	15
5.3.4 Digital twin and cyber-physical system.....	15
5.3.5 Digital twin and Internet of Things.....	16
5.4 Digital twin applications .....	16
5.4.1 General .....	16
5.4.2 Manufacturing.....	16
5.4.3 Buildings and civil infrastructure .....	17
5.4.4 Healthcare .....	17
5.4.5 Cities .....	17
5.5 Digital twin system context.....	17
5.5.1 General .....	17
5.5.2 Digital twin system.....	18
5.5.3 Services .....	18
5.5.4 Application domains.....	18
5.5.5 Infrastructure .....	18
5.5.6 System aspects .....	19
5.6 Life cycle process for digital twin .....	19
5.7 Types of digital twin .....	20
5.7.1 General .....	20
5.7.2 Component digital twin .....	20
5.7.3 Asset digital twin .....	20
5.7.4 System digital twin.....	20
5.7.5 Process digital twin.....	20
6 Digital twin stakeholders.....	20
6.1 General.....	20
6.2 Digital twin system stakeholders .....	21
6.2.1 Developers .....	21
6.2.2 Resource providers.....	21
6.2.3 Integrators.....	21

6.2.4	Users .....	21
6.2.5	Operators .....	21
6.3	Ecosystem partners .....	22
6.3.1	Infrastructure provider .....	22
6.3.2	Service provider .....	22
6.3.3	Standards development organization .....	22
6.3.4	Government and community .....	22
7	Functional view of digital twin .....	22
Annex A (informative)	Definition of digital twin in different standards .....	24
Annex B (informative)	Semiotics .....	25
B.1	Introduction of the semiotics .....	25
B.2	Digital twin and the semiotic morphisms.....	26
B.3	Relationship between digital twin system context and semiotic triangle .....	27
Bibliography	.....	28
Figure 1	– Digital twin system context diagram .....	18
Figure 2	– Digital twin life cycle phases .....	19
Figure 3	– Digital twin stakeholders .....	21
Figure 4	– Functional view of digital twin.....	22
Figure B.1	– Use case ‘Jaguar in the garage’ mapped onto the three semiotic domains .....	25
Table A.1	– Definition of digital twin in different standards .....	24

Document Preview

<https://standards.iteh.ai>

<https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023>

## DIGITAL TWIN – CONCEPTS AND TERMINOLOGY

### FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> and [www.iso.org/patents](http://www.iso.org/patents). IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 30173 has been prepared by subcommittee 41: Internet of Things and Digital Twin, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC41/362/FDIS	JTC1-SC41/372/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs) and [www.iso.org/directives](http://www.iso.org/directives).

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Digital transformation continues to reshape the world at multiple scales, from a city to a building, a factory, an automobile, a process and so on. The concept of a digital twin (DTw) is not new. The concept of twinning in aerospace has been in use for over 50 years. Advances in digitalization, for example those related to the industrial Internet of Things, have enabled the concept to develop and spread outside of capital-intensive industries.

Digital twin has the potential to be widely used in multiple domains such as smart manufacturing, smart cities, smart agriculture, smart energy, smart buildings, smart health care, smart mining and many other fields. However, different fields have developed in isolation, leading to different concepts and terminology. The benefits that can be derived from the use of a digital twin will depend on the use case or cases that it has been conceived to satisfy. The degree to which the benefits are realized is dependent on the implementation of the digital twin and the degree to which it can be trusted to represent the behaviour of the target entity it represents. For example, it can help:

- a) simulate and predict products or production lines, resulting in production cycle reduction and cost reduction for manufacturing companies;
- b) optimize city construction based on simulation models, and realize visualization, convenience and intelligent city management for city planners;
- c) monitor and optimize production operations, and perform predictive diagnosis on machinery and equipment for agricultural producers;
- d) achieve visual monitoring management of energy production and transmission processes, as well as fault analysis and remote operation and maintenance for energy managers;
- e) monitor patients' real-time conditions, provide personalized medical solutions, dynamically optimize medical resources for doctors, and so on.

The essence of digital twin is a pairing of two things:

- something that provides a functional purpose in reality, for example, an automobile or a petrochemical platform, designated as a target entity in this document;
- a representation of that target entity as a digital entity for the purpose of connection, integration, analysis, simulation, visualization, optimization, collaboration or, when necessary, providing external management for that target entity.

In view of the increased interest in and potential applications of the digital twin technologies, there is a need to establish a common basis and terminology to enable collaboration and cooperation, and to promote a common understanding of the concept.

The purpose of this document is to:

- 1) provide a common basis for understanding the concept and composition of a digital twin through definitions of digital twin-related concepts;
- 2) provide an overview of the life cycle of a digital twin in relation to the target entity it represents;
- 3) provide a basis for the development of standards, specifications and use of digital twins.

This document provides generic digital twin concepts and terminology that can be applied in any domain or across domains.

# DIGITAL TWIN – CONCEPTS AND TERMINOLOGY

## 1 Scope

This document establishes terminology for digital twin (DTw) and describes concepts in the field of digital twin, including the terms and definitions of digital twin, concepts of digital twin (e.g. digital twin system context, life cycle process for digital twin, types of digital twin), functional view of digital twin, and digital twin stakeholders.

This document can be used in the development of other standards and in support of communications among diverse, interested parties or stakeholders.

This document is applicable to all types of organizations (e.g., commercial enterprises, government agencies, and not-for-profit organizations).

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1 General terms

#### 3.1.1

#### **digital twin**

#### **DTw**

*digital representation* (3.1.8) of a *target entity* (3.1.3) with data connections that enable convergence between the physical and digital states at an appropriate rate of synchronization

Note 1 to entry: Digital twin has some or all of the capabilities of connection, integration, analysis, simulation, visualization, optimization, collaboration, etc.

Note 2 to entry: Digital twin can provide an integrated view throughout the life cycle of the target entity.

#### 3.1.2

#### **entity**

<digital twin> thing (physical or non-physical) having a distinct existence

EXAMPLE Person, object, event, idea, process, etc.

[SOURCE: ISO/IEC 20924:2021, 3.1.18, modified – The example has been added.]



**3.1.3****target entity**

*entity* (3.1.2) providing a functional purpose in reality which is the subject of *digital representation* (3.1.8)

Note 1 to entry: The target entity, which provides some functional purpose in reality, can be either physical or digital under consideration.

**3.1.4****physical entity**

*entity* (3.1.2) in the physical world that can be the subject of sensing and/or actuating

[SOURCE: ISO/IEC 20924:2021, 3.1.27]

**3.1.5****digital entity**

computational entity comprising data elements and procedural elements

**3.1.6****physical domain**

classification of physical entities under consideration

**3.1.7****digital domain**

classification of digital entities under consideration

Note 1 to entry: Entities in the digital domain can be embedded in a physical domain.

**3.1.8****digital representation**

digital entity representing either a set of properties or behaviours or both of one or more observable elements

[ISO/IEC 30173:2023](https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023)

<https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023>

**3.1.9****modelling**

using symbolic paradigms or formal languages to create an abstract representation of a thing

**3.1.10****ecosystem**

infrastructure and services based on a network of organizations and stakeholders

Note 1 to entry: Organizations can include public bodies.

[SOURCE: ISO/IEC TS 27570:2021, 3.8]

**3.1.11****life cycle**

evolution of a system, product, service, project or other human-made entity from conception through retirement

[SOURCE: ISO/IEC/IEEE 15288:2023, 3.21]

**3.1.12****semantics**

rules that provide the intended meaning of entities or things to construct, deploy and use

**3.1.13****semiotics**

study of signs and their properties including the relationships between the domains of symbols, concepts and cyber-physical phenomena

**3.1.14****control loop**

<digital twin> feedback link between digital entities and target entities whereby the digital entity receives data from the *target entity* (3.1.3) and issues back to the target entity data that are used to modify the behaviour of the target entity

Note 1 to entry: Control loops use engineering control methods for the purpose of automation, e.g. to keep the temperature on an engine under control of a certain limit.

**3.1.15****concept**

<semiotics> semantic artifact that represents meaning of a symbol, a thing or a phenomenon

**3.1.16****symbol**

<semiotics> ontological artifact that denotes a certain meaning, a thing or a phenomenon

**3.1.17****phenomenon**

<semiotics> thing artifact that is symbolized by an ontological symbol and has implemented certain concepts

**3.1.18****asset**

*entity* (3.1.2) that has potential or actual value to an organization

[SOURCE: ISO 6707-4:2021, 3.1.2, modified- In the definition, "item, thing or" has been deleted.]

<https://standards.iteh.ai/>

<https://standards.iteh.ai/catalog/standards/sist/e0ed45a5-319d-4cbc-a742-3706ec7c40ed/iso-iec-30173-2023>

**3.1.19****object**

concept or a physical thing existing in the real world

[SOURCE: ISO 15531-31:2004 3.5.7, modified – In the definition, "which may" has been deleted.]

**3.1.20****synchronization**

<digital twin> action of making the states of target entity and digital entity synchronized, using network for real time system

**3.1.21****digital twin system**

system providing functionalities for the digital twin composed of inter-operating target entities, digital entities, data connections, and models, data and interfaces involved in the data connection process

## 3.2 Data-related terms

### 3.2.1

#### **data**

reinterpretable representation of information in a formalized manner suitable for communication, interpretation, or processing

[SOURCE: ISO/IEC 2382:2015, 2121272, modified – Notes have been deleted.]

### 3.2.2

#### **asset data**

facts, concepts or instructions pertaining to an *asset* (3.1.18)

### 3.2.3

#### **big data**

data set(s) with characteristics (e.g. volume, velocity, variety, variability, veracity, etc.) that for a particular problem domain at a given point in time cannot be efficiently processed using traditional technologies and techniques in order to extract value

Note 1 to entry: The term Big Data is commonly used in many different ways, for example as the name of the scalable technology used to handle big data extensive datasets.

[SOURCE: ISO/IEC 38505-1:2017, 3.2, modified – In the definition, "current/existing/established/" has been deleted.]

## 3.3 Model-related terms

### 3.3.1

#### **statistics model**

model that uses mathematical analysis tools to build a representation of the data for the purpose of conducting analysis to infer any relationships between variables or discover insights

### 3.3.2

#### **engineering model**

model that includes geometry, materials, components and behaviour relevant throughout the entity life cycle

### 3.3.3

#### **information model**

model of a set of facts, concepts or instructions to meet a specific requirement

[SOURCE: ISO 6707-2:2017, 3.2.35]

## 3.4 Performance-related terms

### 3.4.1

#### **verification**

confirmation, through the provision of objective evidence, that specified requirements have been fulfilled

[SOURCE: ISO 9000:2015, 3.8.12, modified – The notes to entry have been deleted.]

### 3.4.2

#### **validation**

confirmation, through the provision of objective evidence, that the requirements for a specific intended use or application have been fulfilled

[SOURCE: ISO 9000:2015, 3.8.13, modified – The notes to entry have been deleted.]