

Edition 1.0 2022-04

INTERNATIONAL STANDARD

NORME **INTERNATIONALE**

Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety – PREVIEW Part 3-5: Particular requirements for transportable band saws (standards.iteh.ai)

Outils électroportatifs à moteur, outils portables et machines pour jardins et pelouses – Sécurité – IEC 62841-3-5:2022 Partie 3-5: Exigences particulières pour les scies à ruban transportables c0b9-41a7-bff4-a5aed99e4bcc/iec-62841-3-5-2022





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.jec.ch/advsearchform 🗼 IEC Products & Services Portal - products.iec.ch

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Discover our powerful search engine and read freely all the

publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc 62841-3-5

If you wish to give us your feedback on this publication or need alog/standards/sist/d5e6c4a3further assistance, please contact the Customer Service Centre: sales@iec.ch. c0b9-41a7-bff4-a5aed99e4bcc/iec-62841-3-5-2022

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 1.0 2022-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

iTeh STANDARD

Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety – PREVIEW Part 3-5: Particular requirements for transportable band saws

Outils électroportatifs à moteur, outils portables et machines pour jardins et pelouses – Sécurité – IEC 62841-3-5:2022 Partie 3-5: Exigences particulières pour les scies à ruban transportables c0b9-41a7-bff4-a5aed99e4bcc/iec-62841-3-5-2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 25.140.20

ISBN 978-2-8322-1097-6

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

EWORD	4			
Scope	6			
Normative references	6			
Terms and definitions	7			
General requirements	8			
General conditions for the tests	9			
Radiation, toxicity and similar hazards	9			
Classification	9			
Marking and instructions	9			
Protection against access to live parts	. 10			
Starting	. 10			
Input and current	. 10			
Heating	. 10			
Resistance to heat and fire				
Moisture resistance	. 10			
Resistance to rusting	. 10			
Overload protection of transformers and associated circuits	.11			
Endurance	. 11			
Abnormal operation	. 11			
Mechanical strength	. 16			
Construction	. 16			
Internal wiring	. 17			
Components	. 17			
Supply connection and external flexible cords	. 17			
Terminals for external conductors	. 17			
Provision for earthing	. 17			
Screws and connections	. 17			
Creepage distances, clearances and distances through insulation	. 17			
exes	. 18			
ex I (informative) Measurement of noise and vibration emissions	. 18			
ex AA (normative) Requirements for interlocked access cover for band saws	.20			
ography	.21			
re 101 – Parts of a typical band saw	8			
Figure 102 – Test probe13				
Figure 103 – Table and fence dimensions14				
re 104 – Cross-cutting fence	. 15			
re 105 – Saw band guides	. 16			
	Scope			

Table 4 – Required performance levels	11
Table I.101 – Noise test conditions for band saws that are not intended for cutting	
metal	18
Table I.102 – Test conditions for band saws that are intended for cutting metal	19

- 3 -

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 62841-3-5:2022 https://standards.iteh.ai/catalog/standards/sist/d5e6c4a3c0b9-41a7-bff4-a5aed99e4bcc/iec-62841-3-5-2022 - 4 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS, TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY – SAFETY –

Part 3-5: Particular requirements for transportable band saws

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any XL misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62841-3-5 has been prepared by IEC technical committee 116: Safety of motor-operated electric tools. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
116/574/FDIS	116/585/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This Part 3-5 is to be used in conjunction with the first edition of IEC 62841-1:2014.

This Part 3-5 supplements or modifies the corresponding clauses in IEC 62841-1:2014, so as to convert it into the IEC Standard: Particular requirements for transportable band saws.

Where a particular subclause of IEC 62841-1:2014 is not mentioned in this Part 3-5, that subclause applies as far as relevant. Where this standard states "addition", "modification" or "replacement", the relevant text in IEC 62841-1:2014 is to be adapted accordingly.

The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

The terms defined in Clause 3 are printed in **bold typeface**.

Subclauses, notes, tables and figures which are additional to those in IEC 62841-1:2014 are numbered starting from 101.

PREVIEW

A list of all parts of the IEC 62841 series, under the general title: *Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery Safety*, can be found on the IEC website.

The committee has decided that the <u>contents of this docu</u>ment will remain unchanged until the stability date indicated on the IEC website under websitere included to the specific document. At this date the document will be the content of the document will be the specific document.

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 36 months from the date of publication.

ELECTRIC MOTOR-OPERATED HAND-HELD TOOLS, TRANSPORTABLE TOOLS AND LAWN AND GARDEN MACHINERY – SAFETY –

Part 3-5: Particular requirements for transportable band saws

1 Scope

IEC 62841-1:2014, Clause 1 is applicable, except as follows.

Addition:

This document applies to **band saws** intended for cutting wood and analogous materials, plastics and metals, except magnesium.

This document does not apply to transportable scroll saws and jig saws with a reciprocating blade.

PREVIEW

This document does not apply to Ileh STANDARD

- hand-held band saws;
- non-vertical saws; and
- wire saws.

NOTE 101 It is planned that a document on transportable scroll saws and jig saws will be published.

NOTE 102 Hand-held band saws will be covered by a future part of JEC 62841-2.

NOTE 103 In Europe (ENJEC/62841-3-5); the following conditions apply/sist/d5e6c4a3-

This document does not apply to stationary **band saws** intended to cut wood and similar materials. Stationary **band saws** that are intended to cut wood and similar materials are covered by EN 1807-1.

This document applies to **band saws** having a mass of:

- maximum 25 kg for tools capable of being lifted by hand by one person;
- maximum 50 kg for tools capable of being lifted by hand by two persons.

2 Normative references

IEC 62841-1:2014, Clause 2 is applicable, except as follows.

Addition:

IEC 62841-1:2014, Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety – Part 1: General requirements

IEC 62841-3-5:2022 © IEC 2022 - 7 -

3 Terms and definitions

IEC 62841-1:2014, Clause 3 is applicable, except as follows.

Addition:

3.101

band saw

tool designed to cut materials by means of a vertical revolving endless **saw band** which is carried on two or more band wheels

Note 101 to entry: **Band saws** have a table to support and position the workpiece that is fed by hand against the **saw band**. See Figure 101.

3.102

cross-cutting fence

device to guide or position the workpiece during the cutting process that is designed to move parallel with the plane of the **saw band**

Note 101 to entry: The **cross-cutting fence** may have provisions to adjust the workpiece guiding face laterally and may have mitre angle capability.

3.103

parallel fence

fence that has the workpiece guiding face parallel with the plane of the **saw band** and can be set to a desired distance from the **saw band**


3.104

saw band

(standards.iteh.ai)

flexible closed loop metal band with cutting elements such as teeth or abrasive material

IEC 62841-3-5:2022 https://standards.iteh.ai/catalog/standards/sist/d5e6c4a3c0b9-41a7-bff4-a5aed99e4bcc/iec-62841-3-5-2022



- 8 -

Key

- 1 access cover
- 2 saw band tensioner
- 3 band wheel
- 4 adjustable guard for the cutting area
- 5 saw band guide
- 6 saw band
- 7 driving band wheel
- 8 parallel fence
- 9 power switch
- 10 table

Figure 101 – Parts of a typical band saw

4 General requirements

IEC 62841-1:2014, Clause 4 is applicable.

5 General conditions for the tests

IEC 62841-1:2014, Clause 5 is applicable, except as follows.

5.17 Addition:

The mass of the tool includes the **guard** and fence(s), if any.

Any additional parts such as leg sets or carrying means that are required in accordance with the user instructions are included in the mass.

6 Radiation, toxicity and similar hazards

IEC 62841-1:2014, Clause 6 is applicable.

7 Classification

IEC 62841-1:2014, Clause 7 is applicable.

8 Marking and instructionseh STANDARD

IEC 62841-1:2014, Clause 8 is applicable, except as follows.

8.3 Addition:

(standards.iteh.ai)

Band saws shall be marked with:

 direction of rotation of the driven band wheel which shall be indicated on the tool by an arrow raised or sunk; of by any other means not less visible and indelible; c0b9-41a7-bff4-a5aed99e4bcc/iec-62841-3-5-2022

In addition, where a tool is designed to operate at more than one cutting speed, the following requirements apply:

- on tools where a speed change is achieved by changing the position of the drive belts on the drive pulleys, the selected speed shall be indicated on the same side of the tool as the start control by a diagram showing the relevant speed selected for each combination of pulleys;
- on tools where a speed change is achieved by an electronic control circuit, the selected speed shall be indicated on the tool at the selecting device (e.g. variable speed control dial provided with numerical speed settings).

8.14.1 Addition:

The additional safety instructions as specified in 8.14.1.101 shall be given. This part may be printed separately from the "General power tool safety warnings".

8.14.1.101 Safety instructions for band saws

- a) Always use saw bands that are not damaged or deformed. Damaged or deformed saw bands could split and/or snap.
- b) **Do not use liquid coolants**. Using water or other liquid coolants may result in electrocution or shock.

NOTE 101 The warning in item b) above is omitted for tools equipped with a **liquid system**.

c) Operate the band saw at the proper speed for recommended applications and materials. Using a speed inappropriate for the material being cut may lead to breakage of the saw band and personal injury.

- 10 -

d) **Do not operate the tool when the band saw blade access cover is open**. Contact with the moving parts may result in personal injury.

NOTE 102 At the manufacturer's discretion, the term "band saw blade" is replaced by "saw band".

8.14.2 a) Addition:

- 101) Information about specified **saw band** dimensions (e.g. length and width);
- 102) Instruction on how to adjust the **saw band** guides and thrust wheel;
- 103) Instructions for the **saw band** changing procedure including proper **saw band** direction installation and how to mount and tension **saw bands**.

8.14.2 b) Addition:

- 101) Instruction to adjust the guard as close to the workpiece as practicable;
- 102) Instruction on how to adjust the **saw band** guide for the cutting area;
- 103) Instruction on how to set a bevel angle;
- 104) Instructions on how to properly feed the workpiece, including the application of auxiliary materials that may be used as an aid to feed the workpiece;
- 105) Instruction to wear gloves when handling saw bands.

9 Protection against access to live parts

IEC 62841-1:2014, Clause 9 is applicable ards.iteh.ai)

10 Starting

<u>IEC 62841-3-5:2022</u>

https://standards.iteh.ai/catalog/standards/sist/d5e6c4a3-IEC 62841-1:2014, Clause-10 is applicabled99e4bcc/iec-62841-3-5-2022

11 Input and current

IEC 62841-1:2014, Clause 11 is applicable.

12 Heating

IEC 62841-1:2014, Clause 12 is applicable.

13 Resistance to heat and fire

IEC 62841-1:2014, Clause 13 is applicable.

14 Moisture resistance

IEC 62841-1:2014, Clause 14 is applicable.

15 Resistance to rusting

IEC 62841-1:2014, Clause 15 is applicable.

16 Overload protection of transformers and associated circuits

IEC 62841-1:2014, Clause 16 is applicable.

17 Endurance

IEC 62841-1:2014, Clause 17 is applicable.

18 Abnormal operation

IEC 62841-1:2014, Clause 18 is applicable, except as follows.

18.8 Replacement of Table 4:

Type and purpose of SCF	Minimum Performance Level (PL)
Power switch – prevent unwanted switch-on	b
Power switch – provide desired switch-off	b
Provide desired direction of rotation ADA	Not an SCF
Any electronic control to pass the test of 18.3	а
Prevent exceeding thermal limits as in 18.4 and 18.5.3	а
Provide function to de-energize or disengage drive-to the saw band as required in 19.101.1 d)	l.ai) ^a
Provide run-down time as required by 19.105	а
Prevent self-resetting as required in 23.31-3-5:2022	b
NOTE In Europe (EN IEC 62841-3-5), the following add	s/sist/d5e6c4a3- litional requirement applies: 841-3-5-2022
Restart prevention as required by 21.18.2.1	a

Table 4 – Required performance levels

19 Mechanical hazards

IEC 62841-1:2014, Clause 19 is applicable, except as follows.

19.1 Addition:

The requirements of 19.1, except for mechanical strength requirements, do not apply to the access cover specified in 19.101 and the adjustable **guard** in the cutting area specified in 19.102.

19.3 Replacement:

It shall not be possible to reach hazardous moving parts through dust collection openings with the **detachable parts** or provisions for dust collection removed, if any.

Compliance is checked by the following test.

For dust collection openings, the test probe B of IEC 61032:1997 is used. The test probe is inserted with a force not exceeding 5 N into the dust collection opening until the probe's stop face reaches the plane of the dust collection opening and shall not touch hazardous moving parts.