

Edition 2.0 2024-02 REDLINE VERSION

INTERNATIONAL STANDARD



Passive filter units for electromagnetic interference suppression – Part 3: Passive filter units for which safety tests are appropriate

Document Preview

IEC 60939-3:2024

https://standards.iteh.ai/catalog/standards/jec/ee442324-b6c4-4cde-841e-516f0373df4a/jec-60939-3-2024





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 2.0 2024-02 REDLINE VERSION

INTERNATIONAL STANDARD



Passive filter units for electromagnetic interference suppression – Part 3: Passive filter units for which safety tests are appropriate

Document Preview

IEC 60939-3:2024

https://standards.iteh.ai/catalog/standards/iec/ee442324-b6c4-4cde-841e-516f0373df4a/iec-60939-3-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.160 ISBN 978-2-8322-8283-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| 4 | Gene | eral | | |
|---|---|--|--------|--|
| 1 | Scop | e | 11 | |
| 2 | | native references | | |
| 3 | | s and definitions | | |
| 4 | | | | |
| 4 | | General requirements | | |
| | 4.1 | Classification and usage of class X and Y capacitors | | |
| | 4.1.1 | | | |
| | 4.1.2 | | | |
| | 4.1.3 | | | |
| | 4.2 Information to be given in a detail specification | | | |
| | 4.2.1 | | | |
| | 4.2.2 | 3 | | |
| | 4.2.4 | - | | |
| | 4.2.4 | Marking | | |
| | 4.3.1 | <u> </u> | | |
| | 4.3.1 | | | |
| | 4.3.2 | Tandards | | |
| | 4.3.4 | · · | | |
| | 4.3.4 | | ∠ ص | |
| | 4.3.6 | | | |
| | 4.3.0 | Components | ۷ | |
| | | | | |
| | 4.5 | Overcurrent protective devices | | |
| | 4.6 4.6.1 | Wiring and Insulation | | |
| | | | | |
| | 4.6.2 | 3, 3 | | |
| | 4.6.3 | ' | | |
| | 4.7 | Protective Bonding Conductors | | |
| _ | 4.8 | Corrosion | | |
| 5 | | erred ratings and characteristics | | |
| | 5.1 | Preferred characteristics | | |
| | 5.1.1 | | | |
| | 5.1.2 | | | |
| | 5.2 | Preferred values of ratings | | |
| | 5.2.1 | Rated voltage (U_{R}) | 24 | |
| | 5.2.2 | Rated temperature | 24 | |
| | 5.2.3 | Passive flammability | 24 | |
| 6 | Test | plan for safety tests | 24 | |
| | 6.1 Structurally similar filters | | 24 | |
| | 6.2 Safety approval procedure | | | |
| | 6.2.1 | | | |
| | 6.2.2 | | | |
| | 6.2.3 | | | |
| | 6.3 | Requalification tests | | |
| 7 | | and measurement procedures | | |

| 7.1 IV | leasurement conditions | 26 |
|--------------------|--|----|
| 7.1.1 | General | 26 |
| 7.1.2 | Standard atmospheric conditions for testing | 26 |
| 7.1.3 | Recovery conditions | 27 |
| 7.1.4 | Referee conditions | 27 |
| 7.1.5 | Reference conditions | 27 |
| 7.1.6 | Drying | 27 |
| 7.2 V | isual examination and check of dimensions | 28 |
| 7.2.1 | Visual examination | 28 |
| 7.2.2 | Dimensions (gauging) | 28 |
| 7.2.3 | Dimensions (detail) | 28 |
| 7.2.4 | Creepage distances and clearances | 28 |
| 7.3 Ir | nductance measurement | 32 |
| 7.3.1 | General | 32 |
| 7.3.2 | Measuring conditions | 32 |
| 7.4 E | arth inductors incorporated in filters | 33 |
| 7.5 C | apacitance | 33 |
| 7.5.1 | General | 33 |
| 7.5.2 | Measuring conditions | 33 |
| | sertion loss | |
| 7.7 Ir | sulation resistance | 34 |
| 7.7.1 | General | 34 |
| 7.7.2 | Measuring voltage | 34 |
| 7.7.3 | Application of measuring voltage | 34 |
| 7.7.4 | Mean time to measuring | 35 |
| 7.7.5 | Temperature correction factor | |
| 7.7.6 | Information to be given in a detail specification | 35 |
| ttps://star7d7r7s. | TehRequirements | |
| | oltage proof | |
| 7.8.1 | General | 39 |
| 7.8.2 | Test procedure | 39 |
| 7.8.3 | Applied voltage | 39 |
| 7.8.4 | Tests | |
| 7.8.5 | Requirements | 41 |
| 7.8.6 | Repetition of the voltage proof test | 41 |
| 7.8.7 | Information to be given in a detail specification | 41 |
| 7.8.8 | Requirements | |
| 7.9 D | C line resistance or voltage drop at rated current | 41 |
| 7.9.1 | General | |
| 7.9.2 | DC line resistance | |
| 7.9.3 | Voltage drop at rated current | 42 |
| 7.10 D | ischarge resistance | |
| 7.10.1 | General | |
| 7.10.2 | Resistor Test | |
| 7.11 C | apacitor discharge | |
| 7.11.1 | General | |
| 7.11.2 | Discharge measurement | |
| 7.12 R | obustness of terminations | |
| 7.12.1 | General | |
| - | | - |

| 7.12 | .2 | Test Ua1 – Tensile | 43 |
|------|---------|--|------|
| 7.12 | .3 | Test Ub – Bending | 44 |
| 7.12 | .4 | Test Uc – Torsion | 44 |
| 7.12 | .5 | Test Ud – Torque | 44 |
| 7.12 | .6 | Visual examination | 45 |
| 7.13 | Res | istance to soldering heat | 45 |
| 7.13 | .1 | Applicability of the test | 45 |
| 7.13 | .2 | Pre-measurement | 45 |
| 7.13 | .3 | Test conditions | 45 |
| 7.13 | .4 | Test severity | 46 |
| 7.13 | .5 | Intermediate inspection, measurements and requirements | 46 |
| 7.14 | Clim | natic sequence | 46 |
| 7.14 | .1 | General | 46 |
| 7.14 | .2 | Initial measurements | 46 |
| 7.14 | .3 | Dry heat | 46 |
| 7.14 | .4 | Damp heat, cyclic | 46 |
| 7.14 | .5 | Cold | 47 |
| 7.14 | .6 | Low air pressure | 47 |
| 7.14 | .7 | Damp heat, cyclic, remaining cycles | 47 |
| 7.14 | .8 | Final inspection, measurements and requirements | |
| 7.15 | Dan | np heat, steady state | |
| 7.15 | | Pre-measurements | |
| 7.15 | .2 | Test method | |
| 7.15 | .3 | Test conditions | |
| 7.15 | .4 | Final inspection, measurements and requirements | 48 |
| 7.16 | Tem | perature rise | |
| 7.16 | .1 | General | 48 |
| 7.16 | .2 itel | Test method | 49 🤈 |
| 7.16 | | Test description | 49 |
| 7.16 | .4 | Requirements | 50 |
| 7.17 | Curr | rent overload | 51 |
| 7.17 | .1 | Pre-measurements | 51 |
| 7.17 | .2 | Test method | 51 |
| 7.17 | .3 | Final inspection, measurements and requirements | 52 |
| 7.18 | Leal | kage current | |
| 7.19 | | ective conductor resistance | |
| 7.20 | Impi | ulse voltage | 52 |
| 7.20 | .1 | General | 52 |
| 7.20 | .2 | Initial measurements | 52 |
| 7.20 | .3 | Test conditions | 52 |
| 7.20 | .4 | Requirements | 53 |
| 7.21 | End | urance | |
| 7.21 | .1 | General | 53 |
| 7.21 | .2 | General test conditions | 53 |
| 7.21 | .3 | Test conditions – current test | 54 |
| 7.21 | .4 | Test conditions – voltage test, terminations/case | |
| 7.21 | .5 | Test conditions – voltage test between terminations | |
| 7.21 | | Test conditions – combined voltage/current tests | |
| 7.21 | | Final inspection, measurements and requirements | |
| | | · | |

| | 7.22 | Passive flammability | 56 |
|----|-------|---|----|
| | 7.22. | 2.1 General | 56 |
| | 7.22. | 2.2 Test method | 56 |
| | 7.23 | Active flammability | 57 |
| | 7.24 | Solvent resistance of the marking | 57 |
| | 7.24. | l.1 General | 57 |
| | 7.24. | I.2 Test description | 57 |
| | 7.24. | I.3 Requirements after test | 57 |
| 8 | Optio | ional tests (for performance only) | 57 |
| | 8.1 | Solderability | 57 |
| | 8.1.1 | • | |
| | 8.1.2 | 2 Test method | 57 |
| | 8.1.3 | 3 Test conditions | 57 |
| | 8.1.4 | 4 Requirements | 58 |
| | 8.1.5 | · | |
| | 8.2 | Rapid change of temperature | |
| | 8.2.1 | · | |
| | 8.2.2 | | |
| | 8.2.3 | | |
| | 8.3 | Vibration | |
| | 8.3.1 | | |
| | 8.3.2 | | |
| | 8.3.3 | | |
| | 8.3.4 | | |
| | 8.3.5 | Hoolimont Provious | |
| | 8.4 | Shock | |
| | 8.4.1 | | |
| | 8.4.2 | | |
| | 8.4.3 | | 59 |
| | 8.4.4 | 4 Final Inspection | 60 |
| | 8.5 | Container sealing | |
| | 8.5.1 | | |
| | 8.5.2 | 2 Test conditions | 60 |
| | 8.5.3 | | |
| | 8.6 | Charge and discharge | |
| | 8.6.1 | | |
| | 8.6.2 | | |
| | 8.6.3 | | |
| | 8.6.4 | | |
| | 8.6.5 | 5 Test conditions | 63 |
| | 8.6.6 | | |
| | 8.7 | Component solvent resistance | |
| | 8.7.1 | · | |
| | 8.7.2 | 2 Initial measurements | 63 |
| | 8.7.3 | | |
| | 8.7.4 | • | |
| An | | (informative) Calculation of leakage current | |
| | A.1 | General | |
| | A.2 | Calculation of leakage current for 1-line filters | |
| | _ | J :::::::::::::::::::::::::::::::::::: | |

| A.3 Calculation of leakage current for 2-line filters | 66 |
|---|-------------|
| A.4 Calculation of leakage current for 3-line filters | 67 |
| A.5 Calculation of leakage current for 4-line filters | 68 |
| Annex B (normative) Sampling plan for safety requirements only | |
| Annex C (normative) Test schedule for safety requirements only | 73 |
| Annex D (normative) Circuit for the impulse voltage test | 76 |
| Annex E (normative) Circuit for the endurance test | 78 |
| Annex F (normative) Declaration of design | 79 |
| Annex G (informative) Safety and performance tests qualification approval – Assessment level DZ | 80 |
| Annex P (informative) Additional components and material standards | |
| Annex X (informative) Cross reference for references to the previous edition of this | |
| document | |
| Bibliography | 80 |
| | |
| Figure 1 – Asymmetrical and symmetrical test circuit | |
| Figure 2 – Examples for the application of Tests A and B of Table 7 | |
| Figure 3 – Examples for the application of Test C of Table 7 | 38 |
| Figure 4 – Impulse wave form | |
| Figure 5 – Relay circuit | |
| Figure 6 – Thyristor circuit | 61 |
| Figure 7 – Voltage and current waveforms | 62 |
| Figure A.1 – Leakage current for 1-line filters | |
| Figure A.2 – Leakage current for 2-line filters | |
| Figure A.3 – Leakage current for 3-line filters | |
| Figure A.4 - Leakage current for 4-line filters 3.74-h6c4-4cde-841e-516f0373df4a/iec- | 69 |
| Figure D.1 – Impulse voltage test circuit | 76 |
| Figure E.1 – Endurance test circuit | 78 |
| Table 1 – Classification of Class X capacitors | 17 |
| Table 2 – Classification of Class Y capacitors | 18 |
| Table 3 – Standard atmospheric conditions | 27 |
| Table 4 – Creepage distances | 29 |
| Table 5 – Clearance | 32 |
| Table 6 – DC voltage for insulation resistance | 34 |
| Table 7 – Measuring points | 36 |
| Table 8 – Insulation resistance – Safety tests only | 38 |
| Table 9 – Insulation resistance – Safety and performance tests | 39 |
| Table 10 – Voltage proof (filter connected to mains) | 40 |
| Table 11 – Voltage proof (filter not connected to mains; e.g. DC filters) | |
| Table 12 – Force for wire terminations | 44 |
| Table 13 – Torque | 44 |
| Table 14 – Number of cycles | 47 |
| Table 15 – Maximum temperatures | 51 |

| Table 16 – Categories of flammability | 56 |
|---|----|
| Table 17 – Preferred severity | 60 |
| Table 18 – Measurements and requirements after charge and discharge | 63 |
| Table B.1 – Tests concerning safety requirements only | 71 |
| Table B.2 – Lot-by-lot test – Safety tests only approval | 72 |
| Table C.1 – Test schedule for safety requirements only | 73 |
| Table D.1 – Values of C_X , C_T , R_P , R_S , C_P | 76 |
| Table D.2 – Values and tolerances of $C_{X},\ t_{\Gamma},\ t_{d}$ | 77 |
| Table G.1 – Sampling plan – Assessment level DZ | 80 |
| Table X.1 – Reference to IEC 60939-3 for clause/subclause or annex | 84 |
| Table X 2 – Reference to IEC 60939-3 for Figures/Tables | 86 |

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60939-3:2024

https://standards.iteh.ai/catalog/standards/iec/ee442324-b6c4-4cde-841e-516f0373df4a/iec-60939-3-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 3: Passive filter units for which safety tests are appropriate

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch or www.iso.org/patents. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60939-3:2015. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60939-3 has been prepared by of IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This second edition cancels and replaces the first edition published in 2015, Corrigendum 1:2016 and Corrigendum 2:2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Separated clauses for safety and performance tests;
- b) Added note for use of multiple X capacitors bridging basic insulation in 3 phase filters;
- c) Characteristics and conditions to substitute X and Y capacitors are now described in a separate Subclause 4.1;
- d) Creepage and clearance tables updated and in line with the latest editions of IEC 60938-2 and IEC 60664-1;
- e) Allowing voltage measurement for inductance measurements (7.3);
- f) Added requirements for marking depending on remaining energy after disconnection;
- g) Added content of CTL DSH 2044:2016 for temperature test of IEC filters;
- h) Added note about temperature rise required specimens for safety testing;
- i) Changed index of capacitors in Annex A to avoid confusion between index name and capacitor class;
- j) Moved tests from group 1A to 2. Now, samples in group 1A need to be submitted without potting:
- k) Revision of all parts of the document has taken place based on the ISO/IEC Directives, Part 2:2021, and harmonization with other similar kinds of documents. Annex X contains all cross-references of changes in clause/subclause numbers.

The text of this International Standard is based on the following documents:

https://standards.iteh.ai/catalog/standarDraftec/ee44232

| g/standarDraftec/ee4423 | 24-b (Report on voting -516 |
|-------------------------|-----------------------------|
| 40/3102/FDIS | 40/3118/RVD |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60939 series, published under the general title *Passive filter units* for electromagnetic interference suppression, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60939-3:2024

https://standards.iteh.ai/catalog/standards/iec/ee442324-b6c4-4cde-841e-516f0373df4a/iec-60939-3-2024

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 3: Passive filter units for which safety tests are appropriate

1 General

1.1 Scope

This part of IEC 60939 covers passive filters used to attenuate unwanted radio-frequency signals (such as noise or interference) generated from electromagnetic sources.

Both single and multi-channel filters within one enclosure or which are built on a printed circuit board forming a compact entity are included within the scope of this document.

Filters constructed of capacitive elements where the inductance is inherent in the construction of the filter are within the scope of this document. Similarly, filters constructed of inductive elements where the capacitance is inherent in the construction of the filter are also within the scope of this document. It is up to the manufacturer to state whether a given component is to be designed as a capacitor, an inductor or a filter. Filters can include also other components such as resistors and/or varistors or similar components.

This document applies to passive filter units for electromagnetic interference suppression for which safety tests are appropriate. This implies that filters specified according to this document will either be connected to mains supplies, when compliance with the mandatory tests of Table B.1 is necessary, or used in other circuit positions where the equipment specification prescribes specifies that some or all of these safety tests are required.

This document applies to passive filter units, which will be connected to an AC mains or other supply (DC or AC) with a nominal voltage not exceeding 1 000 V AC, with a nominal frequency not exceeding 400 Hz, or 1 500 V DC.

NOTE For AC use, IEC 60384-14 applies to capacitors which will be connected to AC mains with a nominal frequency not exceeding 100 Hz.

This document covers appliance filters (US) but does not cover facility filters, cord-connected filters or direct plug-in filters. These other filters will be covered by another sectional specification.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 These documents are referenced, in whole, in part or as alternative requirements to the requirements contained in this standard. Their use is specified, where necessary, for the application of the requirements of this standard.

NOTE 2 The list below is a summary of all standards that are referred to within this standard. Appearance of a standard in the list does not mean that the standard or parts of it are applicable. Only those parts that are specifically referenced in this standard are applicable.

IEC 60027-1, Letters symbols to be used in electrical technology - Part 1: General

IEC 60050 (all parts), International electrotechnical vocabulary

IEC 60060-1:2010, High-voltage test techniques – Part 1: General definitions and test requirements

IEC 60062:2016, Marking codes for resistors and capacitors

IEC 60068-1:2013, Environmental testing – Part 1: General and guidance

IEC 60068-2-1:2007, Environmental testing - Part 2-1: Tests - Test A: Cold

IEC 60068-2-2:2007, Environmental testing - Part 2-2: Tests - Test B: Dry heat

IEC 60068-2-6:2007, Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)

IEC 60068-2-14:2023, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60068-2-17:2023, <u>Basic Environmental testing procedures</u> – Part 2-17: Tests – Test Q: Sealing

IEC 60068-2-20:20082021, Environmental testing – Part 2-20: Tests – Test—T Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads

IEC 60068-2-21:2021, Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices

IEC 60068-2-30:2005, Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)

IEC 60068-2-45:1980, Basic environmental testing procedures – Part 2-45: Tests – Test XA and guidance: Immersion in cleaning solvents

IEC 60068-2-78:2012, Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state

IEC 60294. Measurement of the dimensions of a cylindrical component with axial terminations

IEC 60384-14:20132023, Fixed capacitors for use in electronic equipment – Part 14: Sectional specification – Fixed capacitors for electromagnetic interference suppression and connection to the supply mains

IEC 60664-1:20072020, Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests

IEC 60695-11-5:2016, Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance

IEC 60695-11-10:2013, Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods

IEC 60938-1:20062021, Fixed inductors for electromagnetic interference suppression – Part 1: Generic specification

IEC 60938-2:2021, Fixed inductors for electromagnetic interference suppression – Part 2: Sectional specification on power line chokes