



Edition 2.0 2022-12 REDLINE VERSION

INTERNATIONAL STANDARD



Fuel cell technologies – Part 4-102: Fuel cell power systems for industrial electric trucks electrically powered industrial trucks – Performance test methods

Document Preview

IEC 62282-4-102:2022





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.







Edition 2.0 2022-12 REDLINE VERSION

INTERNATIONAL STANDARD



Fuel cell technologies – Part 4-102: Fuel cell power systems for industrial electric trucks electrically powered industrial trucks – Performance test methods

Document Preview

IEC 62282-4-102:2022

https://standards.iteh.ai/catalog/standards/iec/56017069-4ec1-4670-9036-b1e854f9b04d/iec-62282-4-102-2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 27.070

ISBN 978-2-8322-6314-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD)	5
INTRODUCT	TON	7
1 Scope		8
2 Normativ	ve references	9
3 Terms a	Ind definitions	
	5	
	ce Standard conditions	
	value base	
-		
•	paration	
	eneral	
	ata acquisition plan	
	-up	
	ents and measurement methods	
	eneral	
	easurement instruments	
	easurement points	
	nimum required measurement systematic uncertainty	
	nditions boratory conditionsStanne and suite h	
	stallation and operating conditions of the system	
	dication of battery condition	
	etermination of state of charge of the battery	
	uality of test fuel	
tps://stand.10.5.1.h. 10.5.2	ai Hydrogen	
	nsumption test	
	•	
11.1 Hy 11.1.1	/drogen fuel consumption test General	
11.1.2	Test method	
11.1.2	Calculation of results	
	ethanol fuel consumption test	
11.2.1	General	
11.2.2	Test method	
11.2.3	Calculation of average methanol fuel power input	
	al power output test	
	eneral	
	est method	
12.3 Ca	alculation of average electric al power output	
	omputation of electric al efficiency	
	sts on operational performance	
	old start Maximum power output test	
13.1.1	General	
13.1.2	Test method	27
13.1.3	Processing of data	27
13.2 Po	ower cycling electric al load test	27

13.2.1	I General	27
13.2.2	2 Test method	27
13.2.3	B Processing of data	27
13.3	Accessory load voltage spike test	27
13.3.1	I General	27
13.3.2	2 Test method	27
13.3.3	Processing of data	28
14 Powe	r stability under operation	28
14.1	General	28
14.2	Delivered power	28
14.3	Power absorbed Regenerated power	29
15 Туре	tests on environmental performance	30
15.1	General	
15.2	Noise test	
15.2.1	I General	
15.2.2	2 Test conditions	
15.2.3	3 Test method	31
15.2.4	Processing of data	
15.3	Exhaust gas test	
15.3.1		
15.3.2	2 Components to be measured	32
15.3.3		
15.3.4	Processing of data	33
15.4	Discharge water test	
15.4.1	General	35
15.4.2		
	eportsIEC 62282-4-102:2022	
tan16.1 s.it	General.log/standards/iec/56017069-4ec1-4670-9036-b1e854f9b04d/iec-6228	2-4-36
16.2	Title page	
16.3	Table of contents	
16.4	Summary report	
16.5	Checklist for performance parameters	36
	nformative) Heating values for hydrogen and methanol at reference	
	onditions	
Annex B (i	nformative) Guidelines for the contents of detailed and full reports	38
B.1	General	38
B.2	Detailed report	38
B.3	Full report	38
Annex C (i	nformative) Checklist for performance criteria dealt with in this document	39
Bibliograp	hy	42

Figure 1 – Fuel cell power systems for industrial electric trucks	
Figure 1 – Fuel cell power systems for electrically powered industrial trucks	9
Figure 2 – Example of a test set-up for hydrogen fuel	. 17
Figure 3 – Example of a test set-up for methanol fuel	. 18
Figure 4 – Energy flow for regenerated power and delivered power	. 28
Figure 5 – Noise measurement points for fuel cell power systems	.31

Table 1 – Symbols and their meanings for electric and thermal performance	14
Table 2 – Symbols and their meanings for environmental performance	15
Table 3 – Delivered power measurements	29
Table 4 – Power absorbed Regenerated power measurements	30
Table 5 – Compensation of readings against Correction values corresponding to the effect of background noise	31
Table A.1 – Heating values for hydrogen and methanol at reference standard conditions	37

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62282-4-102:2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES -

Part 4-102: Fuel cell power systems for industrial electric trucks electrically powered industrial trucks – Performance test methods

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62282-4-102:2017. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 62282-4-102 has been prepared by IEC technical committee 105: Fuel cell technologies. It is an International Standard.

This second edition cancels and replaces the first edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) alignment of the Scope with the second edition of IEC 62282-4-101:2022;
- b) deletion of terms and definitions (previous entries 3.5, 3.10, and 3.15);
- c) addition of new terms in Clause 3: "delivered power" (3.13) and "regenerated power" (3.14);
- d) revision of symbols and their meanings in alignment with those of IEC 62282-3-201;
- e) replacement of "reference conditions" with "standard conditions" as seen in Clause 5;
- f) revision of the test method for the accessory load voltage spike test (13.3.2);
- g) addition of clarifications in Clause 14 (Power stability under operation);
- h) addition of a checklist for performance criteria dealt with in this document (Annex C).

The text of this International Standard is based on the following documents:

Draft	Report on voting
105/947/FDIS	105/954/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

IEC 62282-4-102:2022 RLV © IEC 2022 - 7 -

INTRODUCTION

This part of IEC 62282-4 provides consistent and repeatable test methods for the electric, thermal and environmental performance of fuel cell power systems for industrial electric trucks electrically powered industrial trucks.

The IEC 62282-4 series deals with categories such as safety, performance, and interchangeability of fuel cell power systems for propulsion other than road vehicles and auxiliary power units (APUs). This document (IEC 62282-4-102) focuses on performance test methods for fuel cell power systems for used to drive industrial electric trucks, which are being manufactured and used increasingly worldwide. This is because such applications are urgently demanded needed in the world.

This part of IEC 62282-4 describes type tests and their test methods only. No routine tests are required or identified, and no performance targets are set in this document.

Fuel cell systems used in industrial electric trucks electrically powered industrial trucks, such as forklift trucks, are hybrids use both batteries and fuel cells, and so operate in several different modes. Similarly, forklift trucks operate in different modes. The purpose of this document is to evaluate the fuel cell system in the various combinations of fuel cell modes and forklift truck modes. This document breaks down these different modes and provides a framework for designing and evaluating a fuel cell system for use specifically in a forklift truck.

This part of IEC 62282-4 is intended to be used by either manufacturers of fuel cell power systems used for industrial electric trucks and/ electrically powered industrial trucks or those who evaluate the performance of the systems used in them for certification purposes or both.

Users of this document-selectively execute test items that are suitable for their purposes from those described in this document can select and perform the tests they need from those described. This document is not intended to exclude any other methods tests.

IEC 62282-4-102:2022

FUEL CELL TECHNOLOGIES -

Part 4-102: Fuel cell power systems for industrial electric trucks electrically powered industrial trucks – Performance test methods

Scope 1

This part of IEC 62282 specifies the performance test methods of fuel cell power systems for propulsion and auxiliary power units (APU). This document covers fuel cell power systems for propulsion other than those for road vehicles.

The scope of this document is limited to electrically powered industrial trucks. Hybrid trucks that include an internal combustion engine are not included in the scope. The scope of this standard will be applicable to material-handling equipment, e.g. forklifts.

This document covers the performance test methods of fuel cell power systems intended to be used for electrically powered industrial trucks as defined in ISO 5053-1, except for:

- rough-terrain trucks;
- non-stacking low-lift straddle carrier; Standards
- stacking high-lift straddle carrier;
- rough-terrain variable-reach truck; tandards.iten.al)
- slewing rough-terrain variable-reach truck;
- variable-reach container handler; ment Preview
- pedestrian propelled trucks.

This document applies to gaseous hydrogen-fuelled fuel cell power systems and direct methanol fuel cell power systems for electrically powered industrial trucks. The following fuels are considered within the scope of this document:

- gaseous hydrogen, and
- methanol.

This document does not apply to reformer-equipped fuel cell power systems.

This document covers the fuel cell power system as defined in 3.7 and Figure 1.

This document applies to DC type fuel cell power systems, with a rated output voltage not exceeding DC 150 V for indoor and outdoor use.

This document covers fuel cell power systems whose fuel source container is permanently attached to either the industrial truck or the fuel cell power system. A fuel source container of the detachable type is not permitted.


Fuel cell power systems intended for operation in potentially explosive atmospheres are excluded from the scope of this document.

This document does not cover the fuel storage systems using liquid hydrogen.

All systems with integrated energy storage systems are covered by this document. This includes systems such as batteries for internal recharges or recharged from an external source.

The following are not included in the scope of this document:

- detachable type fuel source containers;
- hybrid trucks that include an internal combustion engine;
- reformer-equipped fuel cell power systems;
- fuel cell power systems intended for operation in potentially explosive atmospheres;
- fuel storage systems using liquid hydrogen.



NOTE A fuel cell power system can contain all or some of the above components.

Figure 1 – Fuel cell power systems for electrically powered industrial trucks

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61672-1, Electroacoustics - Sound level meters - Part 1: Specifications

IEC 62282-3-201, Fuel cell technologies – Part 3-201: Small stationary fuel cell power systems – Performance test methods for small fuel cell power systems

IEC 62282-6-300:2012, Fuel cell technologies – Part 6-300: Micro fuel cell power systems – Fuel cartridge interchangeability

ISO 9000, Quality management series of standards

ISO 6798-1, Reciprocating internal combustion engines – Measurement of sound power level using sound pressure – Part 1: Engineering method

ISO 6798-2, Reciprocating internal combustion engines – Measurement of sound power level using sound pressure – Part 2: Survey method

ISO 14687, Hydrogen fuel quality – Product specification

ISO 14687-2, Hydrogen fuel – Product specification – Part 2: Proton exchange membrane (PEM) fuel cell applications for road vehicles

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1

noise level

sound pressure level produced by the fuel cell power system measured at a specified distance in all operation modes

Note 1 to entry: Noise level is expressed in decibels (dB) and measured as described in 15.2.

3.2 https://standards.iteh.a

sound pressure level of ambient noise at the measurement point

Note 1 to entry: This measurement is taken as described in 15.2 with the fuel cell power system in the cold state.

3.3

battery iteh ai/catalog/standards/iec/56017069-4ec1-4670-9036-b1e854(9b04d/iec-62282-4-102-2022) electrochemical energy storage device that either provides energy input to support parasitic loads and/or provides electrical energy output or both

Note 1 to entry: Back-up batteries for control software memory and similar applications are not included.

3.4

cold state

state of a fuel cell power system at ambient temperature with no power input or output

[SOURCE: HEC/TS 62282-1:2013, 3.110.1 IEC 60050-485:2020, 485-21-01]

3.5

discharge rate

mass of discharged exhaust gas component per unit of time

3.5

discharge water

water discharged from the fuel cell power system including waste water and condensate

Note 1 to entry: Discharge water does not constitute part of a thermal recovery system.

[SOURCE: IEC/TS 62282-1:2013, 2.2, modified - Note 1 to entry added.]

IEC 62282-4-102:2022 RLV © IEC 2022 - 11 -

3.6

fuel cell system electrical efficiency

ratio of the average electric power output of a fuel cell power system-at for a given duration to the average fuel power fed to the same fuel cell power system-at for the same duration

3.7

fuel cell power system

generator system that uses one or more fuel cell modules to generate electric power and heat

Note 1 to entry: See Figure 1 for a block diagram of a fuel cell power system.

Note 2 to entry: A fuel cell power system may contain all or some of the components shown in Figure 1. The fuel cell power system for use with industrial trucks will be in one of the forms as outlined in 3.9 and 3.10 of IEC 62282-4-101.


[SOURCE: IEC/TS 62282-1:2013, 3.49, modified – New Note 1 to entry has been added, and existing Note 1 to entry has become Note 2 to entry with the addition of the second sentence.]

Note 1 to entry: The fuel cell power system for use with industrial trucks will be in one of the forms as outlined in IEC 62282-4-101:2022, 3.9 and 3.10.

[SOURCE: IEC 60050-485:2020, 485-09-01, modified – Note 1 to entry has been added.]

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62282-4-102:2022



3.8

fuel input

amount of hydrogen or methanol supplied to the fuel cell power system

3.9

fuel consumption

volume or mass of fuel consumed by the fuel cell power system under specified operating conditions

3.10

fuel power consumption

amount of energy per time unit contained in the fuel consumed by the fuel cell power system

3.10

minimum electric power output

minimum power output, at which a fuel cell power system is able to operate continuously at a steady state