

Edition 3.2 2012-01 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety – Part 2-44: Particular requirements for inconers

Appareils électrodomestiques et analogues – Sécurité – Partie 2-44: Règles particulières pour les machines à repasser

https://standards.iteh.ai

-<u>2-44:2002</u> -8054-43bf-bf3e-e373aacd6e45/iec-60335-2-44-2002



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2012 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication,

If you have any questions about IEC copyright of have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur. Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 Fax: +41 22 919 03 00 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technicalcommittee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore liec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CE

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.





Edition 3.2 2012-01 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Household and similar electrical appliances – Safety – Part 2-44: Particular requirements for ironers

Appareils électrodoméstiques et analogues - Sécurité -Partie 2-44: Règles particulières pour les machines à repasser

https://standards.iteh.ai/

8054-43bf-bf3e-e373aacd6e45/iec-60335-2-44-2002

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 97.060

ISBN 978-2-8891-2877-8

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FOF	REWORD	3
INT	RODUCTION	5
1	Scope	6
2	Normative references	6
3	Definitions	7
4	General requirement	8
5	General conditions for the tests	8
6	Classification	8
7	Marking and instructions	8
8	Protection against access to live parts	
9	Starting of motor-operated appliances	
10	Power input and current	8
11	Heating	9
12	Void	9
13	Leakage current and electric strength at operating temperature	9
14	Transient overvoltages	
15	Moisture resistance	9
16	Leakage current and electric strength	10
	Overload protection of transformers and associated circuits	10
8	Endurance	
19	Abnormal operation	
20	Stability and mechanical hazards	
21	Mechanical strength	
22	Construction	60335-2-44 11
23	Internal wiring	
	Components	
	Supply connection and external flexible cords	
	Terminals for external conductors	
27	Provision for earthing	
	Screws and connections	
	Clearances, creepage distances and solid insulation	
30	Resistance to heat and fire	
31	Resistance to rusting	
	Radiation, toxicity and similar hazards	
	exes	
Ann	ex R (normative) Software evaluation	16
3ibl	iography	17
-igι	ure 101 – Dimensions of the feed opening of mangles	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-44: Particular requirements for ironers

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparations. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be herd responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and in some areas, access to IEC marks of conformity. IEC is not responsible for any
- (/sta services carried out by independent certification bodies.8054-43bf-bf3e-e373aacd6e45/iec-60335-2-44-2002
 - 6) All users should ensure that they have the latest edition of this publication.
 - 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 60335-2-44 edition 3.2 contains the third edition (2002) [documents 61/2167/FDIS and 61/2247/RVD], its amendment 1 (2008) [documents 61/3545/FDIS and 61/3599/RVD] and its amendment 2 (2011) [documents 61/4098/CDV and 61/4196/RVC].

A vertical line in the margin shows where the base publication has been modified by amendments 1 and 2.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

_ 4 _

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric ironers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below.

- 11.7: The test conditions are different (USA)
- 19.13: The test criteria are different (USA)
- 20.2: The requirements for entrapment and mechanical hazards are different (USA).
- 22.7: The test is different (USA).

https://=tar22.101: The test is different (USA) a 14 cae-8054-43bf-bf3e-e373aacd6e45/iec-60335-2-44-2002

22.104: The test is different (USA).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of the amendment 1 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

2 It is the recommendation of the committee that the content of the amendment 2 be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

60335-2-44 © IEC:2002+A1:2008 +A2:2011

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-44: Particular requirements for ironers

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric **ironers** for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

NOTE 101 Examples of appliances within the scope of this standard are

- ironing presses for one-person operation;
- mangles;
- rotary ironers for one-person operation;
- trouser presses.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose

https://stanearphysical, sensory or mental capabilities; or 054-43bf-bf3e-e373aacd6e45/iec-60335-2-44-2002

lack of experience and knowledge

prevents them from using the appliance safely without supervision or instruction;

- children playing with the appliance.

NOTE 102 Attention & drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and similar authorities.

NOTE 103 This standard does not apply to

- rotary ironers for operation by more than one person. The roller length of such appliances normally exceeds 1,6 m in length;
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- electric irons (IEC 60335-2-3)

2 Normative references

This clause of Part 1 is applicable.

60335-2-44 © IEC:2002+A1:2008 +A2:2011

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

Appliances are operated without laundry.

Ironing presses are operated with the pressing surfaces separated as far as possible. Appliances that generate steam are operated in cycles with the water reservoir filled and with maximum steam emission. Each cycle consists of 10 s with the pressing surfaces in contact with each other and 10 s apart. Appliances that can generate steam or spray water are also operated with the water reservoir empty.

- 7 -

Rotary ironers are operated with the movable surface raised and lowered in cycles. Each cycle consists of 24 s with the pressing surfaces in contact with each other and 6 s apart.

Trouser presses are operated with the pressing surfaces in contact with each other.

Mangles are operated with the rollers in contact with each other.

NOTE 101 The mangle cloth is not removed.

3.101

ironer

appliance in which the laundry is supported by a padded surface and having a heated surface that can be brought into contact with the laundry

3.102

rotary ironer

ironer in which the laundry is passed between a heated surface and a padded roller that is rotated by a motor

NOTE Rotary ironers, may have more than one heated surface.

3.103

ironing press ironer in which the surface supporting the laundry and the heated surface are substantially flat

NOTE Ironing presses may have means to generate steam or to spray water.

3.104

trouser press

appliance having a pair of flat surfaces, one or both of which can be heated and that can be closed together with trousers positioned between them

3.105

mangle

appliance for ironing laundry by unheated rollers that are pressed together and rotated by a motor

NOTE **Mangles** may have a cloth, one end of which is attached to one of the rollers and on which the laundry is placed for ironing.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable.

6 Classification

This clause of Part 1 is applicable.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Appliances shall be marked on or near lampholders with the maximum power input of replaceable illumination lamps as follows:

lamp max. ... W

The word "lamp" may be replaced by symbol IEC 60417-5012 (2002-10).

Appliances intended to be supplied with compressed air shall be marked with the maximum air pressure in megapascals.

7.12 Addition:

The instructions for **mangles** shall state that the appliances must be disconnected when not in use and when the mangle cloth is being replaced.

The instructions for **ironing presses** in which steam is generated under pressure shall state that the filling cap must not be removed during use. Instructions for the safe refilling of the water reservoir shall be given.

8 Protection against access to live parts

This clause of Part 1 is applicable.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

60335-2-44 © IEC:2002+A1:2008 +A2:2011

11 Heating

This clause of Part 1 is applicable except as follows.

11.2 Modification:

Appliances normally used on a floor or table are placed away from the walls of the test corner.

-9-

Separate steam generators of **ironing presses** are placed as near as possible to the walls of the test corner.

11.4 Addition:

If the temperature rise limits are exceeded in appliances incorporating motors, transformers or **electronic circuits**, and the power input is lower than the **rated power input**, the test is repeated with the appliance supplied at 1,06 times **rated voltage**.

11.6 *Replacement:*

Combined appliances are operated as **heating appliances**.

11.7 Addition:

Trouser presses incorporating a timer are operated for three cycles of operation without rest periods.

NOTE 101 One cycle is the maximum operating period allowed by the timer.

Other appliances are operated until steady conditions are established.

11.8 Addition:

3054-43bf-bf3e-e373aacd6e45/iec-60335-2-44-2002

The temperature rise limits of motors transformers and components of **electronic circuits**, including parts directly influenced by them, may be exceeded when the appliance is operated at 1,15 times **rated power input**.

12 Void

13 Leakage current and electric strength at operating temperature

This clause of Part 1 is applicable.

14 Transient overvoltages

This clause of Part 1 is applicable.

15 Moisture resistance

This clause of Part 1 is applicable.

16 Leakage current and electric strength

This clause of Part 1 is applicable.

17 Overload protection of transformers and associated circuits

This clause of Part 1 is applicable.

18 Endurance

This clause of Part 1 is not applicable.

19 Abnormal operation

This clause of Part 1 is applicable except as follows.

19.2 Addition:

Appliances are tested with their pressing surfaces in contact with each other unless they automatically separate when the closing force is released.

- 10 -

19.4 Addition:

For appliances that generate steam, any control that limits the pressure during the test of Clause 11 is rendered inoperative.

19.7 Addition:

Mangles are operated for 5 min.

19.9 Not applicable.

19.13 Addition:

The temperature rise of the surface intended to support the laundry shall not exceed 150 K 5 min after a **protective device** has operated.

20 Stability and mechanical hazards

This clause of Part 1 is applicable except as follows.

20.1 Addition:

The test with the angle of inclination increased to 15° is not carried out.

Mangles are also checked by the following test.

The **mangle** is placed in any normal position of use on a horizontal plane. A force of 90 N is applied horizontally to the top of the **mangle**. The force is removed and a force of 180 N is applied vertically downwards at the most unfavourable place.