
Elektromagnetna združljivost in zadeve v zvezi z radijskim spektrom (ERM) - Lavinske žolne - Oddajno-sprejemni sistemi - 2. del: Harmonizirani evropski standard (EN), ki zajema bistvene zahteve člena 3.2 direktive o radijski in telekomunikacijski terminalski opremi (R&TTE)

Electromagnetic compatibility and Radio spectrum Matters (ERM); Avalanche Beacons; Transmitter-receiver systems; Part 2: Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive

(standards.iteh.ai)

[SIST EN 300 718-2 V1.1.1:2001](https://standards.iteh.ai/catalog/standards/sist/78f87d46-c38d-49a5-8f29-757f44378972/sist-en-300-718-2-v1-1-1-2001)

<https://standards.iteh.ai/catalog/standards/sist/78f87d46-c38d-49a5-8f29-757f44378972/sist-en-300-718-2-v1-1-1-2001>

Ta slovenski standard je istoveten z: ETSI EN 300 718-2 V1.1.1 (2001-05)

ICS:

13.200	Preprečevanje nesreč in katastrof	Accident and disaster control
33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 300 718-2 V1.1.1:2001 **en**

ETSI EN 300 718-2 V1.1.1 (2001-05)

Candidate Harmonized European Standard (Telecommunications series)

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
Avalanche Beacons;
Transmitter-receiver systems;
Part 2: Harmonized EN covering essential requirements
of article 3.2 of the R&TTE Directive**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 718-2 V1.1.1:2001](https://standards.iteh.ai/catalog/standards/sist/78f87d46-c38d-49a5-8f29-757f44378972/sist-en-300-718-2-v1-1-1-2001)

<https://standards.iteh.ai/catalog/standards/sist/78f87d46-c38d-49a5-8f29-757f44378972/sist-en-300-718-2-v1-1-1-2001>



Reference

REN/ERM-RP08-0409-2

Keywords

Radio, regulation, safety, SAR, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 718-2 V1.1.1:2001

<https://standards.iteh.ai/catalog/standards/sist/78f87d46-c38d-49a5-8f29-757f44378972/sist-en-300-718-2-v1-1-1-2001>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:
editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2001.
All rights reserved.

Contents

Intellectual Property Rights	4
Foreword.....	4
Introduction.....	5
1 Scope.....	7
2 References.....	7
3 Definitions, abbreviations and symbols	7
3.1 Definitions	7
3.2 Abbreviations.....	8
3.3 Symbols.....	8
4 Technical conformance requirements specifications	8
4.1 Environmental profile.....	8
4.2 Operating frequency.....	8
4.3 Modulation and carrier keying.....	8
4.3.1 Definition	8
4.3.2 Limits.....	8
4.3.3 Conformance	8
4.4 Frequency error.....	8
4.4.1 Definition	8
4.4.2 Limits.....	9
4.4.3 Conformance	9
4.5 Maximum output field strength (H-field)	9
4.5.1 Definition	9
4.5.2 Limits.....	9
4.5.3 Conformance	9
4.6 Transmitter spurious emissions.....	9
4.6.1 Definition	9
4.6.2 Radiated H-field.....	9
4.6.2.1 Limits.....	9
4.6.2.2 Conformance.....	9
4.6.3 Effective radiated power	9
4.6.3.1 Limits.....	9
4.6.3.2 Conformance.....	9
4.7 Receiver spurious emissions.....	10
4.7.1 Definition	10
4.7.2 Radiated H-field.....	10
4.7.2.1 Limits.....	10
4.7.2.2 Conformance.....	10
4.7.3 Effective radiated power	10
4.7.3.1 Limits.....	10
4.7.3.2 Conformance.....	10
5 Conditions for compliance with the requirements	10
5.1 General	10
5.1.1 Environment.....	10
5.1.2 Accessories.....	10
6 Measurement uncertainties.....	11
Annex A (normative): The EN Requirements Table (EN-RT).....	12
History	13

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Candidate Harmonized European Standard (Telecommunications series) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document is part 2 of a multi-part deliverable covering the Avalanche Beacons; Transmitter-receiver systems, as identified below:

- Part 1: "Technical characteristics and test methods";
- Part 2: "Harmonized EN covering essential requirements of article 3.2 of the R&TTE Directive";**
- Part 3: "Harmonized EN covering essential requirements of article 3.3e of the R&TTE Directive".

The present document has been produced by ETSI in response to a mandate from the European Commission issued under Council Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.

The present document is intended to become a Harmonized Standard, the reference of which will be published in the Official Journal of the European Communities referencing the Directive 1999/5/EC [1] of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity ("the R&TTE Directive").

National transposition dates	
Date of adoption of this EN:	18 May 2001
Date of latest announcement of this EN (doa):	31 August 2001
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	28 February 2002
Date of withdrawal of any conflicting National Standard (dow):	28 February 2003

Introduction

The present document is part of a set of standards designed to fit in a modular structure to cover all radio and telecommunications terminal equipment under the R&TTE Directive [1]. Each standard is a module in the structure. The modular structure is shown in figure 1.




Figure 1: Modular structure for the various standards used under the R&TTE Directive

The left hand edge of the figure shows the different clauses of article 3 of the Directive.

For article 3.3 various horizontal boxes are shown. Their dotted lines indicate that essential requirements in these areas have to be adopted by the Commission. If such essential requirements are adopted, and as far and as long as they are applicable, they will justify individual standards whose scope is likely to be specified by function or interface type.

The vertical boxes show the standards under article 3.2 for the use of the radio spectrum. The scopes of these standards are specified either by frequency (normally in the case where frequency bands are harmonized) or by radio equipment type.

For article 3.1b, the diagram shows the new single multi-part product EMC standard for radio, and the existing collection of generic and base standards currently used under the EMC Directive. The parts of the present document will become available in the second half of 2000, and the existing separate EMC standards will be used until it is available.

For article 3.1a the diagram shows the existing safety standards currently used under the LVD Directive and the possibility of a new standard on health relating to radio emissions.

The bottom of the figure shows the relationship of the standards to radio equipment and telecommunications terminal equipment. A particular equipment may be radio equipment, telecommunications terminal equipment or both. The General Standard will always apply to it, and a radio spectrum standard will apply if it is radio equipment. An article 3.3 standard will apply as well only if the relevant essential requirement is adopted by the Commission and if the equipment in question lies within the scope of the corresponding standard. Thus, depending on the nature of the equipment, the essential requirements under the Directive may be covered in just the General Standard or in a set of standards that includes the General Standard.

The modularity principle has been taken because:

- it minimizes the number of standards needed. Because equipment may, in fact, have multiple interfaces and functions it is not practicable to produce a single standard for each possible combination of functions that may occur in an equipment;
- it provides scope for standards to be added:
 - under article 3.2 when new frequency bands are agreed or;
 - under article 3.3 should the Commission take the necessary decisions;without requiring alteration of standards that are already published.
- it clarifies, simplifies and promotes the usage of Harmonized Standards as the relevant means of conformity assessment.

1 Scope

The present document applies to requirements for avalanche beacons. Avalanche beacons are portable radio systems used for locating avalanche victims, for the purpose of direct rescue, i.e. for rescue by comrades not buried by the avalanche. The present document is applicable for avalanche beacons operating at a frequency of 457 kHz. The present document is intended to cover the provisions of Directive 1999/5/EC (R&TTE Directive) [1].

- Article 3.2, which states that "radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs (e.g. EN 300 718-3 [5]) that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [1] may apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the ETSI web site at <http://www.newapproach.org/>.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

- [1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
<https://standards.iteh.ai/catalog/standards/sist/78f87d46-c38d-49a5-8f29->
- [2] ETSI EN 300 718-1 (V1.2.1, 2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Avalanche Beacons; Transmitter-receiver systems; Part 1: Technical characteristics and test methods".
- [3] ETSI ETR 028 (Edition 2, 1994): "Radio Equipment and Systems (RES); Uncertainties in the measurement of mobile radio equipment characteristics".
- [4] ITU Radio Regulations (1998), Appendix S1: "Classification of emissions and necessary bandwidths".
- [5] ETSI EN 300 718-3 (V1.1.1, 2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Avalanche Beacons; Transmitter-receiver systems; Part 3: Harmonized EN covering essential requirements of article 3.3e of the R&TTE Directive".

3 Definitions, abbreviations and symbols

3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [1], and the following apply.

environmental profile: range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

H-field: magnetic component of the field measured as current per unit length

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

EN	European Standard
R&TTE	Radio and Telecommunications Terminal Equipment
RF	Radio Frequency

3.3 Symbols

For the purposes of the present document, the following symbols apply:

A1A	Class of emission (ITU Radio Regulations [4])
f	Frequency
H	Magnetic field strength

4 Technical conformance requirements specifications

4.1 Environmental profile

The technical requirements of the present document apply under the environmental profile for operation of the equipment, which shall be declared by the supplier. The equipment shall comply with all the technical requirements of the present document at all times when operating within the boundary limits of the declared operational environmental profile.

(Necessary environmental conditions are validated under article 3.3e and so are permitted in EN 300 718-3 [5], clause 4.1.1) but as they are outside the scope of article 3.2 should not be in the present document (modularity principle)).

4.2 Operating frequency

The operating frequency shall be as stated in EN 300 718-1 [2], clause 4.2.8.

4.3 Modulation and carrier keying

4.3.1 Definition

This shall be as defined in EN 300 718-1 [2], clause 8.1.1.

4.3.2 Limits

The modulation and carrier keying shall be as stated in EN 300 718-1 [2], clause 8.1.3.

4.3.3 Conformance

Conformance tests as defined in EN 300 718-1 [2], clause 8.1.2 shall be carried out.

4.4 Frequency error

4.4.1 Definition

This shall be as defined in EN 300 718-1 [2], clause 8.2.1