

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Radio frequency and coaxial cable assemblies –
Part 3-1: Blank detail specification for semi-flexible coaxial cable assemblies**

<https://standards.iteh.ai>

**Cordons coaxiaux et cordons pour fréquences radioélectriques –
Partie 3-1: Spécification particulière-cadre pour cordons coaxiaux semi-flexibles**

[IEC 60966-3-1:2023](https://standards.iteh.ai/catalog/standards/sist/0c495177-2224-4401-8df0-d2e1c7afeebd/iec-60966-3-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/0c495177-2224-4401-8df0-d2e1c7afeebd/iec-60966-3-1-2023>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Radio frequency and coaxial cable assemblies –
Part 3-1: Blank detail specification for semi-flexible coaxial cable assemblies**

**Cordons coaxiaux et cordons pour fréquences radioélectriques –
Partie 3-1: Spécification particulière-cadre pour cordons coaxiaux semi-flexibles**

[IEC 60966-3-1:2023](https://standards.iteh.ai/catalog/standards/sist/0c495177-2224-4401-8df0-d2e1c7afeebd/iec-60966-3-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/0c495177-2224-4401-8df0-d2e1c7afeebd/iec-60966-3-1-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.120.10

ISBN 978-2-8322-7747-8

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Instructions.....	6
5 Detail specification	6

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[IEC 60966-3-1:2023](https://standards.itih.ai/catalog/standards/sist/0c495177-2224-4401-8df0-d2e1c7afeebd/iec-60966-3-1-2023)

<https://standards.itih.ai/catalog/standards/sist/0c495177-2224-4401-8df0-d2e1c7afeebd/iec-60966-3-1-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO FREQUENCY AND COAXIAL CABLE ASSEMBLIES –**Part 3-1: Blank detail specification for semi-flexible
coaxial cable assemblies**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60966-3-1 has been prepared by IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Added "1 Scope";
- b) Added "2 Normative references";
- c) Rewrote "4 Instructions";

- d) Added “[6] Outline for semi-flexible cable assemblies”, “[7] The relative position dimensions of the interface”, [8] Maximum diameter of semi-flexible cable;
- e) Added corona extinction voltage;
- f) Modified “[19] Value”, “[20] Remark”.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46/946/FDIS	46/962/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60966 series, published under the general title *Radio frequency and coaxial cable assemblies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

[IEC 60966-3-1:2023](https://standards.iteh.ai/catalog/standards/sist/0c495177-2224-4401-8df0-d2e1c7afeebd/iec-60966-3-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/0c495177-2224-4401-8df0-d2e1c7afeebd/iec-60966-3-1-2023>

RADIO FREQUENCY AND COAXIAL CABLE ASSEMBLIES –

Part 3-1: Blank detail specification for semi-flexible coaxial cable assemblies

1 Scope

This part of IEC 60966 is a blank detail specification that relates to semi-flexible coaxial cable assemblies operating in the transverse electromagnetic mode (TEM).

The creation of a uniform layout and style of detail specifications is determined by the use of a blank detail specification pro forma. The detail specification can be prepared by the insertion of data into the pro forma by a national organization, a manufacturer, or a user.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068 (all parts), *Environmental testing*

IEC 60966-1:2019, *Radio frequency and coaxial cable assemblies – Part 1: Generic specification – General requirements and test methods*

IEC 60966-3: 2023, *Radio frequency and coaxial cable assemblies – Part 3: Sectional specification for semi-flexible coaxial cable assemblies*

IEC 61196-1-126, *Coaxial communication cables – Part 1-126: Electrical test methods – Corona extinction voltage*

IEC 61196-1-314:2015, *Coaxial communication cables – Part 1- 314: Mechanical test methods – Test for bending*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Instructions

Instructions to complete a blank detail specification shall, as far as possible, be written in accordance with the pro forma which has:

- a) a front page with a general description and a drawing or isometric sketch of the cable assembly and its possible variants;
- b) ratings, characteristics and inspection requirements (those which are not required or specified shall be omitted).



The numbers shown in square brackets correspond to the following items of required information, which should be entered in the spaces provided.

- [1] Name and address of the organization that has prepared the document.
- [2] IEC document number, issue number and date of issue.
- [3] Address of the organization from which the document is available.
- [4] Related documents.
- [5] Any other reference to the cable assembly, national reference, trade name, etc.
- [6] A drawing of the cable assembly giving the outline and dimensions in millimetres.
- [7] The relative position dimensions of the interface.
- [8] Maximum diameter of semi-flexible cable.
- [9] Minimum bending inside diameter.
- [10] Nominal characteristic impedance of the cable assembly.
- [11] Frequency range of use of the cable assembly.
- [12] Weight, function of the length of the cable assembly.
- [13] Climatic category of the cable assembly related to IEC 60068.
- [14] Description, if applicable, of the components used for the manufacture of the cable assembly.
- [15] Variants of the cable assembly may be listed in one detail specification. The variants can differ by colour, connector material, connector sex or type. (Inspection for quality conformance will be the same for all variants whereas the ratings and characteristics can change.)
- [16] Inspection values, ratings or characteristics of the cable assembly. The properties not specified shall be omitted.
- [17] Reference to the appropriate subclause in the generic specifications.
- [18] The requirements in the sectional specifications.
- [19] The value either guaranteed or used for the defined test.
- [20] All information required by the sectional specification and any remarks considered as important for understanding the test.

5 Detail specification

RADIO FREQUENCY AND COAXIAL CABLE ASSEMBLIES –

Part 3-1: Blank detail specification for semi-flexible coaxial cable assemblies

[1] Prepared by:		[2] Document no.: <hr/> Issue: <hr/> Date: <hr/>
[3] Available from	[4] Generic specification: IEC 60966-1 Sectional specification: IEC 60966-3 Blank detail specification: IEC60966-3-1	
[5] Additional references:		
[6] Outline for semi-flexible cable assemblies		
[7] The relative position dimensions of the interface <div style="text-align: center;">  </div> <p>One end connector</p> <p>Other end connector</p> <p>NOTE</p> <p>A —The dimension of the inner conductor relative to the outer conductor, in mm.</p> <p>B —The dimension of the dielectric relative to the outer conductor, in mm.</p>		
[8] Maximum diameter of semi-flexible cable:		[9] Minimum bending inside diameter For static bending: For dynamic bending:
[10] Characteristic impedance:Ω		[11] Frequency range:to.....GHz
[12] Weight: g+.....g/m		[13] Climatic category: ... /.. /!.. .
[14] Description a) Connector Reference number of the connectors : Type (series), style, sex of the connectors: b) Cable Reference number, type of the cable : c) Marking method: d) Marking text:		
[15] Variants:		

[16] Inspection values, ratings or characteristics	[17] Test method IEC 60966-1:2019	[18] Requirement IEC 60966-3: XXXX	[19] Value	[20] Remarks
Electrical				
Reflection properties (Return loss)	8.1	No.1 in Table 2		
Uniformity of impedance	8.2	No.2 in Table 2±.....Ω	Rise time of pulse <..... ps
Insertion loss	8.3	No.3 in Table 2	≤.....dB toGHz
Insertion loss stability ^a	8.4	No.4 in Table 2	≤.....dB toGHz
Propagation time ^a	8.5	No.5 in Table 2ns ±.....ns	Frequency or rise time
Stability of electrical length ^a	8.6	No.6 in Table 2	 toGHz Test method 1 or method 2 for bending test
Phase difference ^a	8.7	No.7 in Table 2±.....°	Frequency..... GHz
Phase variation with temperature ^a	8.8	No.8 in Table 2/GHz to K to GHz
Screening effectiveness	8.9	No.9 in Table 2	≤..... dB to MHz
Voltage proof	8.10	No.10 in Table 2	≥.....kV	
Insulation resistance	8.11	No.11 in Table 2	≥.....MΩ	Test voltage V
Inner and outer conductor continuity	8.12	No.12 in Table 2	Inner conductor and outer conductor shall be continuous	Test voltage ≤ 36 V DC
Power rating ^a	8.13	No.13 in Table 2	≥.....W	Temperature: Frequency:
Intermodulation level measurement ^a	8.14	No.14 in Table 2	≤ dBc	Test power: Test frequency:
Corona extinction voltage ^a	IEC 61196-1-126	No.15 in Table 2	≥..... kV	
Mechanical				
Visual inspection	7.2	No.1 in Table 3	Shall meet the requirements of IEC 60966-1:2019, Clause 5 and 7.2.	
The relative position dimensions of the interface	7.3.1	No.2 in Table 3	Shall meet the requirement of [7] of the specification	
Outline of the cable assembly	7.3.2	No.3 in Table 3	Shall meet the requirement of [6] of the specification	
Tensile	9.1	No.4 in Table 3	a) No visual damage or loosening of the assembly; b) The relative position dimensions of the interface shall still meet the requirement; c) Return loss ≥..... dB	Force N Duration s
Torque	9.5	No.5 in Table 3	a) No visual damage or loosening of the assembly; b) The relative position dimensions of the interface shall still meet the requirement; c) Return loss ≥..... dB	≤N·m