

# TECHNICAL SPECIFICATION

Washing machines for household use – Method for measuring the  
microbiological performance

(standards.iteh.ai)

IEC TS 63429:2023 ED1

<https://standards.iteh.ai/catalog/standards/sist/91b0143b-5e68-4080-8f97-0e9cc4a9980f/iec-ts-63429-2023-ed1>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2023 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC TS 63429:2023 ED1](https://standards.iteh.ai/catalog/standards/sist/91b0143b-5e68-4080-8197-0e9cc4a9980f/iec-ts-63429-2023-ed1)

<https://standards.iteh.ai/catalog/standards/sist/91b0143b-5e68-4080-8197-0e9cc4a9980f/iec-ts-63429-2023-ed1>

# TECHNICAL SPECIFICATION

---

**Washing machines for household use – Method for measuring the  
microbiological performance**

IEC TS 63429:2023 ED1

<https://standards.iteh.ai/catalog/standards/sist/91b0143b-5e68-4080-8f97-0e9cc4a9980f/iec-ts-63429-2023-ed1>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 97.060

ISBN 978-2-8322-7477-4

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions and symbols.....	8
3.1 Terms and definitions.....	8
3.2 Symbols.....	9
4 Requirements .....	9
5 Test conditions, materials, equipment and instrumentation .....	10
5.1 Test conditions .....	10
5.2 Materials and reagents .....	10
5.2.1 Microorganisms for test purposes .....	10
5.2.2 Culture media and solutions .....	11
5.2.3 Detergent .....	13
5.3 Equipment .....	14
5.3.1 General .....	14
5.3.2 Incubator .....	14
5.3.3 Autoclave .....	14
5.3.4 Cotton carrier .....	14
5.3.5 Biomonitor cloth.....	14
5.3.6 Pipettes .....	15
5.3.7 Electromechanical agitator.....	15
5.3.8 Base load .....	15
5.3.9 Measuring equipment for assessing temperature profile .....	16
5.3.10 Measuring equipment for water consumption .....	16
6 Tests .....	16
6.1 Test method principles .....	16
6.2 Preparation of washing machine .....	16
6.3 Preparation of test microorganisms and biomonitors .....	17
6.3.1 Cultures.....	17
6.3.2 Biomonitors .....	18
6.4 Main test.....	19
6.4.1 General .....	19
6.4.2 Evidence of test microorganisms .....	19
6.5 Validation.....	20
6.5.1 Enumeration of microorganisms before washing $N_0$ (reference biomonitor) .....	20
6.5.2 Negative control (cross contamination) .....	21
6.5.3 Determination of water quality .....	21
6.5.4 Determination of water quantity in the main wash .....	21
7 Evaluation .....	21
7.1 Log reduction .....	21
7.2 Cross contamination .....	21
8 Test report.....	22
Annex A (normative) Suitable methods to prepare the washing machine prior to test .....	24
A.1 General.....	24

A.2	Methods to prepare the washing machines before test.....	24
A.2.1	Hot washing with the detergent.....	24
A.2.2	Hot washing without detergent.....	24
A.2.3	Treatment with sodium hypochlorite solution.....	24
A.2.4	Treatment with peracetic acid solution (PAA).....	25
Annex B (informative)	Sources of materials and supplies .....	26
B.1	General.....	26
B.2	Suppliers for test materials .....	26
Bibliography	.....	27
Figure 1	– Biomonitor cloth .....	15
Table 1	– Composition of TSA .....	11
Table 2	– Composition of Sabouraud dextrose agar with chloramphenicol .....	11
Table 3	– Composition of Tryptic Soy Broth (TSB) .....	12
Table 4	– Composition of Baird-Parker agar.....	12
Table 5	– Composition of cetrimide agar .....	12
Table 6	– Composition of diluting agent .....	13
Table 7	– Composition of neutralisation solution .....	13
Table 8	– Temperature logger specification .....	16

(standards.iteh.ai)

IEC TS 63429:2023 ED1

<https://standards.iteh.ai/catalog/standards/sist/91b0143b-5e68-4080-8f97-0e9cc4a9980f/iec-ts-63429-2023-ed1>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## WASHING MACHINES FOR HOUSEHOLD USE – METHOD FOR MEASURING THE MICROBIOLOGICAL PERFORMANCE

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 63429 has been prepared by subcommittee 59D: Performance of household and similar electrical laundry appliances, of IEC Technical Committee 59: Performance of household and similar electrical appliances. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
59D/498/DTS	59D/503A/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

In this document, the following print type is used:

- terms defined in Clause 3: **bold type**.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## iTeh STANDARD PREVIEW (standards.itih.ai)

IEC TS 63429:2023 ED1

<https://standards.itih.ai/catalog/standards/sist/91b0143b-5e68-4080-8f97-0e9cc4a9980f/iec-ts-63429-2023-ed1>

## INTRODUCTION

This Technical Specification describes a method to measure the microbial contamination reduction performance of household **washing machines**. Microbial reduction due to any potential or claimed antimicrobial action of detergents other than the base powder of the required detergent, as well as of bleach systems or any other additives, is not addressed.

This first edition has been developed to provide a globally applicable and agreed method to measure the reduction of the microbial contamination of household **washing machines** and their **programmes**, to be measured with textile pieces contaminated with test microorganisms under standardized conditions.

The reduction of the microbial contamination is just one of the performance parameters measurable for a **washing machine**. Therefore, it is not used as the only parameter to describe the performance of a washing **programme**, but it is measured along with the other performance parameters considered for that **programme**.

NOTE The use of the reference **washing machine** as defined in IEC 60456 as a reference process for the reduction of microbial contamination is under consideration.

The test microorganisms requested for this Technical Specification require BSL-1 and 2 laboratories. BSL-1 laboratories are restricted to the use of *Staphylococcus arlettae* and *Saccharomyces cerevisiae*, whereas BSL-2 laboratories shall use *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Candida albicans*, or all five test microorganisms.

Classification of test microorganisms can change and can differ on national levels. It is the responsibility of the user to ensure compliance with applicable national classification.

Different type strains of the same microbial species described in this Technical Specification can be used if the achievement of comparable results is proven.

<https://standards.iteh.ai/catalog/standards/sist/91b0143b-5e68-4080-8f97->

Additional test microorganisms can be used besides the test strains described in this Technical Specification, but their result cannot be used to claim compliance with the Technical Specification and shall not be reported in the same test report.

The ATCC numbers are the collection numbers of strains supplied by the American Type Culture Collections (ATCC). This information is given for the convenience of users of this Technical Specification and does not constitute an endorsement by IEC of the product named.

This document does not purport to address all the safety aspects, if any, associated with its use. It is the responsibility of the user to establish appropriate health and safety practices and to ensure compliance with any national, regional or international regulatory conditions.

A warning about the use of this document is included in Clause 4.



# WASHING MACHINES FOR HOUSEHOLD USE – METHOD FOR MEASURING THE MICROBIOLOGICAL PERFORMANCE

## 1 Scope

This Technical Specification provides a test method for measuring the microbial contamination reduction performance of household **washing machines** with textile pieces contaminated with test microorganisms under standardized conditions. The microbial numbers on the contaminated textile pieces are measured before and after the washing **programme** and the reduction is calculated. Furthermore, a potential **cross contamination** from contaminated to uncontaminated textile pieces within the washing **programme** is measured.

This document does not address the microbial contamination reduction due to any potential or claimed antimicrobial action of detergents as well as of bleach systems or any additives.

This document applies to **washing machines** for household use, within the meaning that the scope of TC 59 indicates for household use, including the washing related functions of **washer-dryers**.

This document does not apply to professional **washing machines** nor to commercial laundry **operations** associated with food service, hospital linens or other non-residential applications.

This document deals with measurement procedures regarding the reduction of microbial contamination resulting from the use of electrical appliances for household and similar use. This document specifies methods that enable reproducible measurements. These derived measurement results can only be used for a relative statement. Absolute statements, i.e., health-related claims or conclusions about prevention or treatment of a disease or health improvement, are reserved for explicit regulatory action after a medical assessment.

This document does not apply to appliances intended to be used in medical, veterinary, or pharmaceutical applications.

This document does not address sanitization, disinfection, or sterilization measures.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60456:2010, *Clothes washing machines for household use – Methods for measuring the performance*  
IEC 60456:2010/AMD1:2022

ISO 2267, *Surface active agents – Evaluation of certain effects of laundering – Methods of preparation and use of unsoiled cotton control cloth*

ISO 19458:2006, *Water quality – sampling for microbiological analysis*

EN 12353, *Chemical disinfectants and antiseptics. Preservation of test organisms used for the determination of bactericidal (including Legionella), mycobactericidal, sporicidal, fungicidal and virucidal (including bacteriophages) activity*

### 3 Terms, definitions and symbols

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### 3.1 Terms and definitions

##### 3.1.1

##### **washing machine**

appliance for cleaning and rinsing of textiles using water which may also have a means of extracting excess water from the textiles

[SOURCE: IEC 60456:2010, 3.1.1]

##### 3.1.2

##### **test run**

performance assessment of one **programme** execution in the test **washing machine**

##### 3.1.3

##### **test series**

set of **test runs** which are collectively used to assess performance

[SOURCE: IEC 60456:2010, 3.1.12]

##### 3.1.4

##### **operation**

each performance of a function that occurs during the **washing machine programme** such as pre-wash, washing, rinsing, draining, or spinning

[SOURCE: IEC 60456:2010, 3.1.13]

##### 3.1.5

##### **programme**

series of **operations** which are pre-defined within the **washing machine**, and which are declared by the manufacturer as suitable for washing certain textile types for hygiene purposes

[SOURCE: IEC 60456:2010, 3.1.14, modified – "for hygiene purposes" has been added to the end of the definition.]

##### 3.1.6

##### **cycle**

complete washing process, as defined by the **programme** selected, consisting of a series of **operations** (wash, rinse, spin, etc.) and including any **operations** that occur after the completion of the **programme**

[SOURCE: IEC 60456:2010, 3.1.6, modified – The note has been omitted.]

##### 3.1.7

##### **base load**

textile load used for testing without **biomonitor cloths** and **biomonitors**

**3.1.8****cross contamination**

transfer of microorganisms from contaminated fabrics to uncontaminated fabrics during one **test run**

**3.1.9****biomonitor**

microorganism carrier inoculated with microorganisms to be used to monitor the reduction of microbial contamination

**3.1.10****biomonitor cloth**

cotton cloth with six individual pockets that fixes **biomonitors** and temperature loggers during a **test run** in a **washing machine**

**3.1.11****temperature profile**

time-temperature data representing the water temperature in the **washing machine** during the **test run**

**3.1.12****washer-dryer**

**washing machine** which includes both a spin extraction function and also a means for drying the textiles, usually by heating and tumbling

[SOURCE: IEC 60456:2010, 3.1.4, modified – The note has been omitted.]

**3.2 Symbols**

cfu	colony forming unit	<a href="#">IEC TS 63429:2023 ED1</a>
$N_0$	average value of microorganism amount of the three positive controls, before exposition to the test <b>programme</b> (cfu/ <b>biomonitor</b> )	
$N$	average value of microorganism amount per 5 <b>biomonitors</b> , after exposition to the test <b>programme</b> (cfu/ <b>biomonitor</b> )	
$\log(N_0/N)$	reduction factor per microorganism type	
$v^{-1}$	microorganism amount in a 10 times diluted solution	
$v^{-2}$	microorganism amount in a 100 times diluted solution	

**4 Requirements**

This document specifies a test method for measuring the reduction of microbial contamination in clothes **washing machines** and of possible **cross contamination** from contaminated **biomonitors** to sterile cotton swatches.

This document does not specify safety requirements and does not deal with performance of **washing machines** measured under IEC 60456 nor with effects on fabrics.

**WARNING** – The tests given in this document shall be performed by expert staff trained to handle microorganism-related techniques and in properly equipped laboratories under the supervision of a skilled microbiologist. Some of the test microorganisms can be facultative pathogens for humans, animals and plants; their handling requires a laboratory of an appropriate biosafety level. National and international safety procedures for working with infectious biomaterials exist to prevent any contamination of laboratory staff, apparatus, the workplace or the environment.

## 5 Test conditions, materials, equipment and instrumentation

### 5.1 Test conditions

Ambient conditions: electricity supply, water supply, and ambient temperature shall be in accordance with IEC 60456:2010. The **base load** shall be the cotton **base load** as specified in IEC 60456:2010.

Hard water with a total water hardness of  $(2,5 \pm 0,2)$  mmol/l or soft water with a total water hardness of  $(0,5 \pm 0,2)$  mmol/l as defined in IEC 60456 shall be used for testing.

The water supplied to the **washing machine** shall contain less than 100 cfu/ml total microbial counts at an incubation temperature of 30 °C. Microorganisms for test purposes as listed in 5.2.1 should not be present in the supplied water. The water supplied to the **washing machine** shall not contain more than 0,3 mg/l of chlorine.

When checking for the presence of microorganisms in the supplied water, the following shall be considered: *Staphylococcus aureus*, *Staphylococcus arlettae*, *Candida albicans*, *Saccharomyces cerevisiae* are normally not present in the water system and shall not be looked for. *Pseudomonas aeruginosa* can be present in small numbers ( $< 10$  *Pseudomonas aeruginosa* counts per 100 ml), and at these levels does not significantly influence measurements in accordance with this document.

The water supplied to the **washing machine** shall contain less than 10 cfu/100 ml *Pseudomonas aeruginosa*. If higher numbers of *Pseudomonas aeruginosa* are detected, measures to decontaminate the water system should be taken and tests should be repeated.

Water sampling shall be done in accordance with ISO 19458:2006, 4.4.1.3 as outlined for the assessment of water quality in the main distributor. The water shall be sampled from the water tap in the water system which is closest to the connecting valve of the **washing machine**. The aerator and O-rings of the sampling point shall be removed, and the water tap disinfected. The water tap shall be rinsed until water temperature is constant before sampling. Sampling volume shall be 150,0 ml.

The microbiological quality of the water supplied to the **washing machine** is determined in accordance with 6.5.3.

### 5.2 Materials and reagents

#### 5.2.1 Microorganisms for test purposes

For test purposes, the following strains shall be used as test microorganisms:

- *Pseudomonas aeruginosa* ATCC 15442
- *Staphylococcus aureus* ATCC 6538
- *Candida albicans* ATCC 10231

NOTE 1 This combination of microorganisms can require a Biosafety Level 2 laboratory.

Alternative test microorganisms that can be used are:

- *Staphylococcus arlettae* ATCC 43957
- *Saccharomyces cerevisiae* ATCC 9763

NOTE 2 This combination of microorganisms can require a Biosafety Level 1 laboratory.

NOTE 3 The use of additional risk group 1 test microorganisms (e.g., *Escherichia coli*) is under consideration.