

INTERNATIONAL STANDARD



**Multi-channel radio-frequency connectors –
Part 2: Sectional specification for MQ4 series circular connectors**

**standards
(<https://standards.iteh.ai>)
Document Preview**

[IEC 63138-2:2023](https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

International Standards
standards.iteh.ai
Document Preview

[IEC 63138-2:2023](https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023>



IEC 63138-2

Edition 2.0 2023-10
REDLINE VERSION

INTERNATIONAL STANDARD



**Multi-channel radio-frequency connectors –
Part 2: Sectional specification for MQ4 series circular connectors**

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 63138-2:2023](https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.30

ISBN 978-2-8322-7710-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Mating face and gauge information.....	8
4.1 Mating face dimensions	8
4.1.1 MQ4 socket connector	8
4.1.2 MQ4 plug connector	10
4.1.3 Mating face of RF channel.....	14
4.2 Gauges.....	17
4.2.1 Gauge for RF channel.....	17
4.2.2 Gauge rings for plug outer contact.....	19
4.2.3 Gauge for MQ4 socket connector.....	20
4.2.4 Gauge for MQ4 plug connector.....	21
5 Quality assessment procedure.....	23
5.1 General.....	23
5.2 Rating and characteristics.....	23
5.3 Quality assessment.....	25
5.3.1 General	25
5.3.2 Inspection procedure.....	25
5.3.3 Lot-by-lot inspection	27
5.3.4 Periodic inspections.....	28
6 Instructions for preparation of detail specifications	30
6.1 General.....	30
6.2 Identification of the detail specification.....	30
6.3 Identification of the component	30
6.4 Performance	30
6.5 Marking, ordering information and related matters	31
6.6 Selection of tests, test conditions and severities	31
6.7 Blank detail specification pro forma for MQ4 series circular connectors	31
7 Marking	36
7.1 Marking of components	36
7.2 Marking and contents of package.....	36
Figure 1 – MQ4 socket connector	9
Figure 2 – MQ4 quick-lock plug connector	11
Figure 3 – MQ4 threaded plug connector	13
Figure 4 – Mating face of RF channel	16
Figure 5 – Gauge for socket contact of RF channel.....	18
Figure 6 – Gauge for plug outer contact.....	19
Figure 7 – Gauge for MQ4 socket connector	20
Figure 8 – Gauge for MQ4 plug connector	22
Table 1 – Dimensions of MQ4 socket connector.....	10
Table 2 – Dimensions of MQ4 quick-lock plug connector.....	12

Table 3 – Dimensions of MQ4 threaded plug connector	14
Table 4 – Dimensions of RF channel.....	17
Table 5 – Dimensions of gauge for socket contact	18
Table 6 – Dimensions of gauge for plug outer contact.....	19
Table 7 – Dimensions of gauge for MQ4 socket connector.....	21
Table 8 – Dimensions of gauge for MQ4 plug connector	23
Table 9 – Rating and characteristics	24
Table 10 – Qualification inspection	26
Table 11 – Lot-by-lot inspection	28
Table 12 – Sampling plans for mechanical compatibility and return loss inspection.....	28
Table 13 – Periodic inspection	29

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 63138-2:2023](https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTI-CHANNEL RADIO-FREQUENCY CONNECTORS –**Part 2: Sectional specification for MQ4 series circular connectors**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 63138-2:2020. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 63138-2 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is an International Standard.

This second edition cancels and replaces the first edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) change the supplementary key and groove position degree from 0,1 to 0,05 in Figure 1, Figure 2, Figure 3, Figure 7 and Figure 8;
- b) change dimension q from min.1,60 to min.1,65 in Table 1;
- c) add an electrical reference plane in Figure 4;
- d) add dimensions in Table 1;
- e) change dimension n from max.1,55 to max.1,50 in Table 2, Table 3 and Table 7;
- f) update some dimensions in Figure 4 and Table 4;
- g) change dimension a from min.7,50 to min.7,52, and max.7,60 to max. 7,58 in Table 7;
- h) update some dimensions in Figure 8 and Table 8;
- i) change mechanical compatibility from 50 N to 60 N in 4.2.3 and 4.2.4.

The text of this International Standard is based on the following documents:

Draft	Report on voting
46F/644/FDIS	46F/651/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is to be read with IEC 63138-1:2019.

A list of all parts in the IEC 63138 series, published under the general title *Multichannel radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 63138-2:2023](https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023>

MULTI-CHANNEL RADIO-FREQUENCY CONNECTORS –

Part 2: Sectional specification for MQ4 series circular connectors

1 Scope

This part of IEC 63138, which is a sectional specification (SS), provides information and rules for the preparation of detail specifications (DS) for MQ4 series circular connectors with four RF channels, as well as a detailed specification of the blank format.

An MQ4 series circular connector with 50 Ω nominal impedance has four RF channels which can be engaged and disengaged at the same time. There are two versions of plug connectors, one is a quick-lock version, and the other is a threaded version. The socket connector provides two coupling mechanisms, a quick-lock and a threaded coupling.

MQ4 series circular connectors can be used in mobile communication systems and in other communication equipment.

This document also specifies the mating face dimensions and gauging information of MQ4 series circular connectors, and tests selected from IEC 63138-1, applicable to all detail specifications relating to MQ4 series circular connectors.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.


IEC 63138-1:2019, *Multi-channel radio frequency connectors – Part 1: Generic specification – General requirements and test methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 63138-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>



NOTE 1 Mechanical reference plane.

NOTE 2 Chamfer of the four supplementary grooves is optional.

NOTE 3 Chamfer of the main groove is optional.

NOTE 4 The mating face of the RF channel with pin contact is shown in Figure 4a) and its dimensions are shown in Table 4.

NOTE 5 The shape of seal ring is optional.

NOTE 6 The initial position number of the RF channel with pin contact and the other positions numbered clockwise.

Figure 1 – MQ4 socket connector


Table 1 – Dimensions of MQ4 socket connector

Ref.	Dimensions	
	mm	
	Min.	Max.
<i>a</i>	31,75	31,80
<i>b</i>	30,35	30,40
<i>c</i>	M30 × 1 tolerance 6 g	
<i>d</i>	6,80	7,00
<i>e</i>	26,42	26,48
<i>f</i>	6,00	--
<i>g</i>	R3,0 nom.	
<i>h</i>	7,95	8,05
<i>i</i>	10,95	11,00
<i>j</i>	1,50	1,80
<i>k</i>	19,30	19,45
<i>m</i>	13,90	14,00
<i>p</i>	3,20	3,35
<i>q</i>	1,60 1,65	1,75
<i>r</i>	0,50	0,60
<i>s</i>	7,28	7,32
<i>t</i>	15,48	15,52
<i>u</i>	10,30	10,90

4.1.2 MQ4 plug connector

4.1.2.1 MQ4 quick-lock plug connector

The mating face of the MQ4 connector with quick-lock type is shown in Figure 2 and its dimensions are shown in Table 2.



NOTE 1 Mechanical reference plane.

NOTE 2 The mating face of the RF channel with socket contact is shown in Figure 4b) and its dimensions are shown in Table 4.

NOTE 3 The shape of the four supplementary keys is optional.

NOTE 4 The shape of the main key is optional.

NOTE 5 The shape of the spring finger is optional.

NOTE 6 The initial position number of the RF channel with socket contact and the other positions numbered anticlockwise.

Figure 2 – MQ4 quick-lock plug connector

Table 2 – Dimensions of MQ4 quick-lock plug connector

Ref.	Dimensions	
	mm	
	Min.	Max.
<i>a</i>	--	42,00
<i>b</i>	31,80	31,90
<i>c</i>	30,05	30,15
<i>d</i>	26,30	26,40
<i>e</i>	8,40	8,60
<i>f</i>	1,20	1,50
<i>g</i>	11,00	11,10
<i>h</i>	6,60	6,80
<i>i</i>	15,48	15,52
<i>j</i>	13,70	13,80
<i>k</i>	7,52	7,58
<i>m</i>	3,00	3,15
<i>n</i>	1,40	1,55 1,50

4.1.2.2 MQ4 threaded plug connector

The mating face of the MQ4 threaded plug connector is shown in Figure 3 and its dimensions are shown in Table 3.

iTeh Standards
<https://standards.iteh.ai/>
 Document Preview

[IEC 63138-2:2023](https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023)

<https://standards.iteh.ai/catalog/standards/iec/3b5cbfca-41ac-4a97-af78-3d0a141b52d6/iec-63138-2-2023>