

TECHNICAL REPORT

Dynamic modules –
Part 6-12: Design guidelines – Survey results on performance specifications for
1 × N wavelength selective switches

[IEC TR 62343-6-12:2023](https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023)

<https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

[IEC TR 62343-6-12:2023](https://standards.iteh.ai/catalog/standards/sist/db10854f-cc20-4eb-9d66-40654876d209/iec-tr-62343-6-12-2023)

<https://standards.iteh.ai/catalog/standards/sist/db10854f-cc20-4eb-9d66-40654876d209/iec-tr-62343-6-12-2023>

TECHNICAL REPORT

Dynamic modules –
Part 6-12: Design guidelines – Survey results on performance specifications for
1 × N wavelength selective switches

[IEC TR 62343-6-12:2023](https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023)

<https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.01

ISBN 978-2-8322-6332-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Survey results	6
4.1 Survey contents	6
4.2 Survey conditions	6
4.3 Analysis of responses	7
Bibliography.....	9
Table 1 – Analysed results of performance specifications	7

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC TR 62343-6-12:2023](https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023)

<https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DYNAMIC MODULES –

Part 6-12: Design guidelines – Survey results on performance specifications for $1 \times N$ wavelength selective switches

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62343-6-12 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics. It is a Technical report.

The text of this standard is based on the following documents:

Draft	Report on voting
86C/1823/DTR	86C/1829/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62343 series, published under the general title *Dynamic modules*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC TR 62343-6-12:2023](https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023)

<https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023>

INTRODUCTION

A wavelength selective switch (WSS) is a dynamic module (DM) which is predominantly used in reconfigurable optical add-drop multiplexers (ROADMs) in DWDM networks to switch a signal at a particular wavelength from a given input fibre to a selected output fibre. WSS modules can have multiple input ports and multiple output ports. Until recently, however, most commercial WSS modules were $1 \times N$ (or $N \times 1$) switches, with just a single input port and a plurality of output ports, or when operated in reverse, with a plurality of input ports and just a single output port. This document, therefore, focusses on the performance specifications for $1 \times N$ WSS's.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC TR 62343-6-12:2023](https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023)

<https://standards.iteh.ai/catalog/standards/sist/dbf0834f-ce20-4ef5-9d66-40654876d209/iec-tr-62343-6-12-2023>

DYNAMIC MODULES –

Part 6-12: Design guidelines – Survey results on performance specifications for $1 \times N$ wavelength selective switches

1 Scope

This part of IEC 62343, which is a Technical Report, reports the results of a recently conducted survey on performance specifications for $1 \times N$ wavelength selective switches. This information is intended to provide a framework for the preparation of performance specification standards for wavelength selective switches. The purpose of this document is to provide guidelines for performance values of the specification items listed in IEC 62343-3-3.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62343:2023, *Dynamic modules – General and guidance*

3 Terms and definitions

For the purpose of this document, the terms and definitions given in IEC 62343:2023 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Survey results

4.1 Survey contents

The survey asked participants for proposals of specification values to be used in standardizing the performance characterization of $1 \times N$ wavelength selective switches (WSSs), including but not limited to the items listed in the performance specification template of IEC 62343-3-3. The participants were encouraged to propose values for additional items to be standardized, so as to better characterize the performance of WSSs. It was not required for the respondent to be directly related to the production, development or application of WSSs.

4.2 Survey conditions

The survey was distributed to 18 companies, including suppliers and users of WSSs. It asked the participants to provide values for each specification item listed in the performance specification template of IEC 62343-3-3. The survey was conducted between October 2018 and January 2019.

4.3 Analysis of responses

After reviewing the responses from the survey, it was decided to classify them into two separate groups, which are referred to as group A and group B. Table 1 summarizes the responses. The results are displayed separately for each group and item.

Table 1 – Analysed results of performance specifications

No.	Test parameter	Unit	Group A	Group B
1	Operating wavelength	nm	1 528,578 to 1 567,337	1 528,578 to 1 566,928
2	Number of ports		11	2 and 4
3	Number of channels		129	1 to 128
4	Channel spacing	GHz	Flexible	Flexible
5	Channel frequency range IEC 62074-1	GHz	ITU-T G.694.1 ± 15	ITU-T G.694.1 ± 12,5
6	Insertion loss IEC 61300-3-29, IEC 62074-1	dB	≤ 7	≤ 6,5
7	Insertion loss uniformity IEC 61300-3-29	dB	≤ 1,5	≤ 1
8	Passband ripple IEC 61300-3-29	dB	≤ 0,5	≤ 0,8
9-1	0.5-dB passband width IEC 61300-3-29, IEC 62074-1	GHz	≥ 30	≥ 25
9-2	1-dB passband width IEC 61300-3-29, IEC 62074-1	GHz	-	≥ 27,5
9-3	3-dB passband width IEC 61300-3-29, IEC 62074-1	GHz	≥ 40	≥ 30
10	Return loss IEC 61300-3-6	dB	≥ 30	≥ 30
11	Adjacent channel crosstalk IEC 61300-3-29, IEC 62074-1	dB	-	≥ 30
12	Non-adjacent channel crosstalk IEC 61300-3-29, IEC 62074-1	dB	-	≥ 40
13	Total channel crosstalk IEC 61300-3-29, IEC 62074-1	dB	-	≥ 27
14	Transient crosstalk IEC 62343-5-2	dB	-	≥ 20
15	Channel blocking attenuation IEC 61300-3-7	dB	≥ 30	≥ 40
16	Attenuation without power IEC 61300-3-7	dB	≥ 40	≥ 20
17	Variable attenuation range IEC 61300-3-7	dB	20	15
18	Variable attenuation resolution	dB	0,1	0,1
19	Attenuation accuracy IEC 61300-3-14	dB	≤ 1	≤ 0,5
20	Response time for attenuation	ms	-	≤ 1 000

No.	Test parameter	Unit	Group A	Group B
21	Out of band attenuation IEC 61290-7-1	dB	≥ 25	≥ 15
22	Switching time IEC 61300-3-21	ms	≤ 1	≤ 1
23	Polarization dependent loss IEC 61300-3-2, IEC 62074-1	dB	≤ 0,8	≤ 0,8
24	Polarization mode dispersion IEC 61300-3-32, IEC 62074-1	ps	≤ 0,5	≤ 1
25	Group delay ripple IEC 61300-3-38	ps	≤ 10	≤ 10
26	Phase ripple IEC 61300-3-38	rad	-	-
27	Chromatic dispersion IEC 61300-3-38	ps/nm	-10 to 10	-10 to 10
28	Maximum input power (single channel) IEC 61300-2-14	dBm	≤ 15	≤ 10
29	Maximum input power (single port) IEC 61300-2-14	dBm	≤ 30	≤ 25
30	Storage temperature (range)	°C	-40 to +85	-40 to +85
31	Storage humidity	RH%	≤ 90	≤ 90
32	Operating case temperature	°C	-5 to +70	-
33	Operating humidity	RH %	≤ 85	≤ 90
34	Temperature control	(Equipped or not)	Equipped	Equipped
35	Supply voltage	V	5	3,3 / 5 / 15
36	Power consumption	W	40	18
37	Module size	mm	185 × 110 × 25	165 × 110 × 20
38	Fibre type IEC 60793-2-50		B-652.B B-657	B-652.B
39	Pigtail fibre length	m	1	1
40	Pigtail fibre buffer diameter	µm	250	250
41	Optical connector		LC	LC
42	Optical connector labelling		Colour code	C, 1,2,3,4
43	Electrical interface		No description	HIROSE DF11-18DP-2DSA
44	Communication interfaces		No description	RS-232C