

Edition 5.0 2024-06

# INTERNATIONAL STANDARD

Electrical installations in ships – Standard Sta

## Document Preview

IEC 60092-353:2024

https://standards.iteh.ai/catalog/standards/iec/1ef9e9f6-b615-4dba-b87b-f3f4a69d3d1f/iec-60092-353-2024





#### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Secretariat** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 5.0 2024-06

## INTERNATIONAL STANDARD

Electrical installations in ships – Standard S

Part 353: Power cables for rated voltages 1 kV and 3 kV

## Document Preview

IEC 60092-353:2024

https://standards.iteh.ai/catalog/standards/iec/1ef9e9f6-b615-4dba-b87b-f3f4a69d3d1f/iec-60092-353-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.060.20; 47.020.60 ISBN 978-2-8322-8646-3

Warning! Make sure that you obtained this publication from an authorized distributor.

#### CONTENTS

	-				
		e references			
3 Te	ms a	nd definitions			
4 Ge	neral	requirements			
4.1	Ra	ted voltage			
4.2	Ма	rkings	8		
4.2	.1	Indication of origin and voltage identification	8		
4.2	.2	Continuity of marking	8		
4.2	.3	Core identification	8		
5 Co	Constructional requirements				
5.1	5.1 General description				
5.1		Overview			
5.1	.2	Unarmoured cables (excluding 1,8/3 kV)			
5.1	.3	Armoured cables			
5.2	Со	nductors	10		
5.3	Ins	ulation	10		
5.3	.1	Material	10		
5.3	.2	Application	10		
5.3		Thickness of insulation	10		
5.4	Са	bling (including fillers and binders)			
5.5	Inn	er covering	1 <sup>-</sup>		
5.5	.1	er covering	1 <sup>2</sup>		
5.5		Thickness of inner covering			
5.6	Sci	eenIEC 60092-353:2024			
standa.	ds.ite	Construction ndards/iec/1ef9e9f6-b615-4dba-b87b-f3f4a69d3d1f/iec-	50092-3 <b>5</b>		
5.6		Application	1		
5.7	Inn	er sheath	13		
5.7	.1	Material	13		
5.7	.2	Application	13		
5.7	.3	Thickness of inner sheath	13		
5.8	Bra	iid armour	13		
5.8	.1	General	13		
5.8	.2	Braid wire diameter	14		
5.8	.3	Coverage density	14		
5.8	.4	Application of the armour	14		
5.9	Ou	ter sheath			
5.9		Material			
5.9	.2	Application	14		
5.9	.3	Thickness of outer sheath			
5.9	.4	Colour of outer sheath			
5.10	Со	nstruction for special applications			
	0.1	Cables for installation in areas with explosive atmospheres			
	0.2	Cables for installation between areas with and without explosive			
		atmospheres	1		
6 Te		Methods and requirements			

A.1	Inscription	19
A.2	Arrangement of the marks	19
A.3	Spacing and dimensions of the marks	19
A.4	Appearance of inscription	20
Bibliogra	phy	21
Figure A	1 – Arrangement of the marks	19
Table 1 -	- Insulation thickness	11
Table 2 -	- Thickness of extruded inner covering and fictitious diameters	12
Table 3 -	- Requirements of drain wire	12
Table 4 -	- Tests applicable to all cables	15
Table 5 -	- Additional tests required for halogen-free cables	17
Table 6 -	- Additional test required for low smoke cables	17
Table 7 -	- Additional test required for fire resistant cables	17
Table 8 -	- Additional tests required for specific performances	17
	- Additional test for cables for installation between areas with and without	
explosive	e atmospheres	18
Table A.	1 – Dimensions of the marks	20

# (https://standards.iteh.ai) **Document Preview**

IEC 60092-353:2024

https://standards.iteh.ai/catalog/standards/iec/1ef9e9f6-b615-4dba-b87b-f3f4a69d3d1f/iec-60092-353-2024

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### **ELECTRICAL INSTALLATIONS IN SHIPS -**

#### Part 353: Power cables for rated voltages 1 kV and 3 kV

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60092-353 has been prepared by Subcommittee 18A: Electric cables for ships and mobile and fixed offshore units of IEC Technical Committee 18: Electrical installations of ships and of mobile and fixed offshore units. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Updated references to IEC 60092-350 for general construction and test methods and IEC 60092-360 for insulating and sheathing materials.
- b) Added subclause 5.10: Construction for special applications.
- c) Added Table 9: Additional test for cables for installation between areas with and without explosive atmospheres.

- d) Deleted the test requirement IEC 60331-21 from Table 7.
- e) Deleted the former Annex A (Alternative enhanced insulation thickness for 0,6/1 kV).

The text of this International Standard is based on the following documents:

Draft	Report on voting
18A/476/CDV	18A/482/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

A list of all the parts of the IEC 60092 series, under the general title *Electrical installations in ships*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

reconfirmed, (https://standards.iteh.ai)

withdrawn, or

revised.

IEC 60092-353:2024

https://standards.iteh.ai/catalog/standards/iec/1ef9e9f6-b615-4dba-b87b-f3f4a69d3d1f/iec-60092-353-2024

#### **ELECTRICAL INSTALLATIONS IN SHIPS -**

#### Part 353: Power cables for rated voltages 1 kV and 3 kV

#### 1 Scope

This part of IEC 60092 is applicable to shipboard and offshore non radial field power cables with extruded solid insulation, having a voltage rating of 0,6/1 (1,2) kV or 1,8/3 (3,6) kV intended for fixed installations.

Cables designed to maintain circuit integrity during a fire are included.

The various types of power cables are given in 5.1. The constructional requirements and test methods are aligned with those indicated in IEC 60092-350, unless otherwise specified in this document.

The object of this document is:

- to standardize cables whose safety and reliability is ensured when they are installed in accordance with the requirements of IEC 60092-352 or IEC 61892-4,
- to lay down standard manufacturing requirements and characteristics of such cables directly or indirectly bearing on safety, and
- to specify test methods for checking conformity with those requirements.

## 2 Normative references ocument Preview

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-461, International Electrotechnical Vocabulary – Part 461: Electric cables

IEC 60079-14:2013 Explosive atmospheres – Part 14: Electrical installations design, selection and erection

IEC 60092-350:2020, Electrical installations in ships – Part 350: General construction and test methods of power, control and instrumentation cables for shipboard and offshore applications

IEC 60092-360, Electrical installations in ships – Part 360: Insulating and sheathing materials for shipboard and offshore units, power, control, instrumentation and telecommunication cables

IEC 60228, Conductors of insulated cables

IEC 60331-1, Tests for electric cables under fire conditions — Circuit integrity — Part 1: Test method for fire with shock at a temperature of at least 830 °C for cables of rated voltage up to and including 0,6/1,0 kV and with an overall diameter exceeding 20 mm

IEC 60331-2, Tests for electric cables under fire conditions — Circuit integrity — Part 2: Test method for fire with shock at a temperature of at least 830 °C for cables of rated voltage up to and including 0,6/1,0 kV and with an overall diameter not exceeding 20 mm

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame

IEC 60332-3-22, Tests on electric and optical fibre cables under fire conditions – Part 3-22: Test for vertical flame spread of vertically-mounted bunched wires or cables – Category A

IEC 60445, Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors

IEC 60684-2, Flexible insulating sleeving – Part 2: Methods of test

IEC 60754-1, Test on gases evolved during combustion of materials from cables – Part 1: Determination of the halogen acid gas content

IEC 60754-2, Test on gases evolved during combustion of materials from cables – Part 2: Determination of acidity (by pH measurement) and conductivity

IEC 61034-2, Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60092-350 and in IEC 60050-461 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

#### 4 General requirements

#### 4.1 Rated voltage

The standard method of designating the rated voltages of cables covered by this document shall take the following form:

$$U_{\rm o}/U$$
 ( $U_{\rm m}$ )

#### where

- $U_{\rm o}$  is the rated power-frequency voltage between phase conductor and earth or metallic screen, for which the cable is designed;
- $\it U$  is the rated power-frequency voltage between phase conductors for which the cable is designed;
- $U_{\rm m}$  is the maximum value of the "highest system voltage" for which the equipment (including cable) may be used (see IEC 60038).

All voltages are given as RMS values.

The standard rated voltages  $U_{\rm o}/U$  ( $U_{\rm m}$ ) of the cables considered in this document are the following:

$$U_0/U$$
 ( $U_m$ ) = 0,6/1 (1,2) kV and 1,8/3 (3,6) kV

For 0,6/1 (1,2) kV cables, DC voltage up to a maximum of 1,5 times the AC voltage may be used provided that the voltage to earth does not exceed 0,9 kV.

#### 4.2 Markings

#### 4.2.1 Indication of origin and voltage identification

Cables shall comply with IEC 60092-350:2020, 4.1.3, with respect to

- a) indication of origin,
- b) rated voltage and cable construction (number of cores and cross-sectional area of the construction),
- c) continuity of marking, and
- d) durability and legibility.

#### 4.2.2 Continuity of marking

The marking is deemed to be continuous if the distance between the end of any marking and the beginning of the next does not exceed:

- a) 550 mm if the marking is on the outer surface of the cable, and
- b) 275 mm in all other cases.

## 4.2.3 Core identification ocument Preview

#### 4.2.3.1 General

Cable cores shall be clearly identified by either colours or numbers. 14a69d3d1f/icc-60092-353-2024

#### 4.2.3.2 Coloured cores

The core colours shall be in accordance with IEC 60445.

#### 4.2.3.3 Numbered cores - Multicore cables

Identification shall be made by inscription of numbers on each core starting from the center beginning with 1 in accordance with Annex A.

#### 5 Constructional requirements

#### 5.1 General description

#### 5.1.1 Overview

Shipboard and offshore cables for fixed installations shall be single or multicore cables generally constructed as follows.