**International Standard** 



4856

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION+MEXCHAPOCHAR OPPAHИSALUAR TO CTAHCAPTUSALUA+ORGANISATION INTERNATIONALE DE NORMALISATION

# Personal eye-protectors — Synoptic tables of requirements for oculars and eye-protectors

Protecteurs individuels de l'œil - Tableaux récapitulatifs des spécifications pour les oculaires et les protecteurs de l'œil

#### First edition - 1982-12-15

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 4856:1982</u> https://standards.iteh.ai/catalog/standards/sist/b15370c0-e11d-4bf3-b5a8a98864d614ac/iso-4856-1982

UDC 614.893

Ref. No. ISO 4856-1982 (E)

Descriptors : accident prevention, optical filters, eyes, specifications, tables (data).

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 4856 was developed by Technical Committee ISO/TC 94, *Personal safety — Protective clothing and equipment*, and was circulated to the VIEW member bodies in September 1981.

It has been approved by the member bodies of the following countries :

Australia Austria Belgium Canada Czechoslovakia Egypt, Arab Rep. of France 
 ISO 4856:1982

 Germany, F.R.
 Romania

 Hungary
 South Africa, Rep. of

 India
 South Africa, Rep. of

 Israel
 Switzerland

 Netherlands
 Thailand

 Norway
 USSR

 Poland
 South Africa, Rep. of

The member bodies of the following countries expressed disapproval of the document on technical grounds :

Denmark United Kingdom USA

© International Organization for Standardization, 1982 •

Printed in Switzerland

### Personal eye-protectors — Synoptic tables of requirements for oculars and eye-protectors

# **iTeh STANDARD PREVIEW**

## (standards.iteh.ai)

#### 1 Scope and field of application

This International Standard provides a survey of the requirements which have to be met by the various types of oculars and dards 150 6161, Personal eye-protectors - Filters and eye-protectors eye-protectors as well as by the combination of both with the ac/isoexception of filters and eye-protectors against laser radiation, specifications of which are given in ISO 6161.

#### 2 References

General and particular requirements are stated in the following documents :

ISO 4007, Personal eye-protectors - Vocabulary.

ISO 4849, Personal eye-protectors - Specifications.

ISO 4850, Personal eye-protectors for welding and related techniques - Filters - Utilisation and transmittance requirements.

ISO 4851, Personal eye-protectors - Ultra-violet filters -Utilisation and transmittance requirements.

ISO 4852, Personal eye-protectors - Infra-red filters - Utilisation and transmittance requirements.

ISO 4853, Personal eye-protectors — Daylight filters — Utilisation and transmittance requirements. 1)

against laser radiation.

The test methods corresponding to these specifications are described in the following two documents :

ISO 4854, Personal eye-protectors - Optical test methods.

ISO 4855, Personal eye-protectors - Non-optical test methods.

#### Synoptic tables 3

Requirements to be met by the different types of oculars are given in table 1.

Requirements for frames and mounted oculars are given in table 2.

Depending on the risk the different types of eye-protectors have to be fitted with the particular oculars according to table 3.

<sup>1)</sup> At present at the stage of draft.

					Туре							
Requirements According to			Welding filters	Ultra-violet filters	Infra-red filters	Daylight filters	Clear protective lenses against impacts	Clear protective visors against high- speed particles	cover plates	A	Testing According to	
	ISO	clause or sub-clause	Weldin	Ultra-vi	Infra-re	Dayligh	Clear p impact	Clear p speed p	Clear c	ISO	clause or sub-clause	
Dimensions	4849	7.1.1	+	+	+	+	+	+	+	by me	asuring	
Optical requirements	4849	7.1.2.1.1	+	+	+	+	+	+	+	4854	3 or annex A	
Diffusion of light	4849	7.1.2.2	+	+	+	+	+	+	+	4854	4	
Quality of material and surface	4849	7.1.3	+	+	+	+	+	+	+	4854	5	
Oculars for protection against high mass, low-speed particles	4849	7.1.4 and 7.1.4.1	1)	1)	1)	1)	+		_	4855	3	
Protection against high-speed particles	4849	7.2.2.2	1)	1)	1)	1)	-	+		4855	9	
Stability at elevated temperature	4849	7.1.5	D+A	R <sup>+</sup> D	<b>₽</b>	RE	VFF	W	+	4855	4	
Stability to ultra-violet radiation	4849	7.1.6	+	+	+	+	+	+	+	4855	5	
Ignition	4849	7.2(29tand	la <sub>r</sub> r	d <b>S.</b> 1	teh	.ભ)	+	+	+	4855	6	
Suitability for disinfection	4849	7.1.8	+	+	+	+	+	+	+	4855	8	
Transmittance variations	4849 //stand		/standa		t/b153		<u>-</u> 11 <b>d-</b> 4b	 bf3-b5a	.8-	4849 and 4854	7.2.1.1 and 6	
Transmittance of clear protective lenses and cover plates	4849	a988640 7.2.1.1.1	1614ac —	/180-48	- 198	82	+	+	+	4854	6	
Transmittance of welding filters	4850	4	+	_	_	_	_	_	-	4854	6	
Transmittance of UV filters	4851	4	-	+		_			_	4854	6	
Transmittance of IR filters	4852	4	-		+	_	_	—		4854	6	
Transmittance of daylight filters	4853	4	-	_		+	-	_	-	4853	4	
Identification	4849	9	+	+	+	+	÷	+	+	Visual	inspection	

#### Table 1 - Synoptic table of requirements for oculars

Symbols : + = required - = not required

1) In the case where the ocular is worn in areas of mechanical hazards this requirement shall be applied.

Infra-red filters and welding filters made of toughened glass are forbidden in some countries and allowed in some others on condition that an appropriate complementary protection is provided.

.

			Type of goggle or spectacle							Type of face-shield							
		Code number <sup>1)</sup>							Code number <sup>1)</sup>						1		
		2	3	4	5	6	7	8	2	2/Y2)	3	6	7	8	1		
Requirements	according to clause or	Protective goggle against high intensity impacts	Protective goggle against liquids	Protective goggle against dust	Protective goggle against gas and fine dust	Protective goggle against optical radiation	Protective goggle against molten metal	Protective goggle against short circuit-arc	Protective face-shield against high intensity impact	Protective face-shield against high-speed particles	Protective face-shield against liquid droplets	Hand-shield, face-shield and hood against arc elec- tric welding and similar work	Protective face-shield against molten metal	Protective face-shield against short circuit-arc		Testing cording to clause	
	sub-clause of ISO 4849	Prote	Prote	Prote	Prote	Prote	Prote	Prote	Prote	Prote	Prote	Hand tric v	Prote	Prote	ISO	or sub-clause	
General construction	6.1	+	+	+	+	+	+	+ 3)	+	+	+	+	+	+ 3)	by vis	by visual inspection	
Comfort for the wearer	6.2	+	+	+	+	+	+	+	+	+	+	+	+	+	by visual inspection		
Headband	63 eh S	Ŧ.	4+	Ð	AF	<b>SD</b>	P	RI	T	140	W	+	+	+	by measuring		
Optical qualities	7.1.2.1.2	(st	an	ďa	rd	<b>s.i</b> 1	teł	1.a	<b>i)</b>	+	+	+	+	+	4854	3 or annexes B or C	
Protection against high mass, low-speed particles	7.1.4.2	+	+	100	4856		<u>2</u> +	+	+	—	+	+ 4)	+	+	4855	3	
Stability at elevated temperature	tps://standards.i 7.1.5	+	+		undaro 4ac/is	ds/sis 0-48		370c	0-e11 +	ld-4b +	f3-b5 +	5a8- +	+	+	4855	4	
Resistance to corrosion	7.1.7	+ a	9880 +	4001 +	4ac/18 +	0-48 +	30-1) +	982 +	+	+	+	+	+	+	4855	7	
Suitability for disinfection	7.1.8	+	+	+	+	+	+	+	+	+	+	+	+	+	4855	8	
Ignition	7.2.2.1.1	+	+	+	+	+	+	+	+	+	+	+	+	+	4855	6	
Protection against high-speed particles	7.2.2.2	—	—	—	-		—	-		+	-				4855	9	
Protection against molten metal and hot solids	7.2.2.3		_		_	_	+		-	-			+	-	4855	10 and 11	
Protection against chemical droplets	7.2.2.4	-	+		_	_		_		-	+				4855	12	
Protection against dust	7.2.2.5	_	_	+		_		_		_	_		_		4855	13	
Protection against gas	7.2.2.6				+	_	_	_	_		_	_	_		4855	14	
Identification	9	+	+	+	+	+	+	+	+	+	+	+	+	+	by visu	ual inspection	

#### Table 2 - Synoptic table of requirements for frames and mounted oculars

Symbols : + = required

— = not required

λ,

<sup>1)</sup> Eye-protectors designed for protection against several hazards may be marked with multiple code numbers.

<sup>2)</sup> Y in the code number 2/Y represents the speed of the steel ball (see sub-clause 7.2.2.2 of ISO 4849).

<sup>3)</sup> Eye protectors shall not be made with metal or metal layers except hinges, screws and rivets.

<sup>4)</sup> In the case where the eye protector is intended for protection against radiation only, the mounted filters are exempted from this requirement.

Type of ocular			Type of eye-protector <sup>1)</sup>									
			Code number									
		2	2/Y <sup>2)</sup>	3	4	5	6	7	8			
	According to ISO	Eve-protector against high intensity impacts	Protective face-shield against high-speed particles	Eye-protector against liquids	Eye-protector against coarse dust	Eye-protector against gas and fine dust	Eye-protector against optical radiation	Eye-protector against molten metal	Eye-protector against short circuit-arc			
Welding filters	4850	_	_				+		·			
Ultra-violet filters	4851	_	_	_	_	_	+	_	+ 3)			
Infra and filters	eh ST4852NDA	ΠŪ	DÐI	7771		_	+	+	_			
Daylight filters	4853		1 <b>I</b> [				+		_			
Clear protective lenses	(standard	lstit	eh.a	i)+	+	+	-	_	_			
Clear protective visor against high-speed particles	<b>4849</b> ISO 48	_	+	_	_	_	_	_				
Clear cover plates https://sta	ndards.iteh. <b>4849</b> talog/standa		015 <del>37</del> 0c	0-eHd-4	bf <del>3-</del> b5a	8	+ 4)	+ 4)	_			
· · · · · · · · · · · · · · · · · · ·	a98864d614ac	/iso-4856	5-1982	Symbols	5:+=	intended	use					

#### Table 3 - Intended use of oculars in eye-protectors

- = not intended use

<sup>1)</sup> Multiple marked eye-protectors may be fitted with different ocular types according to their marking.

<sup>2)</sup> Y in the code number 2/Y represents the speed of the steel ball (see sub-clause 7.2.2.2 of ISO 4849).

<sup>3)</sup> Only for oculars scale number 3-1.2 with protection against high mass, low-speed particles.

<sup>4)</sup> Only in combination with the appropriate filter in order to protect it against splashes and sparks.