

# INTERNATIONAL STANDARD

# IEC 60335-2-24

Edition 6.1

2005-04

Edition 6:2002 consolidated with amendment 1:2005

---

---

## Household and similar electrical appliances – Safety –

### Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers

(<https://standards.iteh.ai>)  
Document Preview

[IEC 60335-2-24:2002](https://standards.iteh.ai/standards/iec/iec-60335-2-24:2002)

<https://standards.iteh.ai/standards/iec/iec-60335-2-24:2002>



Reference number  
IEC 60335-2-24:2002+A1:2005(E)

## Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

## Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

## Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** ([www.iec.ch](http://www.iec.ch))

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site ([www.iec.ch/searchpub](http://www.iec.ch/searchpub)) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications ([www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: [custserv@iec.ch](mailto:custserv@iec.ch)  
Tel: +41 22 919 02 11  
Fax: +41 22 919 03 00

# INTERNATIONAL STANDARD

# IEC 60335-2-24

Edition 6.1

2005-04

Edition 6:2002 consolidated with amendment 1:2005

---

---

## Household and similar electrical appliances – Safety –

### Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers

(<https://standards.iteh.ai>)  
Document Preview

<https://standards.iteh.ai/standards/iec/60335-2-24:2002>

<https://standards.iteh.ai/standards/iec/60335-2-24:2002>

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)

---

---



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	8
3 Definitions .....	8
4 General requirement.....	10
5 General conditions for the tests .....	10
6 Classification.....	12
7 Marking and instructions.....	12
8 Protection against access to live parts.....	15
9 Starting of motor-operated appliances .....	16
10 Power input and current .....	16
11 Heating .....	17
12 Void.....	20
13 Leakage current and electric strength at operating temperature.....	20
14 Transient overvoltages .....	20
15 Moisture resistance .....	20
16 Leakage current and electric strength.....	22
17 Overload protection of transformers and associated circuits .....	22
18 Endurance .....	22
19 Abnormal operation.....	22
20 Stability and mechanical hazards .....	25
21 Mechanical strength .....	27
22 Construction.....	27
23 Internal wiring.....	36
24 Components .....	36
25 Supply connection and external flexible cords .....	37
26 Terminals for external conductors.....	38
27 Provision for earthing .....	38
28 Screws and connections .....	38
29 Clearances, creepage distances and solid insulation .....	39
30 Resistance to heat and fire .....	39
31 Resistance to rusting.....	39
32 Radiation, toxicity and similar hazards.....	39

Annex C Ageing test on motors.....	42
Annex D Alternative requirements for protected motor units.....	42
Annex AA (normative) Locked-rotor test of fan motors .....	43
Annex BB (informative) Method for accumulation of frost.....	45
Annex CC (normative) Non-sparking “n” electrical apparatus .....	48
Bibliography.....	50
Figure 101 – Apparatus for spillage test.....	40
Figure 102 – Detail of scratching tool tip.....	41
Figure AA.1 – Supply circuit for locked-rotor test of a single-phase fan motor.....	44
Figure BB.1 – Diagram of apparatus for water evaporation for accumulation of frost.....	46
Figure BB.2 – Apparatus for water evaporation and for accumulation of frost.....	47
Table 101 – Maximum temperatures for motor-compressors.....	18
Table 102 – Refrigerant flammability parameters .....	34

iTech Standards  
(<https://standards.iteh.ai>)  
Document Preview

<https://standards.iteh.ai/standards/iec/iec-60335-2-24:2002>

<https://standards.iteh.ai/standards/iec/iec-60335-2-24:2002>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

#### Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by subcommittee 61C: Household appliances for refrigeration, of IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-24 is based on the sixth edition (2002) [documents 61C/213/FDIS and 61C/216/RVD] and its amendment 1 (2005) [documents 61C/291/FDIS and 61C/302/RVD].

It bears the edition number 6.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric refrigerating appliances, ice-cream appliances and ice-makers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in smaller roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

It has been assumed in the drafting of this international standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

<https://standards.iteh.ai/standards/iec/60335-2-24:2002>

<https://standards.iteh.ai/standards/iec/60335-2-24:2002>



## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-24: Particular requirements for refrigerating appliances, ice-cream appliances and ice-makers

#### 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of the following appliances, their **rated voltage** being not more than 250 V for single-phase appliances, 480 V for other appliances and 24 V d.c. for appliances when battery operated.

- **refrigerating appliances** for household and similar use;
- **ice-makers** incorporating a motor-compressor and **ice-makers** intended to be incorporated in frozen food storage compartments;
- **refrigerating appliances** and **ice-makers** for use in camping, touring caravans and boats for leisure purposes.

These appliances may be operated from the mains, from a separate battery or operated either from the mains or from a separate battery.

This standard also deals with the safety of **ice-cream appliances** intended for household use, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances.

It also deals with **compression-type appliances** for household and similar use, which use **flammable refrigerants**.

This standard does not cover features of the construction and operation of those **refrigerating appliances** which are dealt with in ISO standards.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 1 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour and the national authorities responsible for transportation.

NOTE 2 This standard does not apply to

- appliances intended to be used in the open air;
- appliances designed exclusively for industrial purposes;

- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- appliances incorporating a battery intended as a power supply for the refrigerating function;
- appliances assembled on site by the installer;
- appliances with remote motor-compressors;
- motor-compressors (IEC 60335-2-34);
- commercial dispensing appliances and vending appliances (IEC 60335-2-75);
- commercial ice-cream appliances.

## 2 Normative references

*This clause of Part 1 is applicable except as follows.*

*Addition:*

IEC 60079 (all parts), *Electrical apparatus for explosive gas atmospheres*

IEC 60079-4A, *Electrical apparatus for explosive gas atmospheres – Part 4: Method of test for ignition temperature – First supplement*

IEC 60079-15, *Electrical apparatus for explosive gas atmospheres – Part 15: Construction, test and marking of type of protection, non-sparking "n" electrical apparatus*<sup>1</sup>

IEC 60079-20:1996, *Electrical apparatus for explosive gas atmospheres – Part 20: Data for flammable gases and vapours, relating to the use of electrical apparatus*

IEC 60335-2-5: *Household and similar electrical appliances – Safety – Part 2-5: Particular requirements for dishwashers*

IEC 60335-2-34, *Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors*

ISO 817:1974, *Organic refrigerants – Number designation*

ISO 3864:1984, *Safety colours and safety signs*

ISO 5149:1993, *Mechanical refrigerating systems used for cooling and heating – Safety requirements*

## 3 Definitions

*This clause of Part 1 is applicable except as follows.*

### 3.1.9 Replacement:

#### **normal operation**

operation of the appliance under the following conditions

#### 3.2.9.101

#### **normal operation of a refrigerating appliance**

operation at an ambient temperature in accordance with 5.7, empty, with the doors and lids closed. User-adjustable temperature control devices which control the operation of the motor-compressor in **compression-type appliances**, are short-circuited or otherwise rendered inoperative

<sup>1</sup> This future third edition of IEC 60079-15 is currently circulating as an FDIS to the National Committees.

**3.2.9.102****normal operation of an ice-maker**

operation at an ambient temperature in accordance with 5.7, with the supply water at a temperature of  $15\text{ °C} \pm 2\text{ °C}$

**3.2.9.103****normal operation of an incorporated ice-maker**

operation at the normal temperature of the frozen food storage compartment, with the supply water at a temperature of  $15\text{ °C} \pm 2\text{ °C}$

**3.2.9.104****normal operation of an ice-cream appliance**

operation of the appliance using the maximum quantity of the mixture of ingredients indicated in the instructions; the mixture used being that which gives the most unfavourable results, the mixture being at an initial temperature of  $23\text{ °C} \pm 2\text{ °C}$

**3.101****refrigerating appliance**

enclosed thermally insulated appliance of suitable volume for household use, cooled by an incorporated device and having one or more compartments intended for the preservation of foodstuffs

**3.102****compression-type appliance**

appliance in which refrigeration is effected by the vaporization at low pressure in a heat exchanger (**evaporator**) of a liquid refrigerant, the vapour thus formed being restored to the liquid state by mechanical compression at a higher pressure and subsequent cooling in another heat exchanger (**condenser**)

**3.103****ice-maker**

appliance in which ice is made by freezing water by a device consuming electrical energy and having a compartment for storing the ice

**3.104****incorporated ice-maker**

**ice-maker** specially designed to be incorporated into a frozen food storage compartment and without independent means for freezing water

**3.105****heating system**

heating element with associated components such as timers, switches, **thermostats** and other controls

**3.106****absorption-type appliance**

appliance in which refrigeration is effected by the evaporation in a heat exchanger (**evaporator**) of a liquid refrigerant, in the liquid state, the resulting vapour being then absorbed by an absorbent medium from which it is subsequently expelled at a higher partial vapour pressure by heating and liquefied by cooling in another heat exchanger (**condenser**)

**3.107****condenser**

heat exchanger in which, after compression, vaporized refrigerant is liquefied by losing heat to an external cooling medium

**3.108****evaporator**

heat exchanger in which, after pressure reduction, the liquid refrigerant is vaporized by absorbing heat from the medium to be refrigerated

**3.109****flammable refrigerant**

refrigerant with a flammability classification of group 2 or 3 in accordance with ISO 5149

NOTE For refrigerant blends which have more than one flammability classification, the most unfavourable classification is taken for the purposes of this definition.

**3.110****ice-cream appliance**

**compression-type appliance** which is used to make ice-cream

**3.111****free space**

space with a volume exceeding 60 l where a child can be entrapped and which is accessible after opening any door, lid or drawer and removing any **detachable internal part**, including shelves, containers or removable drawers which are themselves only accessible after opening any door or lid. In calculating the volume, a space with any single dimension not exceeding 150 mm or any two orthogonal dimensions, each of which do not exceed 200 mm, is ignored

**4 General requirement**

This clause of Part 1 is applicable except as follows.

**Addition:**

NOTE 101 The use of **flammable refrigerants** involves additional hazards which are not associated with appliances using non-flammable refrigerants.

This standard addresses the hazards due to ignition of leaked **flammable refrigerant** by potential ignition sources associated with the appliance.

The hazard due to ignition of leaked **flammable refrigerant** by an external potential ignition source associated with the environment in which the appliance is installed is compensated by the low probability of ignition.

**5 General conditions for the tests**

This clause of Part 1 is applicable except as follows.

**5.2 Addition:**

*At least one additional specially prepared sample is required for the tests of 22.107.*

NOTE 101 Unless the motor-compressor conforms to IEC 60335-2-34, at least one additional specially prepared sample may be required for the test of 19.1.

NOTE 102 At least one additional sample of the fan motor and its thermal motor protector may be required for the test of 19.1.

NOTE 103 The test of 22.7 may be performed on separate samples.

NOTE 104 Due to the potentially hazardous nature of the tests of 22.107, 22.108 and 22.109, special precautions may need to be taken when performing the tests.

**5.3 Addition:****Before starting the tests**

- **ice-cream appliances** are operated empty at **rated voltage** for 1 h, or for the maximum setting of an incorporated timer, whichever is shorter;

- other **compression-type appliances** shall be operated at **rated voltage** for at least 24 h, then switched off and left to stand for at least 12 h.

The test of 11.102 is carried out immediately after the tests of Clause 13.

The test of 15.105 is carried out immediately after the test of 11.102.

The tests of 15.102, 15.103 and 15.104 are carried out immediately after the test of 15.2.

#### 5.4 Replacement:

Tests are carried out using each source of energy (electricity, gas or other fuel) in turn. Gas appliances are supplied at the appropriate rated pressure.

Tests are additionally carried out with all combinations of energy sources supplied simultaneously unless this is prevented by interlocking devices.

#### 5.7 Addition:

For **ice-cream appliances**, tests specified in Clauses 10, 11 and 13 are carried out at an ambient temperature of  $23\text{ °C} \pm 2\text{ °C}$ .

For other appliances, tests specified in Clauses 10, 11, 13 and subclause 19.103 are carried out at an ambient temperature of

$32\text{ °C} \pm 1\text{ °C}$  on appliances of extended temperate (SN) and temperate (N) classes;

$38\text{ °C} \pm 1\text{ °C}$  on appliances of subtropical (ST) class;

$43\text{ °C} \pm 1\text{ °C}$  on appliances of tropical (T) class.

Before starting these tests, the appliance with the doors or lids open is brought to within 2 K of the ambient temperature specified.

Appliances classified for several climatic classes are tested at the ambient temperature relevant to the highest climatic class.

Other tests are carried out at an ambient temperature of  $20\text{ °C} \pm 5\text{ °C}$ .

NOTE 101 Steady conditions are considered to be established when three successive readings of the temperature, taken at approximately 60 min intervals, at the same point of any operating cycle, do not differ by more than 1 K.

#### 5.8.1 Addition:

Appliances which can be battery operated are tested at the more unfavourable polarity when the supply terminals or terminations for the connection of the battery have no indication for polarity.

#### 5.9 Addition:

Appliances incorporating an **ice-maker** are tested with the **ice-maker** operating to give the most unfavourable results.

### 5.10 Addition:

For the tests of 22.107, 22.108 and 22.109, the appliance is empty and installed as outlined below:

**Built-in appliances** are installed in accordance with the instructions for installation.

Other appliances are placed in a test enclosure, the walls enclosing the appliance as near to all its sides and the top of the appliance as possible, unless the manufacturer indicates in the instructions for installation that a free distance shall be observed from the walls or the ceiling, in which case this distance is observed during the test.

NOTE 101 Commonly available fixing hardware, such as screws and bolts, need not be delivered with a fixed appliance.

**5.101** Appliances which are constructed so that an **ice-maker** may be incorporated are tested with the intended **ice-maker**.

**5.102** **Compression-type appliances with heating systems** and **Peltier-type appliances** are tested as **combined appliances**.

**5.103** **Compression-type appliances** which use **flammable refrigerants** and which, according to the instructions, may be used with other electrical appliances inside a food storage compartment are tested with such recommended appliances incorporated and being operated as in normal use.

NOTE Examples of such electrical appliances are ice-cream makers and deodorizers.

## 6 Classification

This clause of Part 1 is applicable except as follows.

**6.101** Appliances, other than **ice-cream appliances**, shall be of one or more of the following climatic classes:

- appliances of extended temperate class (SN);
- appliances of temperate class (N);
- appliances of subtropical class (ST);
- appliances of tropical class (T).

*Compliance is checked by inspection.*

NOTE The climatic classes are specified in ISO standards.

## 7 Marking and instructions

This clause of Part 1 is applicable except as follows.

### 7.1 Addition:

Appliances shall also be marked with

- the power input, in watts, of **heating systems**, if greater than 100 W;
- the defrosting input, in watts, if greater than the input corresponding to the **rated power input**;