INTERNATIONAL STANDARD

IEC 62216-1

First edition 2001-10

Digital terrestrial television receivers for the DVB-T system –

Part 1:

Baseline receiver specification

iTeleman and the preview

chaster of the DVB-T system –

Part 1:

Baseline receiver specification

iTeleman and the preview

chaster of the DVB-T system –

Part 1:

Baseline receiver specification

iTeleman and the preview

chaster of the DVB-T system –

Part 1:

Baseline receiver specification

iTeleman and the preview

chaster of the DVB-T system –

Part 1:

Baseline receiver specification

iTeleman and the preview of the preview of



Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- IEC Web Site (<u>www.iec.ch</u>)
- Catalogue of IEC publications

The on-line catalogue on the EC web site (www.iec.ch/catlg-e.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Rublished

This summary of recently issued publications (www.iec.ch/JP.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: <u>custserv@iec.ch</u> Tel: +41 22 919 02 11 Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 62216-1

First edition 2001-10

Digital terrestrial television receivers for the DVB-T system –

Part 1:

Baseline receiver specification

iTelegraphy and iteh.ai

Denner Preview

Shan and Secretary Secretary Standards (Secretary Secretary Secretar

© IEC 2001 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission 3, rue de Varembé Geneva, Switzerland Telefax: +41 22 919 0300 e-mail: inmail@iec.ch IEC web site http://www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия

PRICE CODE



CONTENTS

FC	OREWORD7			
IN	TROD	UCTION	8	
1	Scope			
2	Normative references		10	
3				
4		eiver capabilities		
•	4.1	Frequency spectrum		
	4.2	Conditional access		
	4.3	Return path		
	4.4		13	
	4.5		13	
	4.6		13	
	4.7		13	
	4.8	Services		
	4 9	Future versions of this specification	13	
5	Vide	eo system characteristics	14	
	5.1	Introduction	14	
	5.2	Essential requirements	1 -	
	5.3	Constraints and extensions	14 1 <i>1</i>	
	5.5	5.3.1 Support for rapid channel acquisition		
		5.3.2 Picture types	1 4 1 <i>/</i> 1	
		5.3.3 ISO/IEC 11172-2 compatibility	1 4 1 <i>1</i>	
		5.3.4 User data		
		5.3.5 Video alignment		
6	Vide	eo display formatting	16	
os:/Yst	6.1	Introduction		
	6.2	Video format		
	0.2	6.2.1 Requirements for DVB compliance		
	6.3	Recommendations for signalling in the video stream		
	0.5			
		6.3.1 Sequence header		
		6.3.2 Sequence display extension		
	6.4	6.3.4 Format switching		
	0.4			
		3 3		
		6.4.2 DVB signalling		
	6.5	Recommendations for ISO/IEC 13818-1 signalling		
	6.6	Alignment of video and graphics		
	0.0			
		3 1		
7	۸udi	, i		
7		io system characteristics		
	7.1	Introduction		
	7.2	Essential requirements		
		7.2.1 Scope of requirements		
		7 2 2 Synchronisation	27	

		7.2.3 Decoding requirements	28
	7.3	Constraints and extensions	28
		7.3.1 Surround sound	28
	7.4	Audio description	28
		7.4.1 Background (informative)	28
		7.4.2 Receiver implementation minima	28
		7.4.3 Signalling	28
		7.4.4 Constraints on audio description stream coding	32
		7.4.5 Implementation notes	32
	7.5	Audio only services	34
	7.6	PSI signalling	34
8	Multi	plex and transport stream characteristics	34
	8.1	Scope	34
	8.2	Essential requirements	34
		8.2.1 Multiplexing	34
		8.2.2 Demultiplexing	35
	8.3	Constraints and extensions	
		8.3.1 Multicomponent programs	35
9	Serv	ice and program specific information	36
	9.1	Introduction	36
		9.1.1 General requirements	
		9.1.2 General receiver requirements	
		9.1.3 General broadcaster requirements	
		9.1.4 Notation	38
	9.2	SI & PSI Specification	38
		9.2.1 Summary	
		9.2.2 Program association table	39
		9.2.3 Program map table	6221.39 -200
		9.2.4 Conditional access table	41
		9.2.5 Network information table	41
		9.2.6 Bouquet association table	43
		9.2.7 Service description table	43
	<	9.2.8 Event information table	45
		9.2.9 Time and date table and time offset table	47
		9.2.10 Running status table	48
		9.2.11 Private data	48
	9.3	Receiver functions	
		9.3.1 Information typically available to the user	
		9.3.2 Service change	
		9.3.3 Parental control	
		9.3.4 Receiver behaviour when a service stops	
	9.4	Establishing and maintaining the network connection	
		9.4.1 Use of SI identifiers	
		9.4.2 Auto installation	57
		9.4.3 Network evolution	
		9.4.4 Logical channel numbers (LCN)	
		9.4.5 Recommendation for robust SI acquisition	
	9.5	User interface	
		0.5.1 Procentation of toyt	66

		9.5.2	Information presentation	67
		9.5.3	Service navigation	69
		9.5.4	Display of time	70
	9.6	Record	ling devices	70
		9.6.1	Programming	70
		9.6.2	Execution of recording	70
		9.6.3	Control of analogue recorders	71
10	Subti	tles		71
	10.1	Introdu	ction	71
	10.2	Broado	ast specifications	71
		10.2.1	DVB subtitles	71
		10.2.2	Signalling	72
		10.2.3	Recommendation	72
	10.3	Receiv	er functions	72
		10.3.1	Background	72
		10.3.2	User control of receiver behaviour	73
11	VBI b	ased se	ervices	73
	11.1	Introdu	oction	73
	11.2	Broado	east specifications	
	11.3	Receiv	er functions	74
		11.3.1	Processing capabilities	74
			Control	74
	11.4	Extend	ed VBI format support	74
			VPS	75
			WSS	
		11.4.3	Teletext and teletext subtitles	75
12	RF-p		channel decoder	
			stanovds ec/ 9/8d16-5f44-4119-9a81-3513236ba933/iec-622	1.75-200
			ncies and channel bandwidth	
			modes	
		^	procedure	
			e of modulation parameters	
			ctor	
		_ \	mance	
		_	CN performance	
			Minimum receiver signal input levels	
			Maximum input level	
			Resistanceto analogue and/or digital signals in other channels	
			Resistance to co-channel interference from analogue TV signals	
			Guard interval utilisation in single frequency networks	
13	Cond		access and the common interface	
			oction	
			ım Requirements	
Anr			ive) SI character set	
,	A.1		languages supported	
	A. 1 A.2		ire of character table	
Δnr			ive) DVB-SI PDC descriptor	
AIII				
	Б.Т	וווניסמוו	ction	88

B.2 PDC descriptor	88
Annex C (informative) Bootloader and software download	90
C.1 Overview	90
C.2 Signalling	90
C.3 User interface	91
Annex D (normative) Subtitling	92
D.1 Introduction	92
D.2 Essential requirements	92
D.3 Corrigenda to ETS 300 743	92
D.4 Clarifications to ETS 300 743	
D.5 Revised decoder model	99
D.6 UK specific features	
D.7 OSD Conflicts	106
D.8 System capabilities (informative)	106
D.8 System capabilities (informative) D.9 Encoding Guidelines (informative)	
D. 10 Decoder treatment of errors	107
Annex E (informative) An example of frequencies and offsets	109
E.1 UHF	109
E.2 VHF	109
Annex F (informative) Noise model	
Annex G (informative) An example of C/N-performance with a practical transm	itter111
Bibliography	112
Figure 1 – Relationship between digital video and analogue video	
Figure 2 – Receiver and display format processing reference model	
Figure 3 – Uncertainty of positioning graphics over video	
Figure 4 – Illustration of control of audio level	
Figure 5 – Mapping of pan byte onto sound presentation	
Figure 6 – The "cold-cut" approach illustrated	
Figure 7 – Generic single external decoder approach illustrated	
Figure 8 Possible single external decoder approaches illustrated	
Figure 9 – Service regionalisation	62
Figure D.1 – High level bitstream organisation	94
Figure D.2 – Region depth selection	96
Figure D.3 – Mapping code strings to pixels in "requested" depth region	97
Figure D.4 – Mapping code strings to pixels	98
Figure D.5 – Subtitle reference decoder model	
Figure D.6 – The two modelled decoding phases	
Figure D.7 – Detail of data decoding phase	
Figure D.8 – Disruption to display at start of new epoch	
Figure F.1 – Tuner Noise Model	110
Table 1 – Horizontal scaling where format is signalled by the sequence header	
Table 2 – Pan scan window	
Table 3 – Non "full screen"	
Table 4 – Formats described by the active_format description	19

Table 5 – Processing by STB connected to 4:3 TV	22
Table 6 – User options for displaying 16:9 on 4:3	23
Table 7 – User options for displaying >16:9 on 4:3	23
Table 8 – Processing by STB connected to 16:9 TV	24
Table 9 – WSS codes for aspect ratio	25
Table 10 – Values for other WSS bits	25
Table 11 – Audio Description Descriptor	29
Table 12 – Illustration of PES packet header	31
Table 13 – Key to symbols	38
Table 14 – Summary of required tables	38
Table 15 – Program descriptors	39
Table 16 – Elementary streams descriptors	39
Table 17 – Network descriptors (first loop)	41
Table 18 – Transport stream descriptors (second loop)	
Table 19 – Service descriptors	43
Table 20 – Event information descriptors	45
Table 21 – Time Offset Table descriptors	
Table 22 – Private SI recognised by this specification	48
Table 23 – Syntax of the eacem stream identifier descriptor	48
Table 24 – Syntax of the logical channel descriptor	49
Table 25 – Logical Channel Number	50
Table 26 – Syntax of the preferred name list descriptor	50
Table 27 - Syntax of the preferred name identifier descriptor	51
Table 28 – Subtitle preference modes defined	53
Table 29 - Receiver Response to Missing SI Tables	.1.65-200
Table 30 – Text Field Lengths	67
Table 31 – Subtitle preference modes defined	73
Table 32 – C(N (dB) for Reference BER	76
Table A _ Allowed character codes in SI text fields	80
Table B.1 – Syntax of the PDC descriptor	88
Table C.1 – Example download information structure	91
Table D.1 – Corrigenda to ETS 300 743	92
Table D.2 – Notes to Figure D-1	95
Table D.3 – Additional display update budget for page/region operations	. 103
Table D.4 – End of display set segment syntax	. 105
Table D.5 – Example subtitle system performance	. 106
Table G.1 – C/N (dB) for Reference BER	.111

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DIGITAL TERRESTRIAL TELEVISION RECEIVERS FOR THE DVB-T SYSTEM –

Part 1: Baseline receiver specification

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment

The text of this standard is based on the following documents:

	CDV	Report on voting
	100/211/CDV	100/267/RVC
\ \ \ \ \		

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annexes A, B and D form an integral part of this standard. Annexes C, E, F and G are for information only.

The committee has decided that this publication remains valid until 2003. At this date, in accordance with the committee's decision, the publication will be

- · reconfirmed:
- · withdrawn;
- · replaced by a revised edition, or
- · amended.

INTRODUCTION

Television has evolved over the last half century from an up-market entertainment medium to becoming the major information tool around the world.

Television is available to virtually all people around the globe, be it individually or in a community setting.

The advent of the "personal computer", enabling global reach and instant interaction has escalated the demand for more and more information and the ability to respond to it instantly.

It is thus that the broadcasters and content providers set out to seek new means of delivering higher levels of content, be it in volume or quality using existing or new transport mechanisms available.

Digitalisation, taken from the world of information technology was the obvious choice

It further brought the added benefits of efficient use of spectrum and energy, not to mention interaction through a return path.

Terrestrial television has to migrate from analogue to digital in order to survive in the new information society.

Without any doubt, all means of information and content dissemination technology will merge over time, provided that sound business models find uptake by consumers at large.

Governments are keen to switch off the inefficient analogue broadcasts for a number of obvious reasons, but only will be able to do so when consumers are confident that the new proposition is attractive and affordable.

Business models are being developed to promote the uptake of digital receivers, however this activity up to now is mainly led by private enterprises targeting the public sector willing to pay for services in addition to those available from established public broadcasters.

This in itself is fine, but will not enable the migration from analogue to digital of all broadcasts, however funded.

The more so as it has led to a variety of incompatible platforms tied to particular TV operators, and this in turn does not allow for economy of scale for all parties concerned, be it content providers, broadcasters, network providers or equipment manufacturers.

After over two years of requirement capture in DigiTAG (Digital Television Action Group) and other fora, EACEM (European Association of Consumer Electronics Manufacturers) decided to address this situation by developing a basic specification as a minimum platform, providing secure reception of broadcast content and associated services. This includes both free to air as well as pay TV services by means of the DVB common interface.

This is in order to provide a stable base from which new applications and services can be built up, and ensuring backwards compatibility for products in the market based on this specification, thus ensuring that the consumer will continue to receive the services they have grown accustomed to.

EACEM has taken into consideration all other documents and specifications that were freely available from various bodies (NorDig Group, ANIEL, etc.) in order to develop a pan European specification.



DIGITAL TERRESTRIAL TELEVISION RECEIVERS FOR THE DVB-T SYSTEM –

Part 1: Baseline receiver specification

1 Scope

This part of IEC 62216 specifies the baseline receiver for the DVB-T system.

It concerns:

- · broadcasters, and
- receiver manufacturers.

The objective is to define:

- how to provide broadcasts that are understood by all receivers and enable receivers to provide good facilities to their users;
- the behaviour required from receivers to work well with these broadcasts and to be attractive to consumers.

To avoid doubt, the words "shall", "should" etc. are used in the traditional way to distinguish issues that are important versus those that are optional. The term "shall" is also used to identify mandatory requirements that are inherited from other specifications that have greater force.

This specification does not consider interactive applications and the data broadcasting that would support them. Subtitling and teletext are considered to be components of TV services. Standalone teletext services are not part of this standard.

This specification primarily addresses terrestrial delivery of digital transmissions.

This specification primarily addresses deployment in countries that use European Latin script based languages

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of IEC 62216. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of IEC 62216 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60169-2, Radio-frequency connectors - Part 2: Coaxial unmatched connector

ISO/IEC 6937, Information technology – Coded graphic character set for text communication – Latin alphabet

ISO/IEC 8859-9, Information technology — 8-bit single-byte coded graphic character sets — Part 9: Latin alphabet No. 5

ISO/IEC 11172-2, Information technology – Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s – Part 2: Video

ISO/IEC 13818-1, Information technology – Generic coding of moving pictures and associated audio information: systems

ISO/IEC 13818-2, Information technology – Generic coding of moving pictures and associated audio information: Video

ISO/IEC 13818-3, Information technology – Generic coding of moving pictures and associated audio information: Audio

ITU-R BT.470-6, Conventional television systems

ITU-R BS.775-1, Multichannel stereophonic sound system with and without accompanying picture

ITU-R BT.1119-2, Wide-screen signalling for broadcasting (Signalling for wide-screen and other enhanced television parameters)

ITU-R BT.1359-1, Relative timing of sound and vision for broadcasting

EN 50049-1, Domestic and Similar Electronic Equipment Interconnection Requirements: Peritelevision Connector

EN 50221, Common Interface Specification for Conditional Access and Other Digital Video Broadcasting Decoder Applications

EN 300 468, Digital Video Broadcasting (DVB) - Specification for Service Information (SI) in DVB systems

EN 300 744, Digital Video Broadcasting (DVB) - Framing structure, channel coding and modulation for digital terrestrial television (DVB-T)

EN 301 775, Digital Video Broadcasting (DVB) - Specification for the carriage of Vertical Blanking Information (VBI) data in DVB bitstreams

ETR 289, Digital Video Broadcasting (DVB) Support for Use of Scrambling and Conditional Access (CA) within digital broadcasting systems

ETR 154, Digital Video Broadcasting (DVB) - Implementation guidelines for the use of MPEG-2 Systems, Video and Audio in satellite, cable and terrestrial broadcasting applications

ETR 162, Digital Broadcasting Systems for Television Sound and Data services; Allocation of Service Information (SI) codes for Digital Video Broadcasting (DVB) systems

ETR 211, Digital Video Broadcasting (DVB) - Guidelines on implementation and usage of Service Information (SI)

ETS 300 231, Television Systems - Specification of the domestic video Programme Delivery Control system (PDC)

ETS 300 294, Television Systems: 625 - Line television Wide Screen Signalling (WSS)

ETS 300 472, Digital Video Broadcasting (DVB) - Specification for conveying ITU-R System B Teletext ip DVB bitstreams

ETS 300 706, Enhanced Teletext specification

ETS 300 743, Digital Video Broadcasting (DVB) - Subtitling systems

R206-001, Guidelines for Implementation and Use of the Common Interface for DVB Decoder Applications

TS 101 699, Digital Video Broadcasting (DVB) - Extensions to the Common Interface Specification

3 Abbreviations and symbols

BAT Bouquet Association Table

bslbf Bit string, left bit first CA Conditional Access

DTTV Digital Terrestrial Television

DVB Digital Video Broadcast
EIT Event Information Table

EIT present/following

EPG Electronic Programme Guide
IDTV Integrated Digital Television
MFN Multi Frequency Network
MTBF Mean Time Between Failure
NIT Network Information Table
NVOD Near Video On Demand

PMT Program Map Table

PSI Program Specific Information

RST Running Status Table
SDT Service Description Table
SFN Single Frequency Network

SI Service Information

STB Set Top Box

TDT Time and Date Table
TOT Time Offset Table

TS Transport Stream

uimsbf Unsigned integer most significant bit first

UTC Universal Time, Co-ordinated

4 Receiver capabilities

The list below gives a general overview of receiver capabilities supported by this specification.

4.1 Frequency spectrum

- UHF and/or VHF (band III);
- 8 MHz and/or 7 MHz Channel bandwidth;
- supports all QVB-T modulation methods;
- supports both 2K and 8K transmitting methods;
- supports all code rates;
- supports all guard intervals;
- supports hierarchical mode by the demodulator;
- supports portability.

4.2 Conditional access

The receiver is capable of receiving free-to-air as well as pay services. In order to have the necessary flexibility to choose a conditional access (CA) system one common interface slot (according to EN 50221) is foreseen. In future, other means to add new CA systems might be used such as the IEEE 1394 digital interface.

4.3 Return path

If a modem is not embedded then suitable means should be provided for connection to one (for example RS 232) for further interactive applications (for example IPPV, ...).