

INTERNATIONAL STANDARD

IEC
61158-3

Third edition
2003-05

**Digital data communications
for measurement and control –
Fieldbus for use in industrial
control systems –**

**Part 3:
Data link service definition**

<https://standards.iteh.ai>
Document Preview

IEC 61158-3:2003

<https://standards.iteh.ai/catalog/standards/iec/610d8d3-1b30-4fb7-954c-53cba75ab0ff/iec-61158-3-2003>



Reference number
IEC 61158-3:2003(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur_fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 61158-3

Third edition
2003-05

Digital data communications for measurement and control – Fieldbus for use in industrial control systems –

Part 3: Data link service definition

ITeC Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 61158-3:2003

<https://standards.iteh.ai/catalog/standards/iec/610d8d3-1b30-4fb7-954c-53cba75ab0ff/iec-61158-3-2003>

© IEC 2003 – Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

XH

For price, see current catalogue

CONTENTS

FOREWORD.....	13
0 Introduction	15
0.1 General	15
0.2 Nomenclature for references within this standard	15
1 Scope and object	16
1.1 Overview	16
1.2 Specifications	17
1.3 Conformance	17
1.4 Scope of type-specific clauses and subclauses	17
2 Normative references.....	18
3 Terms and definitions	19
3.1 Reference model terms and definitions	19
3.2 Service convention terms and definitions	20
3.3 Common Data Link Service terms and definitions.....	21
3.4 Type 1: Additional Data Link Service terms and definitions.....	23
3.5 Type 2: Additional Data Link Service terms and definitions.....	25
3.6 Type 3: Additional Data Link Service terms and definitions.....	27
3.7 Type 4: Additional Data Link Service terms and definitions.....	29
3.8 Type 6: Additional Data Link Service terms and definitions.....	31
3.9 Type 7: Additional Data Link Service terms and definitions.....	39
3.10 Type 8: Additional Data Link Service terms and definitions.....	41
4 Symbols and abbreviations	42
4.1 Common symbols and abbreviations	42
4.2 Type 1: Additional symbols and abbreviations	42
4.3 Type 2: Additional symbols and abbreviations	42
4.4 Type 3: Additional symbols and abbreviations	43
4.5 Type 4: Additional symbols and abbreviations	45
4.6 Type 6: Additional symbols and abbreviations	45
4.7 Type 7: Additional symbols and abbreviations	46
4.8 Type 8: Additional symbols and abbreviations	46
5 Conventions	47
5.1 General conventions	47
5.2 Type 1: Additional conventions.....	48
5.3 Type 2: Additional conventions.....	48
5.4 Type 3: Additional conventions.....	48
5.5 Type 4: Additional conventions.....	49
5.6 Type 6: Additional conventions.....	49
5.7 Type 7: Additional conventions.....	49
5.8 Type 8: Additional conventions.....	49
6 Type 1: Overview of the Data Link Service	50
6.1 General	50
6.2 Types and classes of Data Link Service	53
6.3 Quality of Service (QoS) attributes common to multiple types of Data Link Service.....	53

7	Type 1: DL(SAP)-address, queue and buffer management Data Link Service	59
7.1	Facilities of the DL(SAP)-address, queue and buffer management Data Link Service	59
7.2	Model of the DL(SAP)-address, queue and buffer management Data Link Service	59
7.3	Sequence of primitives at one DLSAP	59
7.4	DL(SAP)-address, queue and buffer management facilities	61
8	Type 1: Connection-mode Data Link Service	76
8.1	Facilities of the connection-mode Data Link Service	76
8.2	Model of the connection-mode Data Link Service	77
8.3	Quality of connection-mode service	83
8.4	Sequence of primitives	89
8.5	Connection establishment phase	100
8.6	Connection release phase	107
8.7	Data transfer phase	113
9	Type 1: Connectionless-mode Data Link Service	125
9.1	Facilities of the connectionless-mode Data Link Service	125
9.2	Model of the connectionless-mode Data Link Service	125
9.3	Quality of connectionless-mode service	127
9.4	Sequence of primitives	128
9.5	Connectionless-mode functions	130
10	Type 1: Time and scheduling guidance Data Link Service	141
10.1	Facilities and classes of the time and scheduling guidance Data Link Service	141
10.2	Model of the time and scheduling guidance Data Link Service	142
10.3	Quality of scheduling guidance service	142
10.4	Sequence of primitives at one DLE	142
10.5	Scheduling guidance functions	143
11	Types 1 and 4: DL-management Service	154
11.1	Scope and inheritance	154
11.2	Facilities of the DL-management service	154
11.3	Model of the DL-management service	154
11.4	Constraints on sequence of primitives	154
11.5	Set	155
11.6	Get	156
11.7	Action	156
11.8	Event	157
12	Type 2: Connection-mode and connectionless-mode Data Link Service	159
12.1	Overview	159
12.2	Facilities of the Data Link Service	162
12.3	Model of the Data Link Service	163
12.4	Sequence of primitives	165
12.5	Connection-mode data transfer	167
12.6	Connectionless-mode data transfer	169
12.7	Queue maintenance	172
12.8	Tag filter	174
13	Type 2: DL-management Services	176
13.1	Sequence of primitives	176

13.2	Link synchronization	176
13.3	Synchronized parameter change	177
13.4	Event reports	180
13.5	Bad FCS	182
13.6	Current moderator	182
13.7	Enable moderator	183
13.8	Power-up and online	184
13.9	Listen only	185
13.10	Time distribution	186
14	Type 3: Connectionless-mode Data Link Service	188
14.1	General	188
14.2	Model of the connectionless-mode Data Link Service	188
14.3	Sequence of primitives	190
14.4	Detailed description of DL services	194
15	Type 3: DL-management Service	214
15.1	General	214
15.2	Facilities of the DLMS	214
15.3	Services of the DL-management	214
15.4	Overview of interactions	215
15.5	Detailed specification of services and interactions	217
16	Type 4: Data Link Service and concepts	239
16.1	Overview	239
16.2	Types and classes of Data Link Service	240
16.3	Functional classes	240
16.4	Facilities of the connectionless-mode Data Link Service	240
16.5	Model of the connectionless-mode Data Link Service	240
16.6	Sequence of primitives	241
16.7	Connectionless-mode data transfer functions	243
17	Type 6: Data Link Service and concepts	246
17.1	Fundamental concepts	246
17.2	Quality of service (QoS)	258
17.3	Connection mode services	260
17.4	Connectionless management service	267
17.5	Real-time services	272
18	Type 7: Data Link services and concepts	275
18.1	Field of application, object	275
18.2	General description of services	275
18.3	Sequences of primitives	280
18.4	Buffer writing	282
18.5	Buffer reading	283
18.6	Buffer transfer	284
18.7	Explicit request for buffer transfer	286
18.8	Unacknowledged message transfer	290
18.9	Acknowledged message transfer	292

19	Type 8: Data Link Service and concepts.....	295
19.1	Overview	295
19.2	Sequence of primitives	296
19.3	Connection-mode Data Link services	299
20	Type 8: DL-management Service	303
20.1	Scope.....	303
20.2	Facilities of the DL-management service.....	303
20.3	Overview of services.....	303
20.4	Overview of interactions.....	304
20.5	Detailed specification of services and interactions.....	306
	Figure 1 – Relationship of IEC 61158-3 to other fieldbus layers and to users of the Fieldbus Data Link Service.....	15
	Figure 2 – Relationships of DLSAPs, DLSAP-addresses and group DL-addresses	22
	Figure 3 – Relationships of DLCEPs and DLCEP-addresses to DLSAPs, DLSAP-addresses and group DL-addresses	24
	Figure 4 – Example of paths, links, bridges, and the extended link.....	51
	Figure 5 – Types of DL-timeliness In terms of elapsed DL-time and events at the assessing DLCEP.....	57
	Figure 6 – Sequence of primitives for the DL(SAP)-address, queue and buffer management DLS	61
	Figure 7 – Supported methods of data management for transmission and delivery	62
	Figure 8 – Peer-to-peer and multi-peer DLCs and their DLCEPs	76
	Figure 9 – OSI abstract queue model of a peer DLC between a pair of DLS-users	78
	Figure 10 – OSI abstract queue model of a multi-peer DLC between a publishing DLS-user and a set of subscribing DLS-users	81
	Figure 11 – Summary of DL-connection-mode service primitive time-sequence diagrams for peer DLCs (portion 1).....	93
	Figure 12 – Summary of DL-connection-mode service primitive time-sequence diagrams for peer DLCs (portion 2).....	94
	Figure 13 – Summary of DL-connection-mode service primitive time-sequence diagrams for publishers of a multi-peer DLC (portion 1)	95
	Figure 14 – Summary of DL-connection-mode service primitive time-sequence diagrams for publishers of a multi-peer DLC (portion 2)	96
	Figure 15 – Summary of additional DL-connection-mode service primitive time-sequence diagrams for a multi-peer DLC subscriber where the diagrams differ from the corresponding ones for a publisher (portion 1).....	97
	Figure 16 – Summary of additional DL-connection-mode service primitive time-sequence diagrams for a multi-peer DLC subscriber where the diagrams differ from the corresponding ones for a publisher (portion 2).....	98
	Figure 17 – State transition diagram for sequences of DL-connection-mode service primitives at a DLCEP	99
	Figure 18 – Peer DLC/DLCEP establishment initiated by a single DLS-user	105
	Figure 19 – Multi-peer DLC/DLCEP establishment initiated by the publishing DLS-user.....	105
	Figure 20 – Multi-peer DLC/DLCEP establishment initiated by a subscribing DLS-user.....	106
	Figure 21 – Multi-peer DLC/DLCEP establishment using known DLCEP addresses initiated first by the publishing DLS-user.....	106
	Figure 22 – Multi-peer DLC/DLCEP establishment using known DLCEP addresses initiated first by one or more subscribing DLS-users	106

Figure 23 – Peer DLC/DLCEP establishment initiated simultaneously by both peer DLS-users, resulting in a merged DLC..... 106

Figure 24 – Multi-peer DLC/DLCEP establishment initiated simultaneously by both publishing and subscribing DLS-users, resulting in a merged DLC 107

Figure 25 – Peer DLS-user invocation 109

Figure 26 – Publishing DLS-user invocation..... 109

Figure 27 – Subscribing DLS-user invocation..... 110

Figure 28 – Simultaneous invocation by both DLS-users 110

Figure 29 – Peer DLS-provider invocation..... 110

Figure 30 – Publishing DLS-provider invocation 110

Figure 31 – Subscribing DLS-provider invocation 110

Figure 32 – Simultaneous peer DLS-user and DLS-provider invocations..... 110

Figure 33 – Simultaneous publishing DLS-user and DLS-provider invocations..... 110

Figure 34 – Simultaneous subscribing DLS-user and DLS-provider invocations..... 110

Figure 35 – Sequence of primitives in a peer DLS-user rejection of a DLC/DLCEP establishment attempt 111

Figure 36 – Sequence of primitives in a publishing DLS-user rejection of a DLC/DLCEP establishment attempt 111

Figure 37 – Sequence of primitives in a subscribing DLS-user rejection of a DLC/DLCEP establishment attempt 111

Figure 38 – Sequence of primitives in a DLS-provider rejection of a DLC/DLCEP establishment attempt 111

Figure 39 – Sequence of primitives in a DLS-user cancellation of a DLC/DLCEP establishment attempt: both primitives are destroyed in the queue 112

Figure 40 – Sequence of primitives in a DLS-user cancellation of a DLC/DLCEP establishment attempt: DL-DISCONNECT indication arrives before DL-CONNECT response is sent..... 112

Figure 41 – Sequence of primitives in a DLS-user cancellation of a DLC/DLCEP establishment attempt: peer DL-DISCONNECT indication arrives after DL-CONNECT response is sent..... 112

Figure 42 – Sequence of primitives in a DLS-user cancellation of a DLC/DLCEP establishment attempt: publisher's DL-DISCONNECT indication arrives after DL-CONNECT response is sent .. 112

Figure 43 – Sequence of primitives in a DLS-user cancellation of a DLC/DLCEP establishment attempt: subscriber's DL-DISCONNECT request arrives after DL-CONNECT request has been communicated to the publisher 113

Figure 44 – Sequence of primitives for a CLASSICAL or DISORDERED peer-to-peer queue-to-queue data transfer 115

Figure 45 – Sequence of primitives for an ORDERED or UNORDERED peer-to-peer, or an UNORDERED subscriber-to-publisher queue-to-queue data transfer 115

Figure 46 – Sequence of primitives for a publisher-to-subscribers queue-to-queue data transfer 115

Figure 47 – Sequence of primitives for a failed queue-to-queue data transfer..... 116

Figure 48 – Sequence of primitives for an ORDERED or UNORDERED peer to peer, or an UNORDERED subscriber to publisher, buffer to buffer data transfer 117

Figure 49 – Sequence of primitives for a publisher to subscribers buffer to buffer data transfer 117

Figure 50 – Sequence of primitives for an ORDERED or UNORDERED peer to peer, or an UNORDERED subscriber to publisher, buffer to queue data transfer 117

Figure 51 – Sequence of primitives for a publisher to subscribers buffer to queue data transfer 117

Figure 52 – Sequence of primitives in a peer DLS-user initiated Reset..... 121

Figure 53 – Sequence of primitives in a publishing DLS-user initiated Reset 121

Figure 54 – Sequence of primitives in a subscribing DLS-user initiated Reset 121

Figure 55 – Sequence of primitives in a simultaneous peer DLS-users initiated Reset.....	121
Figure 56 – Sequence of primitives in a simultaneous multi-peer DLS-users initiated Reset .	121
Figure 57 – Sequence of primitives in a peer DLS-provider initiated Reset	122
Figure 58 – Sequence of primitives in a publishing DLS-provider initiated Reset	122
Figure 59 – Sequence of primitives in a subscribing DLS-provider initiated Reset.....	122
Figure 60 – Sequence of primitives in a simultaneous peer DLS-user and DLS-provider initiated Reset.....	122
Figure 61 – Sequence of primitives in a simultaneous publishing DLS-user and DLS-provider initiated Reset.....	122
Figure 62 – Sequence of primitives in a simultaneous subscribing DLS-user and DLS-provider initiated Reset.....	123
Figure 63 – Sequence of primitives for Subscriber Query.....	124
Figure 64 – Model for a data-link connectionless-mode unitdata transmission or unitdata exchange	126
Figure 65 – Summary of DL-connectionless-mode service primitive time-sequence diagrams.....	129
Figure 66 – State transition diagram for sequences of connectionless-mode primitives at one DLSAP	130
Figure 67 – Sequence of primitives for a successful locally-acknowledged connectionless-mode unitdata transfer.....	133
Figure 68 – Sequence of primitives for a successful remotely-acknowledged connectionless-mode unitdata transfer.....	133
Figure 69 – Sequence of primitives for an unsuccessful connectionless-mode unitdata transfer	134
Figure 70 – Sequence of primitives for connectionless-mode unitdata exchange	139
Figure 71 – Sequence of primitives for connectionless-mode listener query	140
Figure 72 – Summary of time and scheduling-guidance service primitive time sequence diagrams.....	143
Figure 73 – Sequence of primitives for DL-time	145
Figure 74 – Sequence of primitives for the Compel Service service.....	147
Figure 75 – Sequence of primitives for the sequence scheduling services	151
Figure 76 – Sequence of primitives for the DLM action service	154
Figure 77 – NUT structure.....	160
Figure 78 – Medium access during scheduled time	160
Figure 79 – Medium access during unscheduled time	161
Figure 80 – Queue model for the peer and multipoint DLS, DLSAPs and their DLCEPs	163
Figure 81 – Queue model of a multipoint DLS between a sending DLS-user and one or more receiving DLS-users	164
Figure 82 – DLS primitive time-sequence diagram	166
Figure 83 – State transition diagram for sequences of DLS primitives at one DLSAP.....	167
Figure 84 – Sequence of primitives for a successful connection-mode transfer	169
Figure 85 – Sequence of primitives for an unsuccessful connection-mode transfer.....	169
Figure 86 – Sequence of primitives for a successful connectionless-mode transfer	172
Figure 87 – Sequence of primitives for an unsuccessful connectionless-mode transfer.....	172
Figure 88 – Sequence of primitives for a queue maintenance request	174
Figure 89 – Sequence of primitives for a tag filter request.....	175
Figure 90 – Sequence of primitives for a local link synchronization	177
Figure 91 – Sequence of primitives for a DLM-get/set parameters request	179
Figure 92 – Sequence of primitives for a DLM-tMinus change request.....	179

Figure 93 – Sequence of primitives for a DLM-event indication	181
Figure 94 – Sequence of primitives for a DLM-bad-FCS indication	182
Figure 95 – Sequence of primitives for a DLM-current-moderator indication	183
Figure 96 – Sequence of primitives for a DLM-enable-moderator request.....	184
Figure 97 – Sequence of primitives for a DLM-power-up indication.....	185
Figure 98 – Sequence of primitives for a DLM-online request.....	185
Figure 99 – Sequence of primitives for a DLM-listen-only request	186
Figure 100 – SDA service.....	191
Figure 101 – SDN service.....	192
Figure 102 – SRD service.....	192
Figure 103 – MSRD service.....	193
Figure 104 – CS service	193
Figure 105 – Reset, Set value, Get value, Ident (local), DLSAP status, DLSAP activate, DLSAP activate responder, DLSAP activate subscriber and DLSAP deactivate services.....	217
Figure 106 – Event service	217
Figure 107 – Ident (remote) service.....	217
Figure 108– Relationship of PhE, DLE and DLS-users.....	239
Figure 109 – Confirmed and unconfirmed UNITDATA request time-sequence diagram	242
Figure 110– Repeated confirmed request time-sequence diagram	242
Figure 111 – State transition diagram for sequences of primitives at one DLSAP	243
Figure 112 – EXAMPLE: TDMA bus operation using slots and channels.....	246
Figure 113 – Fundamental concepts: slots, channels, scan classes, bus cycles and bus synchronization	247
Figure 114 – The operation of the SCAN channel-class and its DLS-user interactions	248
Figure 115 – The operation of the ExSCAN channel-class and its DLS-user interaction.....	248
Figure 116 – The operation of the GPA channel-class and its DLS-user interactions	249
Figure 117 – The operation of the GRC channel-class and its DLS-user interactions	250
Figure 118 – Relationships of DLSAPs, DLCEPs, DLEs and DLS-users, and allowed classes of traffic from DLSAPs and DLCEPs	253
Figure 119 – DLM-connectionless DL-addresses and node visible identification	254
Figure 120 – DLM-connectionless DL-addressing operation.....	254
Figure 121 – Peer and multipoint DLCs, their DLC-identifiers and related DLCEP types and roles.....	256
Figure 122 –Real and virtual topologies of an extended link.....	257
Figure 123 – Operation of DLM-connectionless service and its user interactions	267
Figure 124 – General form and encoding of DLM-connectionless DL-addresses.....	270
Figure 125 – General description of medium allocation	279
Figure 126 – Primitives associated with the buffer writing service	282
Figure 127 – Primitives associated with the buffer reading service	283
Figure 128 – Primitives associated with the buffer transfer service.....	285
Figure 129 – Primitives associated with the specified explicit request for a buffer transfer....	287
Figure 130 – Primitives associated with the free explicit request for a buffer transfer	289
Figure 131 – Primitives associated with the unacknowledged message transfer request service	290
Figure 132 – Primitives associated with the acknowledged message transfer request service	292
Figure 133 – Relationships of DLCEPs and DLCEP-addresses to default DLSAP.....	296

Figure 134 – Sequence of primitives for the buffer data transfer	298
Figure 135 – Normal data transfer service between a master and a slave	299
Figure 136 – Sequence of primitives for a failed normal data transfer	299
Figure 137 – Sequence of primitives for the reset service	305
Figure 138 – Sequence of primitives for the event service.....	305
Figure 139 – Sequence of primitives for the set value service	305
Figure 140 – Sequence of primitives for the get value service	305
Figure 141 – Sequence of primitives for the get current configuration service.....	306
Figure 142 – Sequence of primitives for the get active configuration service	306
Figure 143 – Sequence of primitives for the set active configuration service	306
Table 1 – Summary of DL(SAP)-address, queue and buffer management primitives and parameters	60
Table 2 – DL-buffer-and-queue-management create primitive and parameters.....	62
Table 3 – DL-buffer-and-queue-management delete primitive and parameters	65
Table 4 – DL(SAP)-address-management bind primitive and parameters	66
Table 5 – DL(SAP)-role constraints on DLSAPs, DLCEPs and other DLS Primitives.....	67
Table 6 – DL(SAP)-address-management unbind primitive and parameters	70
Table 7 – DL-buffer-management put primitive and parameters	71
Table 8 – DL-buffer-and-queue-management get primitive and parameters.....	73
Table 9 – Relationships between abstract queue model objects	79
Table 10 – Attributes and class requirements of DLCEP data delivery features	85
Table 11 – Summary of DL-connection-mode primitives and parameters (portion 1).....	91
Table 12 – Summary of DL-connection-mode primitives and parameters (portion 2).....	92
Table 13 – DLC / DLCEP establishment primitives and parameters (portion 1).....	101
Table 14 – DLC / DLCEP establishment primitives and parameters (portion 2).....	101
Table 15 – DLC / DLCEP release primitives and parameters.....	108
Table 16 – Queue data transfer primitive and parameters	113
Table 17 – Buffer sent primitive and parameter.....	116
Table 18 – Buffer received primitive and parameter	116
Table 19 – DLC/DLCEP reset primitives and parameters (portion 1)	118
Table 20 – DLC/DLCEP reset primitives and parameters (portion 2)	118
Table 21 – Subscriber query primitives and parameters	123
Table 22 – Summary of DL-connectionless-mode primitives and parameters.....	128
Table 23 – DL-connectionless-mode unitdata transfer primitives and parameters.....	131
Table 24 – DL-connectionless-mode unitdata exchange primitive and parameters.....	135
Table 25 – Listener query primitives and parameters	139
Table 26 – Summary of DL-scheduling-guidance primitives and parameters.....	142
Table 27 – DL-time primitive and parameters.....	144
Table 28 – DL-scheduling-guidance Compel Service primitive and parameters.....	145
Table 29 – DL-scheduling-guidance Schedule Sequence primitives and parameters	148
Table 30 – DL-scheduling-guidance Cancel Schedule primitives and parameters	152
Table 31 – DL-scheduling-guidance Subset Sequence primitives and parameters	153
Table 32 – Summary of DL-management primitives and parameters	155
Table 33 – DLM-Set primitive and parameters	155
Table 34 – DLM-Get primitive and parameters	156

Table 35 – DLM-Action primitive and parameters.....	157
Table 36 – DLM-Event primitive and parameters.....	158
Table 37 – Summary of connection-mode and connectionless-mode primitives and parameters.....	166
Table 38 – DL-connection-mode transfer primitives and parameters.....	168
Table 39 – DL-connectionless-mode transfer primitives and parameters.....	170
Table 40 – Fixed tag services available to the DLS-user.....	171
Table 41 – DL-queue maintenance primitives and parameters.....	173
Table 42 – DL-connectionless-mode tag filter primitives and parameters.....	174
Table 43 – Summary of DL-management primitives and parameters.....	176
Table 44 – Link synchronization primitives and parameters.....	177
Table 45 – Synchronized parameter change primitives and parameters.....	178
Table 46 – DLMS-configuration-data.....	179
Table 47 – Event report primitives and parameters.....	180
Table 48 – DLMS events being reported.....	181
Table 49 – Bad FCS primitives and parameters.....	182
Table 50 – Current moderator primitives and parameters.....	182
Table 51 – Enable moderator primitives and parameters.....	183
Table 52 – Power-up and online primitives and parameters.....	184
Table 53 – Listen-only primitives and parameters.....	185
Table 54 – DLMS time and time quality parameters.....	186
Table 55 – Time distribution source quality.....	187
Table 56 – Summary of DL services and primitives.....	191
Table 57 – SDA data ack primitives and parameters.....	195
Table 58 – Values of DL_status for the SDA data ack service.....	197
Table 59 – SDN data primitives and parameters.....	198
Table 60 – Values of DL_status for the SDN data service.....	200
Table 61 – SRD data reply primitives and parameters.....	201
Table 62 – Values of Update_status for the SRD data reply service.....	202
Table 63 – Additional values of DL_status for the SRD data reply service.....	203
Table 64 – SRD reply-update primitives and parameters.....	203
Table 65 – Values of DL_status for the SRD reply-update service.....	205
Table 66 – MSRD MCT data reply primitives and parameters.....	206
Table 67 – MSRD DXM data reply primitive and parameters.....	208
Table 68 – CS time event primitives and parameters.....	209
Table 69 – Values of DL_status for the CS time event service.....	211
Table 70 – CS clock value primitives and parameters.....	211
Table 71 – Values of CS_status for the CS clock value service.....	212
Table 72 – Values of DL_status for the CS clock value service.....	213
Table 73 – Summary of DL-management services and primitives.....	216
Table 74 – Reset primitives and parameters.....	217
Table 75 – Values of DLM_status for the reset service.....	218
Table 76 – Set value primitives and parameters.....	218
Table 77 – Mandatory DLE-variables.....	219
Table 78 – Optional DLE-variables.....	219
Table 79 – Permissible values of mandatory DLE-variables.....	220

Table 80 – Permissible values of optional DLE-variables	221
Table 81 – Meaning of the values for the parameter isochronous_mode.....	221
Table 82 – Default reaction times and operating parameters for a master station for asynchronous transmission	221
Table 83 – Default reaction times and operating parameters for a slave station with asynchronous transmission	222
Table 84 – Default reaction times and operating parameters for master stations for coupling of synchronous and asynchronous transmission segments.....	222
Table 85 – Default reaction times and operating parameter for slave stations for coupling of synchronous and asynchronous transmission segments.....	223
Table 86 – Values of DLM_status for the set value service	223
Table 87 – Get value primitives and parameters	224
Table 88 – Additional mandatory DLE-variables in master stations.....	224
Table 89 – Permissible values of the additional DLE-variables in master stations.....	225
Table 90 – Values of DLM_status for the get value service	225
Table 91 – Event primitive and parameters.....	226
Table 92 – Mandatory DLL events and fault types.....	226
Table 93 – Permissible values of TSH	226
Table 94 – Ident primitives and parameters	227
Table 95 – Ident_list for the ident service.....	228
Table 96 – Values of DLM_status for the ident service (local)	228
Table 97 – Values of DLM_status for the ident service (remote).....	228
Table 98 – DLSAP status primitives and parameters.....	229
Table 99 – Values of DLM_status for the DLSAP status service	230
Table 100 – DLSAP activate primitives and parameters	230
Table 101 – DLSAP activate service_list.....	231
Table 102 – DLSAP activate DLSDU_length_list (SDA, SDN, SRD, MSRD and CS)	232
Table 103 – DLSDU lengths of SDA and SDN as used in the DLSAP activate service	232
Table 104 – DLSDU lengths of SRD and MSRD as used in the (master station) DLSAP activate service.....	232
Table 105 – DLSDU lengths of CS as used in the DLSAP activate service	233
Table 106 – Values of DLM_status for the DLSAP activate service	233
Table 107 – DLSAP activate responder primitives and parameters.....	234
Table 108 – DLSDU_length_list for the DLSAP activate responder service.....	234
Table 109 – DLSDU length of SRD and MSRD as used in the DLSAP activate responder service.....	235
Table 110 – Values of DLM_status for the DLSAP activate responder service	235
Table 111 – DLSAP activate subscriber primitives and parameters	236
Table 112 – DLSDU_length_list for the DLSAP activate subscriber service	236
Table 113 – DLSDU lengths of MSRD as used in the DLSAP activate subscriber service (master and slave stations)	237
Table 114 – Values of DLM_status for the DLSAP activate subscriber service.....	237
Table 115 – DLSAP deactivate primitives and parameters	237
Table 116 – Values of DLM_status for the DLSAP-deactivate service	238
Table 117 – Summary of DL-connectionless-mode primitives and parameters.....	242
Table 118 – Unitdata transfer primitives and parameters	243
Table 119 – Control-status error codes.....	245

Table 120 – Correspondence of max-DLSDU-size and max-data-length for GPC, GPA and ExSCAN channels	258
Table 121 – Primitives and parameters used on SCAN and ExSCAN channels.....	261
Table 122 – DL-Put primitive and parameters	261
Table 123 – DL-BUFFER-SENT primitive and parameters	262
Table 124 – DL-BUFFER-RECEIVED primitive and parameters	262
Table 125 – DL-GET primitive and parameters	262
Table 126 – Primitives and parameters used on GPA channels.....	263
Table 127 – Primitives and parameters used on GPC channels.....	264
Table 128 – Primitives and parameters used to disconnect GPC channels	265
Table 129 – DL-DATA primitives and parameters.....	265
Table 130 – DL-DISCONNECT primitives and parameters.....	266
Table 131 – Primitives and parameters of the DLM-connectionless service.....	268
Table 132 – Primitives and parameters of the DLM-UNITDATA service.....	268
Table 133 – Predefined trigger assignments	271
Table 134 – Format of link-addresses.....	272
Table 135 – DL-Time-offset primitive and parameters	273
Table 136 – DL-Time-Classes	273
Table 137 – DL-Time-Stamp retrieval primitives and parameters	273
Table 138– DL-Event-Time primitive and parameters	274
Table 139 – Summary of DL-services and primitives for buffer transfers	281
Table 140 – Summary of DL-services and primitives for message exchanges	281
Table 141 – DL-Put primitives and parameters	282
Table 142 – DL-Get primitives and parameters	284
Table 143 – DL-Buffer-Sent primitive and parameter	285
Table 144 – DL-Buffer-Received primitive and parameter	285
Table 145 – DL-Spec-Update primitives and parameters.....	288
Table 146 – DL-Free-Update primitives and parameters	289
Table 147 – DL-Message primitives and parameters.....	291
Table 148 – DL-Message-Ack primitives and parameters.....	293
Table 149 – Summary of DL-connection-mode primitives and parameters.....	297
Table 150 – Put buffer primitive and parameters.....	300
Table 151 – Get buffer primitive and parameters	300
Table 152 – Buffer received primitive and parameters	301
Table 153 – Normal data transfer primitive and parameters	302
Table 154– Summary of DL-management primitives and parameters	304
Table 155 –Reset service primitives and parameters	307
Table 156 – Event service primitive and parameters	307
Table 157 – Set value service primitives and parameters.....	308
Table 158 – Get value service primitives and parameters	309
Table 159 – Get current configuration service primitives and parameters	310
Table 160 –Get active configuration service primitives and parameters.....	311
Table 161 – The active configuration parameter	311
Table 162 – Set active configuration service primitives and parameters	312