

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wearable electronic devices and technologies –
Part 204-1: Electronic textile – Test method for assessing washing durability of
e-textile products**

**Technologies et dispositifs électroniques prêts-à-porter –
Partie 204-1: Textile électronique – Méthode d'essai pour l'évaluation de la
durabilité au lavage des produits e-textiles**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Wearable electronic devices and technologies –
Part 204-1: Electronic textile – Test method for assessing washing durability of
e-textile products**

**Technologies et dispositifs électroniques prêts-à-porter –
Partie 204-1: Textile électronique – Méthode d'essai pour l'évaluation de la
durabilité au lavage des produits e-textiles**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 59.080.80; 59.080.01

ISBN 978-2-8322-6664-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Test method – General	5
4.1 Checklist before carrying out washing durability test	5
4.2 Washing durability test conditions	6
4.3 Check of operation before and after washing durability test	6
5 Test procedure	6
5.1 Pretreatment.....	6
5.2 Washing.....	6
5.3 Test after washing and drying	6
6 Test report.....	8
Annex A (informative) Result of studies – Resistance measurement	9
A.1 Test procedure.....	9
A.2 Test results	9
Bibliography.....	11
Figure 1 – Flow chart of test procedure.....	7
Figure A.1 – Test results of resistance measurement after laundry test.....	10
Table A.1 – Test conditions and results	9

iTeh STANDARD PREVIEW

(standards.iteh.ai)

IEC 63203-204-1:2023

[https://standards.iteh.ai/catalog/standards/sist/905fad79-a571-4e35-aa68-cfe4bad492e2/iec-](https://standards.iteh.ai/catalog/standards/sist/905fad79-a571-4e35-aa68-cfe4bad492e2/iec-63203-204-1-2023)

63203-204-1-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WEARABLE ELECTRONIC DEVICES AND TECHNOLOGIES –**Part 204-1: Electronic textile – Test method for assessing washing durability of e-textile products**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63203-204-1 has been prepared by IEC technical committee 124: Wearable electronic devices and technologies. It is an International Standard.

This second edition cancels and replaces the first edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Subclause 3.2 on conductive textiles has been deleted.
- b) Subclause 3.3 on leisurewear and sportswear has been deleted.
- c) Subclause 3.2 on washing procedure has been added.
- d) Figure 1 has been updated.

- e) The optional measurement of conductive tracks has been added in 4.1 to the checklist before carrying out washing durability test.
- f) Additions have been made to the list in Clause 6.

The text of this International Standard is based on the following documents:

Draft	Report on voting
124/214/FDIS	124/217/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 63203 series, published under the general title *Wearable electronic devices and technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

WEARABLE ELECTRONIC DEVICES AND TECHNOLOGIES –

Part 204-1: Electronic textile – Test method for assessing washing durability of e-textile products

1 Scope

This document specifies a household washing durability test method for e-textile products. This document includes testing procedures for e-textile products with electrically conductive components and sensors to collect the data of the user.

This document does not cover safety or heat-generation test methods. Products containing components other than those listed in this clause are not covered by this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 139, *Textiles – Standard atmospheres for conditioning and testing*

ISO 6330:2012, *Textiles – Domestic washing and drying procedures for textile testing*

<https://standards.iteh.ai/catalog/standards/sist/905fad79-a571-4e35-aa68-cfe4bad492e2/iec-63203-204-1-2023>

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

e-textile product

product made from textiles and integrated electronics that together perform one or more functions such as measuring body temperature, heart rate or electrocardiogram, etc.

3.2

washing procedure

cycle of washing action including water supplying, washing, and repeated rinsing, spinning and water supplying and ending with spinning as predetermined on the washing machine

4 Test method – General

4.1 Checklist before carrying out washing durability test

Check the product as described in the user manual and confirm the proper operation according to the instructions in the manual. (Measurement of conductive tracks is optional. If the product contains areas of non-isolated conductive textile, resistance measurement

according to EN 16812 can be conducted additionally.) Then, measure the resistance and mark the measurement point, so that the same point can be measured after each washing durability test. Since the shape of the product varies, select the appropriate method to measure the resistance. The method of measuring conductive track resistance should be decided between the manufacturer and the user.

4.2 Washing durability test conditions

The washing durability test shall comply with the test procedure in ISO 6330:2012. ISO 6330:2012 offers various test procedures. E-textile products contain a unit that connects the modules with conductive track because of the nature of the product. Therefore, a hand-wash procedure is considered appropriate because it causes less damage to the product.

Conditions for washing the e-textile products are given as follows in this Subclause 4.2 and in 4.3.

The type of washing machine, detergent, washing method, drying method and number of repetitions are selected from methods standardized based on the manufacturer's designated care label. If not specified, the washing machine type is an ISO 6330:2012 reference washing machine Type A, the washing procedure is 4H, and the drying method is procedure A – line dry.

If there is an agreement between the user and the supplier to apply the washing conditions as specified in another International Standard, those alternative washing conditions shall be applied instead of those specified in this Subclause 4.2.

4.3 Check of operation before and after washing durability test

It is necessary to check the operation of the e-textile product under test after repeated washing and drying of the product in accordance with the test conditions. According to the procedure to check the operation status before washing in accordance with the user manual, double-check the operation status after washing and measure the resistance of the conductive textile to determine whether there is any disconnection (see Annex A).

5 Test procedure

5.1 Pretreatment


The specimens shall be stored for at least 24 h in standard atmosphere conditions ((20,0 ± 2,0) °C and (65,0 ± 4,0) % relative humidity (RH) in accordance with ISO 139). Start operating the product in the manner specified in the user manual. The product shall be checked to ensure it is operating normally, and that it functions in accordance with the user manual. If the features do not work as described in the user manual, record malfunction in the test report. All detachable components (e.g. connection module or batteries) shall be detached before washing. All embedded components shall remain on the product during the washing durability test.

5.2 Washing

Wash and dry the specimens in accordance with one of the procedures specified in ISO 6330:2012, following the manufacturer's designated care label.

5.3 Test after washing and drying

After the e-textile products have been processed with washing and drying, prepare to check the performance of the product. Check the operation status and function of the product according to the specified order in the user manual (see example in Figure 1).



IEC

Figure 1 – Flow chart of test procedure

The number of repetitions, K , is determined by the agreement between the manufacturer and the user. Unless otherwise agreed, $K = 0$.

J is the number of repetitions until one of the following conditions is reached

- a) when the function of the e-textile product is lost in the operation check;
- b) when the conductive track is broken;
- c) when the number of washing and drying procedures agreed in advance between the manufacturer and the user is reached.

6 Test report

The test reports of every test based on this document shall contain the following information:

- a) number and year of publication of this document (i.e., "IEC 63203-204-1:2023");
- b) product, intended use and type of (detachable) components in the test report;
- c) operation status of the product in accordance with the user manual;
- d) care label instructions (if applicable);
- e) washing and drying method, the number of washes, number of repetitions, K ;
- f) electrical resistance after laundering (if applicable);
- g) electrical resistance, measurement dimensions and measurement method;
- h) operation status of the product in accordance with the user manual after the product has been washed;
- i) number of repetitions, J .

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 63203-204-1:2023](https://standards.iteh.ai/catalog/standards/sist/905fad79-a571-4e35-aa68-cfe4bad492e2/iec-63203-204-1-2023)

<https://standards.iteh.ai/catalog/standards/sist/905fad79-a571-4e35-aa68-cfe4bad492e2/iec-63203-204-1-2023>

Annex A (informative)

Result of studies – Resistance measurement

A.1 Test procedure

- 1) Prepare the test specimen, except for electrical components incorporated with batteries for the test pieces provided by the manufacturer.
- 2) Set measurement points at 100 mm each to the right and left of the centre of conductive areas, and measure the resistance three times at each point.
- 3) Pretreat the specimen in accordance with ISO 6330:2012. Make sure the pretreatment conditions comply with washing procedures: 9B, standard reference detergent 1 without optical brightener, and procedure C – flat dry.
- 4) Line dry the pretreated specimen for 8 h, and measure the resistance at the points mentioned in list item 2) above, three times.
- 5) Repeat testing 10 times to measure resistance values at each cycle.

A.2 Test results

After 19 washing procedures under extreme washing conditions, disconnections have been observed. For other products, resistance values before and after 10 washing procedures were slightly increased (see Table A.1 and Figure A.1). It is predictable that the higher the number of washing procedures, the greater the impact on the product's operability, therefore resistance measurement shall be factored into performance assessment. By testing e-textiles with optimal washing conditions which guarantee the lifespan and performance of the product, some possible defects of e-textiles can be proactively detected.

<https://standards.iteh.ai/catalog/standards/sist/905bd79-a571-de35-aa68-cfe4bad492e2/iec-63203-204-1-2023>
Table A.1 – Test conditions and results

Samples	Type	Test method – Conditions taken from Table D.1, Annex D of ISO 6330:2012	Results
A	E-textile	9B-flat dry, laundry test carried out 20 times, and operation check of each laundry test	After 19 iterations of the test procedure, sample is damaged
B	E-textile	9B-flat dry, laundry test carried out 10 times, operation check of each laundry test, electrical resistance measurement	Normal operation, resistance increased
C	E-textile shirt	9B-flat dry, laundry test carried out 20 times, and operation check for each laundry test	Normal operation