



## SLOVENSKI STANDARD

DSIST ETS 300 303:1997

01-jUbi Uf-1997

---

**Digitalno omrežje z integriranimi storitvami (ISDN) - Signalizacijski vmesnik ISDN - globalni sistem mobilnih komunikacij (GSM) javnega kopenskega mobilnega omrežja (PLMN)**

Integrated Services Digital Network (ISDN); ISDN - Global System for Mobile communications (GSM) Public Land Mobile Network (PLMN) signalling interface

**Ta slovenski standard je istoveten z: ETS 300 303 E1.% - (!\$+**

---


**ICS:**

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

**DSIST ETS 300 303:1997**

**en**





**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 303**

July 1994

---

Source: ETSI TC-SPS

Reference: DE/SPS-01008

ICS: 33.080

**Key words:** ISDN, SS7, ISUP, GSM, mobile, radio, PLMN, interworking

**Integrated Services Digital Network (ISDN);  
ISDN - Global System for Mobile communications (GSM)  
Public Land Mobile Network (PLMN) signalling interface**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1994. All rights reserved.



## Contents

Foreword .....	5
1 Scope .....	7
2 Normative references .....	8
3 Symbols and abbreviations .....	8
4 Deviations from the provisions of ETS 300 121 .....	9
4.1 Formats and codes .....	9
4.2 Basic call .....	9
4.2.1 Calls from the PLMN to the fixed network .....	9
4.2.1.1 Gateway in the PLMN .....	9
4.2.1.1.1 Initial address message .....	9
4.2.2 Calls from the fixed network to the PLMN .....	9
4.2.2.1 Gateway in the fixed network .....	9
4.2.2.1.1 Initial address message .....	9
4.2.2.2 Gateway in the PLMN .....	10
4.2.2.2.1 Answer message, connect message .....	10
4.2.2.2.2 Address complete message .....	10
4.2.3 Echo control procedure .....	10
5 Message Transfer Part (MTP) protocol requirements .....	11
Annex A (normative): Considerations on supplementary services .....	12
A.1 Calling Line Identification Presentation/Restriction (CLIP/CLIR) supplementary services .....	12
A.2 Connected Line Identification Presentation/Restriction (COLP/COLR) supplementary services .....	12
A.3 Closed User Group (CUG) supplementary service .....	12
A.4 User-to-User Signalling service 1 implicit (UUS1i) supplementary service .....	12
A.5 Terminal Portability (TP) supplementary service .....	12
A.6 Subaddressing (SUB) supplementary service .....	12
Annex B (normative): Formats and codes .....	13
B.1 General functions of messages and signals .....	13
B.1.1 Exceptions and clarifications to CCITT Recommendation Q.767 .....	13
B.1.2 Additional definitions .....	13
B.2 Formats and codes .....	13
B.2.1 Exceptions and clarifications to CCITT Recommendation Q.767 .....	13
Annex C (informative): Examples of echo control procedures .....	15
C.1 Outgoing call in a Mobile-service Switching Centre (MSC) .....	15
C.2 Incoming call in the MSC .....	15
C.3 Examples of echo control procedure .....	16
C.3.1 Call from a mobile station to a mobile station via the fixed network .....	16
C.3.2 Call from a mobile station to fixed network with no echo control device .....	16

C.3.3	Call from a mobile station to fixed network with echo control device.....	16
C.3.4	Call from fixed network with no echo control device to a mobile station roaming in a PLMN of another country .....	17
C.3.5	Call from fixed network with echo control device to a mobile station roaming in a PLMN of another country .....	17
C.3.6	Call from fixed network with no echo control device to a mobile station.....	17
C.3.7	Call from fixed network with echo control device to a mobile station.....	17
C.3.8	Call forwarded by the VMSC .....	18
C.3.9	Call forwarded by the VMSC to the fixed network with no echo control device .....	18
C.3.10	Call with no outgoing echo control device included in a preceding exchange forwarded by the VMSC to the fixed network with no echo control device in the terminating network.....	18
C.3.11	Call with no outgoing echo control device included in a preceding exchange forwarded by the VMSC to the fixed network with echo control device in the terminating network ...	18
Annex D (informative):	Bibliography .....	19
History .....		20

## Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS specifies the first version of the Integrated Services Digital Network (ISDN) - Global System for Mobile communications (GSM) Public Land Mobile Network (PLMN) signalling interface.

ETS 300 121 (1992) containing the specification of ISDN User Part (ISUP) version 1 is used as a basis for this interface. The appropriate modifications to ETS 300 121 are described in this ETS.

Blank page