

SYSTEMS REFERENCE DELIVERABLE

Architecture and use-cases for EVs to provide grid support functions

(<https://standards.iteh.ai>)

Document Preview

[IEC SRD 63460:2025](https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025)

<https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

International
Standards
Document Preview
standards.iteh.ai

[IEC SRD 63460:2025](http://www.iec.ch)

<https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025>



SYSTEMS REFERENCE DELIVERABLE

Architecture and use-cases for EVs to provide grid support functions

(<https://standards.iteh.ai>)

Document Preview

[IEC SRD 63460:2025](https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025)

<https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 43.120

ISBN 978-2-8327-0138-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
0.1 Objective	8
0.2 EVs, utilities, and charging.....	8
0.3 EV standardisation efforts in the IEC	9
0.4 EV use cases	11
0.5 Purpose of this document	12
1 Scope.....	13
2 Normative references	13
3 Terms, definitions and abbreviated terms	13
3.1 Terms and definitions.....	13
3.2 Abbreviated terms.....	16
4 Overview of the DER environment and functions	17
4.1 DER Stakeholders	17
4.2 DERs within a facility or microgrid.....	18
4.3 Utility and aggregator interactions with DER facility	19
4.4 EV interactions within the DER environment	20
4.5 List of DER functions potentially applicable to EVs	22
5 Historical overview of different EV architectures applicable to a DER environment	31
5.1 SGAM interoperability layers as applicable to EVs	31
5.2 E-mobility systems architectures.....	34
5.2.1 Overview	34
5.2.2 E-mobility in IEC TR 61850-90-8:2016.....	34
5.2.3 EV Integration in IEC SRD 63268:2020.....	35
5.2.4 EV architectures in the IEC 63110 series.....	38
5.2.5 EV architecture (IEC 63382 series).....	40
5.2.6 EV architecture from the IEC 63380 series	41
5.2.7 EVs in buildings architectures from IEC SC 23K	41
5.2.8 EV architectures in SAE	42
5.2.9 OCPP updates.....	43
5.2.10 ISO 15118-20 updates.....	44
5.3 E-mobility roles	44
5.3.1 E-mobility role definitions from the IEC 63110 series	44
5.3.2 EV roles for DER use cases.....	47
5.4 EV-related standards	49
5.4.1 EV-related standards organizations	49
5.4.2 Standards and documents including EV-related information exchange requirements	49
5.5 EV as DER architecture using the IEC 61850-7-420 information model	50
5.6 EV-DC and EV-AC charging and discharging	51
5.6.1 V2G EV-charging station configurations.....	51
5.6.2 Grid code functions in DC charging/discharging.....	54
5.6.3 Grid code functions in AC charging/discharging.....	54
5.6.4 SAE J3072 for V2G AC discharging	54
5.6.5 Information exchange requirements for EV-as-DER functions	54
5.6.6 Issues related to different configurations of charging stations	55

6	EV-as-DER business cases	55
6.1	Business cases versus use cases	55
6.2	Transmission EV-as-DER business cases for balancing authorities and transmission utilities	56
6.2.1	General	56
6.2.2	Business case: fault-induced delayed voltage recovery (FIDVR)	56
6.2.3	Business case: steady-state consumption control	56
6.2.4	Business case: power factor management	56
6.2.5	Business case: frequency response (active power-frequency control)	57
6.2.6	Business case: underfrequency load shedding	57
6.2.7	Business case: ride-through performance: remaining connected during grid disturbances	57
6.3	Distribution EV-as-DER business cases for MV and LV grid support	58
6.3.1	General	58
6.3.2	Business case: manage potential overload situations via EV peak power limiting	58
6.3.3	Business case: provide benefits to EV owners via vehicle-to-home (V2H)	58
6.3.4	Business case: provide benefits to the grid via vehicle-to-grid (V2G)	59
6.3.5	Business case: improve grid efficiency through coordinated charge/discharge of EVs	59
6.3.6	Business case: provide voltage support via volt-watt response by EVs	59
6.3.7	Business case: provide reactive power support via watt-var function	59
6.3.8	Business case: help meet export and/or import limits via the limit active power export/import function	59
7	EV-as-DER use cases	59
7.1	General	59
7.1.1	Overview	59
7.1.2	Use case E1: EV peak power limiting on demand	60
7.1.3	Use case E4: volt-watt response by EVs	60
7.1.4	Use case E8: coordinated charge/discharge of EVs	60
7.1.5	Use case E9: V2G EV as DER	60
7.1.6	Use case E12: watt-var function	61
7.1.7	Use case E15: limit active power export function	61
7.2	Use case: limit active power import operational function	61
7.2.1	Name of use case	61
7.2.2	Version management	61
7.2.3	Scope and objectives of use case	61
7.2.4	Narrative of the use case	61
7.2.5	Scenario steps	62
7.2.6	Use case diagrams – Sequence diagram	62
7.3	Use cases: frequency-active power (frequency-watt) operational functions	63
7.3.1	Overview of frequency-active power (frequency-watt) operational functions	63
7.3.2	Use case: frequency-active power as FSM operational function	66
7.3.3	Use case: frequency droop or "primary frequency response" operational function	68
7.3.4	Use case: secondary frequency response (AGC) operational function	69
7.3.5	Use case: tertiary or spinning reserve frequency response operational function	70
7.3.6	Use case: synthetic Inertia operational function	70

7.4	Use cases: ride-through operational functions for charging stations	72
7.4.1	Use case: frequency ride-through operational functions for charging stations.....	72
7.4.2	Use case: voltage ride-through operational functions for charging stations.....	73
8	Gaps of EV-as-DER in IEC e-mobility standards	73
8.1	Overview of EV-as-DER gaps	73
8.2	EV-as-DER-related standards, inclusion of V2G and/or V1G as controllable load	75
8.2.1	EV-as-DER in standards defining DER functional requirements	75
8.2.2	EV-as-DER in communication standards.....	75
8.2.3	EV-as-DER OEM telematics	75
8.3	Balancing authority and/or transmission utility business and use cases	75
8.4	Distribution system operator business and use cases	76
8.5	IEC 61850 and/or CIM information model requirements for each use case	77
8.6	EV-as-DER protocols	77
8.7	Testing of EV-as-DER stationary equipment	77
8.8	Testing/Attestation of EVs to meet EV-as-DER requirements	77
9	Next steps	77
	Bibliography.....	78
	Figure 1 – EV as DER architecture within the larger grid environment.....	10
	Figure 2 – IEC Standards for EV grid support and charging management	11
	Figure 3 – Illustrations of ECP, PoC, PCC, RPA, local EPS, and area EPS.....	14
	Figure 4 – Key DER stakeholders	18
	Figure 5 – DER within a facility: residence, campus, or plant, potentially as a microgrid, with flexibility market	19
	Figure 6 – Utility and aggregator interactions with DER facilities or directly with DERs	20
	Figure 7 – DER architecture with a focus on charging stations	21
	Figure 8 – Smart grid architecture model (SGAM).....	31
	Figure 9 – GWAC Stack and SGAM	33
	Figure 10 – Core communication protocols and information models for EV-as-DER	33
	Figure 11 – E-mobility SGAM view (out of date).....	34
	Figure 12 – EV-related IEC 61850-90-8 data objects	35
	Figure 13 – Addition interfaces to support EV mapped to the SGAM communication layer (in case of H&B).....	36
	Figure 14 – Marketplace interfaces mapped to the SGAM information layer	37
	Figure 15 – IEC entities involved in supporting marketplace interfaces	38
	Figure 16 – E-mobility standards landscape within the IEC	39
	Figure 17 – Message flow between IEC TC 69 standards (not including TC 57 standards)	39
	Figure 18 – Information flow between actors based on the IEC 61850-7-420 information model	40
	Figure 19 – IEC 63382 diagram of actors and IEC standards responsible for the communications	40
	Figure 20 – EV architecture in the IEC 63380 series	41
	Figure 21 – EVs in buildings architecture from IEC SC 23K	42

Figure 22 – SAE PEV standards for communication, interoperability, and security	43
Figure 23 – OCPP topology for DER control via the charging point operator (CPO)	43
Figure 24 – EV roles (actors) identified in the IEC 63110 series	44
Figure 25 – Example of scope of key roles	45
Figure 26 – Roles for charging stations applicable to a DER environment	48
Figure 27 – Communication protocols associated with EV roles in a DER environment	49
Figure 28 – EV as DER architecture	51
Figure 29 – Overview of charging configuration with DC bus, with DC/DC charging	52
Figure 30 – Extract of charging configuration with AC bus, EVSE inverter conversion AC to DC, and DC charging	52
Figure 31 – Extract of charging configuration with AC bus, EVSE pass-through of AC, and AC charging with EV inverter	53
Figure 32 – Extract of charging configuration with no bus, EVSE pass-through of AC, and AC charging with EV inverter	53
Figure 33 – Extract of charging configuration with no bus, EVSE inverter conversion AC to DC, and DC charging of EV	54
Figure 34 – Active power limiting sequence diagram	63
Figure 35 – For zone 1 frequency sensitivity, potential use of WMax or WRef to determine the gradient	64
Figure 36 – Frequency-active power constrained by static boundary: DER to remain within the boundaries of frequency-active power curves	65
Figure 37 – Sequence diagram: frequency-watt sensitivity operational function for EV- DC	67
Figure 38 – Sequence diagram: frequency-watt sensitivity operational function for EV- AC	68
Figure 39 – Frequency droop typical curve	69
Figure 40 – Sequence diagram: frequency ride-through grid code function for charging stations	73
Figure 41 – Diagram of EV-as-DER gaps	74
Table 1 – DER functions for EV environment: roles and information exchanges	22
Table 2 – Roles applicable to EVs in a DER environment	45
Table 3 – EV charging station configurations	51

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARCHITECTURE AND USE-CASES FOR EVS TO PROVIDE GRID SUPPORT FUNCTIONS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC SRD 63460 has been prepared by IEC system committee Smart energy. It is a System Reference Document (SRD)

The text of this System Reference Document is based on the following documents:

Draft	Report on voting
SyCSmartEnergy/287/DTS	SyCSmartEnergy/288/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this System Reference Document is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[IEC SRD 63460:2025](#)

<https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025>

INTRODUCTION

0.1 Objective

When electric vehicles (EVs) are interconnected to the electric power system, they are capable of providing grid support functions similar to other distributed energy resources (DER), particularly energy storage units, while still not impacting any more than necessary their primary purpose of charging their batteries in a timely manner. In aggregate, such as in fleets, in community aggregations, or in microgrids, EVs can not only benefit grid operations, but, if not managed well, cause grid problems.

This document provides various use cases as examples of how EVs might be used as DERs. Since regulations, EVs, charging stations, and power systems are vastly different across the world, this document does not attempt to define any specific mechanism for EVs to provide DER grid support functions, but rather draws on IEC 61850-7-420 that defines the data models for most of the DER grid support functions, including those described in electric power requirements in IEEE Std 1547TM-2018 and EN 50549.

It is expected that IEC 61850-7-420 will utilize these use cases to develop EV-specific data models for "EV as DER" as needed, and that other standards such as the IEC 63110, ISO 15118, and the IEC 63382 series¹ will be revised or will otherwise accommodate the results of these "EV as DER" requirements.

Clearly contractual arrangements will need to be made with all relevant stakeholders on which EVs, under what conditions, with which functions, and when permitted. However, those contractual arrangements are outside the scope of this document, which addresses only the technical aspects of EVs as DER.

Cybersecurity for EVs as DER is important but is not in the scope of this document.

0.2 EVs, utilities, and charging

Utilities everywhere are concerned that the charging load for electric vehicles (EVs) will greatly increase the load on the power grids. In many places, the charging load could exceed the existing demand during peak hours from residential consumers. As more electric vehicle charging points are deployed, it becomes increasingly important to manage flexibility of both the power levels and the time of charging.

The concept adopted in the past has been that EV charging would be managed by charging stations similar to gas stations, but today it is clear that EV drivers often charge at home and use phone applications, cloud-based systems, and remote service providers to manage their charging. Although charging stations are still important, they are no longer the only way EVs are charged. This shift is also complicating the design of the EV standards.

In addition, the idea that EVs could be used to support the power grid used to be regarded as strange, technically difficult, and not likely to be supported by EV owners. That idea, too, has been overtaken by events, as more and more EV manufacturers are including the ability to discharge and many pilot projects have shown that "vehicle-to-home" would be very desirable by customers, and "vehicle-to-grid" would be very popular with EV fleets and charging stations if they want to take part in market operations. In some regions, such as California, if the EVs are capable of discharging, they are included in the definition of Distributed Energy Resources.

¹ Under preparation.

Two primary groups of use cases have been identified: those concerned with the market aspects of charging, and those concerned with the grid services related to the impact of charging on the power system. A few use cases address vehicle-to-grid. Figure 2 illustrates the IEC standards used for EV grid support and market-related charging management.

For many years, academic papers have proposed using EV batteries as a form of energy storage that can provide services to the power grid even if only charging. But now there are many research and pilot projects around the world that are deploying some form of bidirectional flow of energy (charging and discharging), either as vehicle-to-grid (V2G) or vehicle-to-home (V2H), with EVs able to sell power to the main grid and even support the energy management of microgrids. One of the driving ideas behind these projects is to provide a means of storing energy in the EV from variable renewable resources, like solar and wind, for use at other times. This implies that EVs can actually be viewed as just one type of distributed energy resources (DER).

0.3 EV standardisation efforts in the IEC

Within the IEC, various committees and working groups are collaborating to define standards and guidance on how these new types of EV-related equipment should be integrated into power systems. There are several technical groups that are concerned with the physical and safety aspects of different types of equipment and others that look at how the different types of EV-related equipment are integrated into the power system.

However, integrating EVs into power systems so that they do not overload the grid and can actually support grid reliability, requires understanding the electric utility perspective. Figure 1 shows the big picture with various types of systems relevant to DERs and EVs.

(<https://standards.iteh.ai>)
Document Preview

[IEC SRD 63460:2025](https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025)

<https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025>




Figure 1 – EV as DER architecture within the larger grid environment

<https://standards.itec.ai/catalog/standards/iec/5ed4669d-4e17-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025>

The IEC has many different groups addressing aspects of EVs and their charging from the grid. For the physical aspects, IEC TC 8 and its subcommittees work on the overall system aspects of electricity supply systems, and IEC TC 120 is responsible for standardization in the field of grid integrated energy storage systems. IEC TC 69 prepares publications related to electrical power/energy transfer systems for electrically propelled road vehicles, including some physical charger/energy connection standards such as IEC 61851. TC 69 has also worked with the ISO to develop charging communication protocols such as the ISO 15118 series and has established joint working groups with other TCs to manage the higher-level charging infrastructure with use cases and communication protocols, currently developing the IEC 63110 series and the IEC 63382 series.

IEC TC 57 has that utility perspective and has developed sophisticated communication and automation standards for power systems control equipment and control centre systems. These standards include IEC 61850 for substations, distribution automation, and more recently DER. The common information model (CIM), covered in IEC 61968, the IEC 61970 series, IEC 62325, is focused on grid management applications and market interactions. In addition, IEC TC 65 has developed some standards describing energy management systems for industrial sites and IEC SC 23K is working on standards for energy management within residential and commercial premises. Complementing these energy standards is IEC TC13 who provides metering standards.

Figure 2 illustrates the different communication standards being applied in the EV domain.




Figure 2 – IEC Standards for EV grid support and charging management

0.4 EV use cases

Many use cases have been developed that focus on the pricing and timing of energy management of charging electric vehicles. Typically, these energy management systems are concerned with optimising the cost of the energy used to charge the vehicles. These use cases rarely address the grid needs of distribution system operators who might need to impose constraints on the grid if the charging loads become too high. However, there is increasing awareness that these grid requirements also need to be take into account as more and more utility customers switch to electric vehicles. This dynamic juxtaposition of growing need for EV charging versus the strain that this charging puts on the grid is an area of growing concern around the world and will require sophisticated and flexible information and communication technologies. Different countries and regions will necessarily involve different business models, but all will need to reflect the challenges posed by such a shift in electrification requirements.

Other use cases and information models, developed more from the grid integration and grid management perspectives, have been developed related to the functions that distributed energy resources (DER) can provide. In particular, these use cases identify how these generation and storage systems can help manage grid voltage and frequency and can even ride through abnormal conditions to possibly avoid power outages. The information models were based on national grid codes originally developed for the integration of bulk generation resources, but now they have been extended to cover smaller distributed energy resources and battery storage. Thus, most of the use case development has already been done – they just need to be expanded to electric vehicle charging – and discharging – systems, thus converting EVs as uncontrolled loads to EVs-as-DERs.

0.5 Purpose of this document

This document describes the architecture and use-cases for EVs to provide grid support functions, or more familiarly called "EV-as-DER". Most of this document will be concerned with identifying realistic EV charging and discharging configurations, and the communication and control between the various actors, grid system operators, aggregators, premises energy management, and EV charging systems. The results from this document will hopefully help to take the grid-support capabilities of EVs into account as other standards are developed.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC SRD 63460:2025](https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025)

<https://standards.iteh.ai/catalog/standards/iec/5cd4669d-4ef7-4f71-989b-0219d1c4b8a2/iec-srd-63460-2025>