



IEC 60204-1

Edition 5.0 2005-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Safety of machinery – Electrical equipment of machines –
Part 1: General requirements

Sécurité des machines – Equipement électrique des machines –
Partie 1: Règles générales

<https://standards.iteh.ai/001bg/standards/iec/f81f1bfd-5e68-40fc-9d86-b34d67e75637/iec-60204-1-2005>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2005 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch

Tel.: +41 22 919 02 11

Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch

Tél.: +41 22 919 02 11

Fax: +41 22 919 03 00



IEC 60204-1

Edition 5.0 2005-10

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Safety of machinery – Electrical equipment of machines –
Part 1: General requirements

Sécurité des machines – Equipement électrique des machines –
Partie 1: Règles générales

<https://standards.iteh.ai/> IEC 60204-1:2005

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XF

ICS 29.020

ISBN 2-8318-8203-6

CONTENTS

FOREWORD	8
INTRODUCTION	9
1 Scope	11
2 Normative references	12
3 Definitions	14
4 General requirements	21
4.1 General considerations	21
4.2 Selection of equipment	22
4.3 Electrical supply	23
4.4 Physical environment and operating conditions	24
4.5 Transportation and storage	26
4.6 Provisions for handling	26
4.7 Installation	26
5 Incoming supply conductor terminations and devices for disconnecting and switching off	26
5.1 Incoming supply conductor terminations	26
5.2 Terminal for connection to the external protective earthing system	27
5.3 Supply disconnecting (isolating) device	27
5.4 Devices for switching off for prevention of unexpected start-up	30
5.5 Devices for disconnecting electrical equipment	30
5.6 Protection against unauthorized, inadvertent and/or mistaken connection	31
6 Protection against electric shock	31
6.1 General	31
6.2 Protection against direct contact	31
6.3 Protection against indirect contact	34
6.4 Protection by the use of PELV	35
7 Protection of equipment	36
7.1 General	36
7.2 Overcurrent protection	36
7.3 Protection of motors against overheating	39
7.4 Abnormal temperature protection	40
7.5 Protection against supply interruption or voltage reduction and subsequent restoration	40
7.6 Motor overspeed protection	41
7.7 Earth fault/residual current protection	41
7.8 Phase sequence protection	41
7.9 Protection against overvoltages due to lightning and to switching surges	41
8 Equipotential bonding	41
8.1 General	41
8.2 Protective bonding circuit	44
8.3 Functional bonding	47
8.4 Measures to limit the effects of high leakage current	47

9	Control circuits and control functions	47
9.1	Control circuits	47
9.2	Control functions	48
9.3	Protective interlocks	53
9.4	Control functions in the event of failure	54
10	Operator interface and machine-mounted control devices	58
10.1	General	58
10.2	Push-buttons	59
10.3	Indicator lights and displays	61
10.4	Illuminated push-buttons	62
10.5	Rotary control devices	62
10.6	Start devices	62
10.7	Emergency stop devices	62
10.8	Emergency switching off devices	63
10.9	Enabling control device	64
11	Controlgear: location, mounting, and enclosures	64
11.1	General requirements	64
11.2	Location and mounting	64
11.3	Degrees of protection	66
11.4	Enclosures, doors and openings	66
11.5	Access to controlgear	67
12	Conductors and cables	68
12.1	General requirements	68
12.2	Conductors	68
12.3	Insulation	69
12.4	Current-carrying capacity in normal service	69
12.5	Conductor and cable voltage drop	70
12.6	Flexible cables	71
12.7	Conductor wires, conductor bars and slip-ring assemblies	72
13	Wiring practices	74
13.1	Connections and routing	74
13.2	Identification of conductors	75
13.3	Wiring inside enclosures	77
13.4	Wiring outside enclosures	77
13.5	Ducts, connection boxes and other boxes	80
14	Electric motors and associated equipment	82
14.1	General requirements	82
14.2	Motor enclosures	83
14.3	Motor dimensions	83
14.4	Motor mounting and compartments	83
14.5	Criteria for motor selection	83
14.6	Protective devices for mechanical brakes	84
15	Accessories and lighting	84
15.1	Accessories	84
15.2	Local lighting of the machine and equipment	84

16	Marking, warning signs and reference designations	85
16.1	General	85
16.2	Warning signs	86
16.3	Functional identification	86
16.4	Marking of equipment	86
16.5	Reference designations	87
17	Technical documentation	87
17.1	General	87
17.2	Information to be provided	87
17.3	Requirements applicable to all documentation	88
17.4	Installation documents	88
17.5	Overview diagrams and function diagrams	89
17.6	Circuit diagrams	89
17.7	Operating manual	90
17.8	Maintenance manual	90
17.9	Parts list	90
18	Verification	90
18.1	General	90
18.2	Verification of conditions for protection by automatic disconnection of supply	91
18.3	Insulation resistance tests	94
18.4	Voltage tests	95
18.5	Protection against residual voltages	95
18.6	Functional tests	95
18.7	Retesting	95
Annex A (normative)	Protection against indirect contact in TN-systems	96
Annex B (informative)	Enquiry form for the electrical equipment of machines	100
Annex C (informative)	Examples of machines covered by this part of IEC 60204	104
Annex D (informative)	Current-carrying capacity and overcurrent protection of conductors and cables in the electrical equipment of machines	106
Annex E (informative)	Explanation of emergency operation functions	112
Annex F (informative)	Guide for the use of this part of IEC 60204	113
Annex G (informative)	Comparison of typical conductor cross-sectional areas	115
Bibliography	117	
Index	119	
Figure 1 – Block diagram of a typical machine	10	
Figure 2 – Example of equipotential bonding for electrical equipment of a machine	43	
Figure 3 – Method a)	57	
Figure 4 – Method b)	57	
Figure A.1 – Typical arrangement for fault loop impedance measurement	99	
Figure D.1 – Methods of conductor and cable installation independent of number of conductors/cables	107	
Figure D.2 – Parameters of conductors and protective devices	109	

Table 1 – Minimum cross-sectional area of the external protective copper conductor	27
Table 2 – Colour-coding for push-button actuators and their meanings	60
Table 3 – Symbols for push-buttons	60
Table 4 – Colours for indicator lights and their meanings with respect to the condition of the machine	61
Table 5 – Minimum cross-sectional areas of copper conductors.....	68
Table 6 – Examples of current-carrying capacity (I_Z) of PVC insulated copper conductors or cables under steady-state conditions in an ambient air temperature of +40 °C for different methods of installation	70
Table 7 – Derating factors for cables wound on drums.....	72
Table 8 – Minimum permitted bending radii for the forced guiding of flexible cables	79
Table 9 – Application of the test methods for TN-systems	93
Table 10 – Examples of maximum cable length from each protective device to its load	94
Table A.1 – Maximum disconnecting times for TN systems	96
Table D.1 – Correction factors.....	106
Table D.2 – Derating factors from I_Z for grouping	108
Table D.3 – Derating factors from I_Z for multicore cables up to 10 mm ²	108
Table D.4 – Classification of conductors	109
Table D.5 – Maximum allowable conductor temperatures under normal and short-circuit conditions	110
Table F.1 – Application options	114
Table G.1 – Comparison of conductor sizes.....	115

<https://standards.iteh.ai/> IEC 60204-1:2005

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SAFETY OF MACHINERY – ELECTRICAL EQUIPMENT OF MACHINES –

Part 1: General requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60204-1 has been prepared by technical committee 44: Safety of machinery – Electrotechnical aspects.

This fifth edition cancels and replaces the fourth edition issued in 1997 and Amendment 1 (1999). This edition constitutes a technical revision. It incorporates material from the fourth edition, amended to provide general requirements for machines, including mobile machines and complex (for example large) machine installations.

The text of this standard is based on the following documents:

FDIS	Report on voting
44/494/FDIS	44/502/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The following differences exist in some countries:

- 4.3.1: The voltage characteristics of electricity supplied by public distribution systems in Europe are given in EN 50160:1999.
- 5.1: Exception is not allowed (USA).
- 5.1: TN-C systems are not permitted in low-voltage installations in buildings (Norway).
- 5.2: Terminals for the connection of the protective earthing conductors may be identified by the colour green, the letters “G” or “GR” or “GRD” or “GND”, or the word “ground” or “grounding”, or with the graphical symbol IEC 60417-5019 (DB: 2002-10) or any combination (USA).
- 6.3.3 b), 13.4.5 b), 18.2.1: TT power systems are not allowed (USA).
- 7.2.3: Disconnection of the neutral conductor is mandatory in a TN-S system (France and Norway).
- 7.2.3: Third paragraph: distribution of a neutral conductor with an IT system is not allowed (USA and Norway).
- 9.1.2: Maximum nominal a.c. control circuit voltage is 120 V (USA).
- 12.2: Only stranded conductors are allowed on machines, except for 0,2 mm² solid conductors within enclosures (USA).
- 12.2: The smallest power circuit conductor allowed on machines is 0,82 mm² (AWG 18) in multiconductor cables or in enclosures (USA).
- Table 5: Cross-sectional area is specified in ANSI/NFPA 79 using American Wire Gauge (AWG) (USA). See Annex G.
- 13.2.2: For the protective conductor, the colour identification GREEN (with or without YELLOW stripes) is used as equivalent to the bicolour combination GREEN-AND-YELLOW (USA and Canada).
- 13.2.3: The colour identification WHITE or GREY is used for earthed neutral conductors instead of the colour identification BLUE (USA and Canada).
- 15.2.2: First paragraph: Maximum value between conductors 150 V (USA).
- 15.2.2: 2nd paragraph, 5th bullet: The full load current rating of lighting circuits does not exceed 15 A (USA).
- 16.4: Nameplate marking requirements (USA).

IEC 60204 consists of the following parts, under the general title *Safety of machinery – Electrical equipment of machines*:

- Part 1: General requirements
- Part 11: Requirements for HV equipment for voltages above 1 000 V a.c. or 1 500 V d.c. and not exceeding 36 kV
- Part 31: Particular safety and EMC requirements for sewing machines, units and systems
- Part 32: Requirements for hoisting machines
- Part 33: Particular requirements for semiconductor manufacturing equipment¹

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

<https://standards.iteh.ai/> <https://standards.iteh.ai/iec-60204-1:2005>

¹ Under consideration.

INTRODUCTION

This part of IEC 60204 provides requirements and recommendations relating to the electrical equipment of machines so as to promote:

- safety of persons and property;
- consistency of control response;
- ease of maintenance.

More guidance on the use of this part of IEC 60204 is given in Annex F.

Figure 1 has been provided as an aid to the understanding of the inter-relationship of the various elements of a machine and its associated equipment. Figure 1 is a block diagram of a typical machine and associated equipment showing the various elements of the electrical equipment addressed in this part of IEC 60204. Numbers in parentheses () refer to Clauses and Subclauses in this part of IEC 60204. It is understood in Figure 1 that all of the elements taken together including the safeguards, tooling/fixturing, software, and the documentation, constitute the machine, and that one or more machines working together with usually at least one level of supervisory control constitute a manufacturing cell or system.

iTea Standards
(<https://standards.iteh.ai>)
Document Preview
<https://standards.iteh.ai/001bg/standards/iec/f81fbfd-5e68-40fc-9d86-b34d67e75637/iec-60204-1-2005>
IEC 60204-1:2005




Figure 1 – Block diagram of a typical machine

SAFETY OF MACHINERY – ELECTRICAL EQUIPMENT OF MACHINES –

Part 1: General requirements

1 Scope

This part of IEC 60204 applies to the application of electrical, electronic and programmable electronic equipment and systems to machines not portable by hand while working, including a group of machines working together in a co-ordinated manner.

NOTE 1 This part of IEC 60204 is an application standard and is not intended to limit or inhibit technological advancement.

NOTE 2 In this part of IEC 60204, the term *electrical* includes electrical, electronic and programmable electronic matters (i.e. *electrical equipment* means electrical, electronic and programmable electronic equipment).

NOTE 3 In the context of this part of IEC 60204, the term *person* refers to any individual and includes those persons who are assigned and instructed by the user or his agent(s) in the use and care of the machine in question.

The equipment covered by this part of IEC 60204 commences at the point of connection of the supply to the electrical equipment of the machine (see 5.1).

NOTE 4 The requirements for the electrical supply installation in buildings are given in the IEC 60364 series.

This part of IEC 60204 is applicable to the electrical equipment or parts of the electrical equipment that operate with nominal supply voltages not exceeding 1 000 V for alternating current (a.c.) and not exceeding 1 500 V for direct current (d.c.), and with nominal supply frequencies not exceeding 200 Hz.

NOTE 5 For higher voltages, see IEC 60204-11.

This part of IEC 60204 does not cover all the requirements (for example guarding, interlocking, or control) that are needed or required by other standards or regulations in order to protect persons from hazards other than electrical hazards. Each type of machine has unique requirements to be accommodated to provide adequate safety.

This part specifically includes, but is not limited to, the electrical equipment of machines as defined in 3.35.

NOTE 6 Annex C lists examples of machines whose electrical equipment can be covered by this part of IEC 60204.

This part of IEC 60204 does not specify additional and special requirements that can apply to the electrical equipment of machines that, for example:

- are intended for use in open air (i.e. outside buildings or other protective structures);
- use, process, or produce potentially explosive material (for example paint or sawdust);
- are intended for use in potentially explosive and/or flammable atmospheres;
- have special risks when producing or using certain materials;
- are intended for use in mines;

- are sewing machines, units, and systems (which are covered by IEC 60204-31);
- are hoisting machines (which are covered by IEC 60204-32).

Power circuits where electrical energy is directly used as a working tool are excluded from this part of IEC 60204.

2 Normative references

The following referenced documents are indispensable for the application of this part of IEC 60204. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-5, *Rotating electrical machines – Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) – Classification*

IEC 60034-11, *Rotating electrical machines – Part 11: Thermal protection*

IEC 60072-1, *Dimensions and output series for rotating electrical machines – Part 1: Frame numbers 56 to 400 and flange numbers 55 to 1 080*

IEC 60072-2, *Dimensions and output series for rotating electrical machines – Part 2: Frame numbers 355 to 1 000 and flange numbers 1 180 to 2 360*

IEC 60073:2002, *Basic and safety principles for man-machine interface, marking and identification – Coding principles for indicators and actuators*

IEC 60309-1:1999, *Plugs, socket-outlets, and couplers for industrial purposes – Part 1: General requirements*

IEC 60364-4-41:2001, *Electrical installations of buildings – Part 4-41: Protection for safety – Protection against electric shock*

<https://standards.iec.ch/online-standards/iec/81f1bfd-5e68-40fc-9d86-b34d67e75637/iec-60204-1-2005>

IEC 60364-4-43:2001, *Electrical installations of buildings – Part 4-43: Protection for safety – Protection against overcurrent*

IEC 60364-5-52:2001, *Electrical installations of buildings – Part 5-52: Selection and erection of electrical equipment – Wiring systems*

IEC 60364-5-53:2002, *Electrical installations of buildings – Part 5-53: Selection and erection of electrical equipment – Isolation, switching and control*

IEC 60364-5-54:2002, *Electrical installations of buildings – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements, protective conductors and protective bonding conductors*

IEC 60364-6-61:2001, *Electrical installations of buildings – Part 6-61: Verification – Initial verification*

IEC 60417-DB:2002², *Graphical symbols for use on equipment*

² “DB” refers to the IEC on-line database.