

Edition 3.0 2024-12 REDLINE VERSION

# INTERNATIONAL STANDARD



Boxes and enclosures for electrical accessories for household and similar fixed electrical installations –

Part 1: General requirements / Standards.iteh.ai)

## Document Preview

IEC 60670-1:2024

https://standards.iteh.ai/catalog/standards/jec/411e9c20-362a-4196-b0c2-deaee657054c/jec-60670-1-2024





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Secretariat** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 3.0 2024-12 REDLINE VERSION

# INTERNATIONAL **STANDARD**



Boxes and enclosures for electrical accessories for household and similar fixed electrical installations -Part 1: General requirements Standards.iteh.ai)

INTERNATIONAL **ELECTROTECHNICAL COMMISSION** 

ICS 29.120.10 ISBN 978-2-8327-0093-8

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

F	OREWO	)RD	5
1	Scop	pe	8
2	Norn	native references	8
3	Term	ns and definitions	9
4	Gene	eral requirements	13
5		eral <del>-notes</del> remarks on tests	
Ü	5.1	Test conditions and number of samples	
	5.2	Compliance general requirement	
6		ngs	
7		sification	
-			
8		ing	
	8.1	General	
_	8.2	Durability of the marking on the boxes and enclosures	
9		ensions	
10		ection against electric shock	
1	1 Prov	ision for earthing	20
	11.1	Boxes and enclosures with exposed conductive parts	20
	11.2	Boxes and enclosures of insulating material classified according to 7.2.2.2 and 7.2.2.3	20
	11.3	Boxes or enclosures with removable sides according to 7.1.2	
	11.4	Earthing terminal threads	
12	2 Cons	structionDocument Preview	
	12.1	General	
	12.2	Lids, covers or cover-plates or parts of them	
	tan12.2	1 iteh General og/standards/jec/411e9c20-362a-4196-b0c2-deaee657054c/jec-60	
	12.2	.2 Screw-type fixing	23
	12.2		
	12.2	.4 Non-screw-type fixing operable with the use of a tool or a key	31
	12.3	Drain holes	31
	12.4	Mounting of enclosures	31
	12.5	Boxes and enclosures with inlets for flexible cables	32
	12.6	Boxes and enclosures with inlets for applications other than flexible cables	32
	12.7	Boxes and enclosures with a cable anchorage(s)	32
	12.8	Boxes and enclosures with cable retention means	34
	12.9	Knock-outs intended to be removed by mechanical impact	35
	12.9	.1 General	35
	12.9	.2 Knock-out retention	35
	12.9	.3 Knock-out removal	35
	12.9	S .	
		Screw fixings	
	12.11	Fixing of boxes and enclosures classified according to 7.2.1	37
	12.12	Fixing of flush type and semi-flush type boxes and enclosures classified according to 7.2.2.1	40
	12.13	Boxes and enclosures classified according to 7.2.2.2 and 7.2.2.3	
	12.1	-	
	12.1		

12	10.0 Boxes interior in incurring to a wooden structural member of a centing.	72
12	13.4 Boxes intended for mounting to a steel-stud structural member of a wall .	42
12	13.5 Internal volume of boxes and enclosures classified according to 7.2.2.2 and 7.2.2.3	43
12	13.6 Boxes intended for mounting in a finished structure	44
12.1	4 Cable gland entry	
12.1	5 Boxes and enclosures with inlets <del> (outlets)</del> or spouts (hubs) for conduits	45
	6 Internal volume of boxes and enclosures	
13 Re		
13.1	Resistance to ageing	
13.2		
13.3		
	ulation resistance and electric strength	
	chanical strength	
	· ·	
15.1	General	
15.2	·	
15.3	•	
15.4	•	60
15.5	mixture of both	
15.6	Test for boxes and enclosures declared with IK code	67
6 Resistance to heat		67
16.1	Parts of insulating material necessary to retain current-carrying parts	67
16.2		
16.3		
16	3.1 Mechanical strength	
16	3.2 Parts of insulating material necessary to retain parts of the earthing circuit	
17 Cr	eepage distances, clearances and distances through sealing compound	
	sistance of insulating material to abnormal heat and fire	
	sistance to tracking	
	sistance to corrosion	
21 Ele	ectromagnetic compatibility (EMC)	72
Annex A	A (informative) Examples of enclosures and parts thereof	73
Annex I	3 (normative) Test for boxes and enclosures declared with IK code	74
Bibliogr	aphy	75
igure	1 – Examples of membranes and grommets	12
igure	2 – Test piston dimensions	18
- igure	3 – Demonstration of the non-penetration of the internal volume	19
	4 – Earthing strap	
_	5 – Test strap	
_		
•	6 – Arrangement for test on covers or cover-plates (see 12.2.3.2 and 12.2.3.3)	
Figure 1	7 - Gauge for the verification of the outline of lids, covers or cover-plates	27

Figure 8 – Examples of application of the gauge of Figure 7 on covers fixed without screws on a mounting surface or supporting surface	28
Figure 9 – Compliance criteria of application of the gauge of Figure 7	29
Figure 10 – Gauge for verification of grooves, holes and reverse tapers	30
Figure 11 – Sketch showing the direction of application of the gauge of Figure 10	31
Figure 12 – Apparatus for testing the cable anchorage	34
Figure 13 – Example of mounting block for boxes to be embedded in masonry (flush type and semi-flush type)	39
Figure 14 – Example of the fixing of the auxiliary device mounted on a specimen	39
Figure 15 – Example of test apparatus for the test	40
Figure 16 – Verification of fixing means for boxes and enclosures classified according to 7.2.2.1	41
Figure 17 – Test of the force and measurement of the displacement	43
Figure 18 – Volume measurement	46
Figure 19 – Reference surfaces for boxes and enclosures	50
Figure 20 – Test wall	52
Figure 21 – Example of the protected volume	54
Figure 22 – Apparatus for impact test at low temperature	59
Figure 23 – Mounting block for flush-type boxes and enclosures in order to apply blows on the rear surface	61
Figure 24 – Sequence of blows for parts A, B, C, D, E, F and G	64
Figure 25 – Test devices for load compression test for enclosures made of natural or synthetic rubber or a mixture of both	67
Figure 26 – Rigid crossbar	69
Figure 27 – Diagrammatic representation of the glow-wire test	71
Figure A.1 – Examples of enclosures and parts thereof	73 7070-1-2
Table 1 – Classification of boxes and enclosures	15
Table 2 – Forces to be applied to lids, covers, cover-plates or actuating members whose fixing is not dependent on screws	24
Table 3 – Forces and torques to be applied to cable anchorages	33
Table 4 – Tightening torques for the verification of the mechanical strength of screws	37
Table 5 – Torque test values for cable glands	44
Table 6 – Test voltage for electric strength test	56
Table 7 – Determination of parts A, B, C, D E, F and G	61
Table 8 – Height of fall for impact test	62

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# BOXES AND ENCLOSURES FOR ELECTRICAL ACCESSORIES FOR HOUSEHOLD AND SIMILAR FIXED ELECTRICAL INSTALLATIONS –

#### Part 1: General requirements

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60670-1:2015. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60670-1 has been prepared by subcommittee 23B: Plugs, socket-outlets and switches, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the classifications, markings and tests of boxes and enclosures for use and installation in ambient temperature below normal use are modified;
- b) the test for the durability of markings is modified;
- c) a test is added for fixing screws protected by caps;
- d) a normative annex is added to specify the tests applied to boxes and enclosures declared with an IK code:
- e) requirements for the resistance to abnormal heat and fire of internal parts not necessary to retain current carrying parts are specified.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23B/1533/FDIS	23B/1551/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

In this publication the following print types are used:

- requirements proper: in roman type.
- test specifications: in italic type.
- notes: in smaller roman type.

A list of all parts in the IEC 60670 series, published under the general title *Boxes and enclosures* for electrical accessories for household and similar fixed installations, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60670-1:2024

https://standards.iteh.ai/catalog/standards/iec/411e9c20-362a-4196-b0c2-deaee657054c/iec-60670-1-2024

# BOXES AND ENCLOSURES FOR ELECTRICAL ACCESSORIES FOR HOUSEHOLD AND SIMILAR FIXED ELECTRICAL INSTALLATIONS –

### Part 1: General requirements

#### 1 Scope

This part of IEC 60670 applies to boxes, enclosures and parts of enclosures (hereafter called "boxes" and "enclosures") for electrical accessories with a rated voltage not exceeding 1 000 V AC and 1 500 V DC intended for household or similar fixed electrical installations, either indoors or outdoors.

Boxes and enclosures complying with this document are suitable for use at ambient temperatures not normally exceeding +40  $^{\circ}$ C, but their average over a period of 24 h does not exceed +35  $^{\circ}$ C, with a lower limit of the ambient air temperature of -5  $^{\circ}$ C.

During the installation the temperature may be outside the above temperature range according to the classification of the boxes and the enclosures.

Other temperatures outside the above range can apply according to the classification of the boxes and the enclosures.

This document is intended to apply to boxes and enclosures for electrical accessories within the scope of IEC technical committee 23.

This standard may be used as a reference document for other IEC technical committees and subcommittees.

A box or an enclosure which is an integral part of an electrical accessory and provides protection for that accessory against external influences (for example mechanical impact, ingress of solid objects or water, etc.) is covered by the relevant standard for such an accessory.

This document gives test requirements for boxes and enclosures declared with IK code, see Annex B (normative).

This document also applies to types of boxes and enclosures as modified in IEC 60670-21, IEC 60670-22, IEC 60670-23, and IEC 60670-24.

This document does not apply to:

- ceiling roses;
- luminaire supporting couplers;
- boxes, enclosures and parts of enclosures specifically designed to be used for cable trunking and ducting systems complying with IEC 61084 and which are not intended to be installed outside of these systems.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-75:<del>1997 12014</del>, Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests

IEC 60112:<del>2003</del>2020, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60417, *Graphical symbols for use on equipment,* available at http://www.graphical-symbols.info/equipment

IEC 60423:2007, Conduit systems for cable management – Outside diameters of conduits for electrical installations and threads for conduits and fittings

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60695-2-11:2000<sup>2</sup>2021, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products

IEC 60695-10-2:<del>2003</del><sup>3</sup>2014, Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test

IEC 60981:20042019, Extra-heavy duty rigid steel conduits

IEC 61032:1997, Protection of persons and equipment by enclosures – Probes for verification

IEC 61140:<del>2001</del>2016, Protection against electric shock – Common aspects for installation and equipment

IEC 61140:2001/AMD1:2004, Protection against electric shock - Common aspects for installation and equipment

IEC 62262:2002, Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)
IEC 62262:2002/AMD1:2021

ISO/IEC Guide 51, Safety aspects - Guidelines for their inclusion in standards

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

First edition. This edition has been replaced in 2014 by IEC 60068-2-75:2014, Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests

<sup>&</sup>lt;sup>2</sup> First edition. This edition has been replaced in 2014 by IEC 60695-2-11:2014, Fire hazard testing — Part 2-11: Glowing/hot-wire based test methods — Glow-wire flammability test method for end-products (GWEPT)

Second edition. This edition has been replaced in 2014 by IEC 60695-10-2:2014, Fire hazard testing - Part 10-2: Abnormal heat - Ball pressure test method

#### 3.1

#### enclosure

combination of parts, such as boxes, backplates, covers, cover-plates, lids, box extensions, accessories, etc., providing after assembly and installation as in normal use, an appropriate protection against external influences, and a defined protection against contact with enclosed live parts from any accessible direction

Note 1 to entry: See Annex A.

#### 3.2

#### box

part of an enclosure provided with means for fixing a cover, cover-plate, accessory, etc., and intended to receive accessories (such as socket-outlets, switches, etc.)

Note 1 to entry: The accessory can be entirely or partly inside the enclosure.

#### 3.3

#### box extension

part of an enclosure which is intended to extend a box for the purpose of either increasing the internal volume of the box or enclosure or to adjust for mounting the box flush or semi-flush with the finished surface of a wall or the like

#### 3.4

#### backplate

part of a surface mounting enclosure provided with means for fixing a cover, cover-plate, accessory (such as socket-outlets, switches, etc)

#### 3.5

#### lid

#### cover

#### cover-plate

part of an enclosure, not integral with or part of an accessory, which may either retain an accessory in position or enclose it  $_{\rm LEC,60670,120024}$ 

#### //standards.iteh.ai/catalog/standards/iec/411e9c20-362a-4196-b0c2-deaee657054c/iec-60670-1-202/ **3.6**

## raised cover

cover intended for mounting directly onto a box to provide for the attachment of accessories and to increase the internal volume of the enclosure

Note 1 to entry: The centre portion of the cover is raised to accommodate a specific wall or ceiling thickness and to permit the mounting of the accessory on it, flush with the surface of the wall or ceiling.

#### 3.7

#### exposed conductive part

conductive part of electrical equipment, which can be touched, and which is not normally live, but which can become live when basic insulation fails

#### 3.8

## surface mounting enclosure surface mounting box

box or enclosure which is intended for mounting on a surface

Note 1 to entry: See Annex A.

#### 3.9

### flush-mounting box

#### flush-mounting enclosure

box or enclosure which is intended for mounting flush with the surface

Note 1 to entry: See Annex A.

#### 3.10

### semi-flush mounting box

#### semi-flush mounting enclosure

box or enclosure which is intended to fit within a mounting surface and partially projects from the mounting surface

#### 3.11

#### cable gland

device designed to permit the entry of a cable, flexible cable or insulated conductor into an enclosure, and which provides sealing and retention and eventually may also provide other functions such as earthing, bonding, insulation, cable guarding, strain relief or a combination of these

#### 3.12

#### seal

material used to fill up the space between the inside of a gland and the cable passing through, usually compressed by the gland and thereby forming a joint

#### 3.13

#### gasket

material introduced between mating surfaces of an enclosure which—in when under compression forms a joint

#### 3.14

#### grommet


component used to support and protect the cable or conduit at the point of entry; it may also prevent the ingress of moisture or contaminants

Note 1 to entry: See Figure 1.

[SOURCE: IEC 60050-581:2008, 581-27-19, modified – The words "part of", "or an accessory" and "wires or" have been omitted from the definition and "or conduit" added; Note 1 to entry added.]

IEC 60670-1:2024

https://standards.iteh.ai/catalog/standards/iec/411e9c20-362a-4196-b0c2-deaee657054c/iec-60670-1-2024




#### Key

- 4 box
- 2 entry membrane
- 3 enclosure
- 4 protective membrane

## iTeh Standards

5 grommet

https://standards.iteh.ai)



#### Key

- 1 box
- 2 entry membrane
- 3 enclosure
- 4 protective membrane
- 5 grommet
- 6 electrical accessory

Figure 1 - Examples of membranes and grommets