



SLOVENSKI STANDARD

SIST ETS 300 599 E9:2003

01-december-2003

8][JhUb]W] b] hYY_ca i b] UWg] g]ghYa fUhU&L! GdYWz UWUXYUnUa cVjbY
Ud] UWYfA 5 Dlf, GA \$- '\$&fUh]]W("% "L

Digital cellular telecommunications system (Phase 2) (GSM); Mobile Application Part (MAP) specification (GSM 09.02 version 4.19.1)

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Ta slovenski standard je istoveten z: SIST ETS 300 599 E9:2003
<https://standards.iteh.ai/catalog/standards/sist/1ad43503-c51a-44f6-8573-0dd73c87866c/sist-ets-300-599-e9-2003>

ICS:

33.070.50	Globalni sistem za mobilno telekomunikacijo (GSM)	Global System for Mobile Communication (GSM)
-----------	---	--

SIST ETS 300 599 E9:2003

en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST ETS 300 599 E9:2003
<https://standards.iteh.ai/catalog/standards/sist/1ad43503-c5fa-44f6-8573-0dd73c87866c/sist-ets-300-599-e9-2003>



EUROPEAN TELECOMMUNICATION STANDARD

ETS 300 599

December 2000

Ninth Edition

Source: GSM

Reference: RE/TSGN-040902PR9

ICS: 33.020

Key words: Digital cellular telecommunications system, Global System for Mobile communications (GSM)



iTeh STANDARD PREVIEW Digital cellular telecommunications system (Phase 2); Mobile Application Part (MAP) specification

SIST ETS 300 599 E9:2003
<https://standards.etsi.org/standards/0902dsver4191/0902ver4191-00d73c87866c/sist-ets-300-599-e9-2003>

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE
Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE
Internet: secretariat@etsi.fr - <http://www.etsi.org>

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000. All rights reserved.

Page 2

ETS 300 599: December 2000 (GSM 09.02 version 4.19.1)

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 599 E9:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/1ad43503-c5fa-44f6-8573-0dd73c87866c/sist-ets-300-599-e9-2003>

Contents

Foreword.....	19
1 Scope	21
1.1 Normative references.....	21
1.2 Abbreviations	26
2 Configuration of the mobile network.....	27
2.1 The entities of the mobile system	27
2.1.1 The Home Location Register (HLR)	27
2.1.2 The Visitor Location Register (VLR).....	27
2.1.3 The Mobile-services Switching Centre (MSC)	28
2.1.4 The Base Station System (BSS)	28
2.1.5 The Gateway MSC (GMSC).....	28
2.1.6 The SMS Gateway MSC	28
2.1.7 The SMS Interworking MSC.....	28
2.1.8 The Equipment Identity Register (EIR).....	28
2.2 Configuration of a Public Land Mobile Network (PLMN)	28
2.3 Interconnection between PLMNs	29
2.4 The interfaces within the mobile service.....	29
2.4.1 Interface between the HLR and the VLR (D-interface)	29
2.4.2 [Spare]	29
2.4.3 Interface between the VLR and its associated MSC(s) (B-interface).....	29
2.4.4 Interface between VLRs (G-interface).....	29
2.4.5 Interface between the HLR and the MSC (C-interface)	29
2.4.6 Interface between MSCs (E-interface)	29
2.4.7 Interface between the MSC and Base Station Systems (A-interface)	30
2.4.8 Interface between MSC and EIR (F-interface).....	30
2.5 Splitting of the data storage	30
3 Overload and compatibility overview.....	32
3.1 Overload control.....	32
3.1.1 Overload control for MSC (outside MAP)	32
3.1.2 Overload control for MAP entities.....	32
3.1.3 Congestion control for Signalling System No. 7	35
3.2 Compatibility.....	35
3.2.1 General.....	35
3.2.2 Strategy for selecting the Application Context (AC) version	35
3.2.2.1 Proposed method	35
3.2.2.2 Managing the version look-up table.....	36
3.2.2.3 Optimizing the method.....	37
4 Requirements concerning the use of SCCP and TC.....	38
4.1 Use of SCCP.....	38
4.1.1 SCCP Class.....	38
4.1.2 Sub-System Number (SSN)	38
4.1.3 SCCP addressing	38
4.1.3.1 Introduction	38
4.1.3.2 The Mobile-services Switching Centre (MSC)	40
4.1.3.2.1 MSC interaction during handover	40
4.1.3.2.2 MSC for short message routing	40
4.1.3.3 The Home Location Register (HLR)	40
4.1.3.3.1 During call set-up	40
4.1.3.3.2 Before location updating completion....	40
4.1.3.3.3 After location updating completion.....	41
4.1.3.3.4 VLR restoration	41
4.1.3.4 The Visitor Location Register (VLR)	41

4.1.3.4.1	Inter-VLR information retrieval	41
4.1.3.4.2	HLR request	42
4.1.3.5	The Interworking MSC (IWMSC) for Short Message Service	42
4.1.3.6	The Equipment Identity Register (EIR)	42
4.1.3.7	Summary table	43
4.2	Use of TC	44
5	General on MAP services	46
5.1	Terminology and definitions	46
5.2	Modelling principles	46
5.3	Common MAP services	47
5.3.1	MAP-OPEN service	48
5.3.2	MAP-CLOSE service	51
5.3.3	MAP-DELIMITER service	51
5.3.4	MAP-U-ABORT service	52
5.3.5	MAP-P-ABORT service	53
5.3.6	MAP-NOTICE service	55
5.4	Sequencing of services	55
5.5	General rules for mapping of services onto TC	57
5.5.1	Mapping of common services	57
5.5.2	Mapping of user specific services	59
5.6	Definition of parameters	59
5.6.1	Common parameters	61
5.6.1.1	Invoke Id	61
5.6.1.2	Linked Id	61
5.6.1.3	Provider error	61
5.6.1.4	User error	61
5.6.2	Numbering and identification parameter	65
5.6.2.1	IMSI	65
5.6.2.2	TMSI	65
5.6.2.3	IMEI	65
5.6.2.4	Previous location areaId	65
5.6.2.5	Stored location area Id ^{43.503.456.446.8573}	65
5.6.2.6	0dd799a6f9d999999999999999999999	65
5.6.2.7	Target location area Id	65
5.6.2.8	Target cell Id	65
5.6.2.9	[Spare]	65
5.6.2.10	Originating entity number	65
5.6.2.11	MSC number	65
5.6.2.12	Target MSC number	65
5.6.2.13	HLR number	65
5.6.2.14	VLR number	66
5.6.2.15	HLR Id	66
5.6.2.16	LMSI	66
5.6.2.17	MS ISDN	66
5.6.2.18	OMC Id	66
5.6.2.19	Roaming number	66
5.6.2.20	[Spare]	66
5.6.2.21	Handover number	66
5.6.2.22	Forwarded-to number	66
5.6.2.23	Forwarded-to subaddress	66
5.6.2.24	Called number	66
5.6.2.25	Calling number	66
5.6.2.26	Originally dialled number	67
5.6.2.27	Service centre address	67
5.6.2.28	Zone Code	67
5.6.2.29	MSIsdn-Alert	67
5.6.3	Subscriber management parameters	67
5.6.3.1	Category	67
5.6.3.2	Equipment status	67
5.6.3.3	Bearer service	67
5.6.3.4	Teleservice	67

5.6.3.5	Basic Service Group	67
5.6.3.6	GSM bearer capability	67
5.6.3.7	Subscriber Status	67
5.6.3.8	CUG Outgoing Access indicator	68
5.6.3.9	Operator Determined Barring General Data.....	68
5.6.3.10	ODB HPLMN Specific Data	68
5.6.3.11	Regional Subscription Data	68
5.6.3.12	Regional Subscription Response	68
5.6.3.13	Roaming Restriction Due To Unsupported Feature	68
5.6.4	Supplementary services parameters.....	69
5.6.4.1	SS-Code	69
5.6.4.2	SS-Status.....	69
5.6.4.3	SS-Data	69
5.6.4.4	Override Category	69
5.6.4.5	CLI Restriction Option.....	70
5.6.4.6	Forwarding Options	70
5.6.4.7	No reply condition timer.....	70
5.6.4.8	CUG info	70
5.6.4.9	CUG subscription.....	70
5.6.4.10	CUG interlock	70
5.6.4.11	CUG index	70
5.6.4.12	CUG feature.....	71
5.6.4.13	Inter CUG options	71
5.6.4.14	Intra CUG restrictions	71
5.6.4.15	Forwarding information	71
5.6.4.16	Forwarding feature.....	72
5.6.4.17	Forwarding data	72
5.6.4.18	Call barring information.....	72
5.6.4.19	Call barring feature	72
5.6.4.20	New password	72
5.6.4.21	Current password	72
5.6.4.22	Guidance information.....	73
5.6.4.23	[Spare] E9:2003.....	73
5.6.4.24	SS-Info [Spare] E9:2003.....	73
5.6.4.25-5.6.4.35	[Spare] E9:2003.....	73
5.6.4.36	USSD Data Coding Scheme.....	73
5.6.4.37	USSD String.....	73
5.6.5	Call parameters	74
5.6.5.1	Call reference	74
5.6.6	Radio parameters	74
5.6.6.1- 5.6.6.6	[Spare].....	74
5.6.6.7	HO-Number Not Required	74
5.6.7	Authentication parameters	74
5.6.7.1	Authentication set list.....	74
5.6.7.2	Rand	74
5.6.7.3	Sres.....	74
5.6.7.4	Kc.....	74
5.6.7.5	[Spare]	74
5.6.7.6	Cksn.....	74
5.6.7.7	Ciphering mode	74
5.6.8	Short message parameters	75
5.6.8.1	SM-RP-DA	75
5.6.8.2	SM-RP-OA.....	75
5.6.8.3	MWD status	75
5.6.8.4	SM-RP-UI.....	75
5.6.8.5	SM-RP-PRI	75
5.6.8.6	SM Delivery Outcome.....	75
5.6.8.7	More Messages To Send.....	75
5.6.8.8	Alert Reason	76
5.6.9	Access and signalling system related parameters	76
5.6.9.1	BSS-apdu.....	76
5.6.9.2	CM service type	76
5.6.9.3	Access connection status	76

iTeh's
STANDARDS REVIEW
(Standards Tehai)

<https://standards.tehais.com/catalog/stdcatalog/1/td43503-c56-446-8573>

<https://standards.tehais.com/catalog/stdcatalog/1/td43503-c56-446-8573>

5.6.9.4	External Signal Information.....	76
5.6.9.5	Access signalling information.....	76
5.6.9.6	Location update type.....	76
5.6.9.7	Protocol ID.....	77
5.6.9.8	Network signal information.....	77
5.6.10	System operations parameters.....	78
5.6.10.1	Network resources	78
5.6.10.2	Trace reference	78
5.6.10.3	Trace type	78
5.7	Representation of a list of a basic parameter in service-primitives.....	78
6	Mobility services.....	79
6.1	Location management services.....	79
6.1.1	MAP_UPDATE_LOCATION_AREA service.....	79
6.1.1.1	Definition	79
6.1.1.2	Service primitives	79
6.1.1.3	parameter definitions and use.....	79
6.1.2	MAP_UPDATE_LOCATION service.....	81
6.1.2.1	Definition	81
6.1.2.2	Service primitives	81
6.1.2.3	Parameter definitions and use	81
6.1.3	MAP_CANCEL_LOCATION service.....	83
6.1.3.1	Definition	83
6.1.3.2	Service primitives	83
6.1.3.3	Parameter definitions and use	83
6.1.4	MAP_SEND_IDENTIFICATION service.....	84
6.1.4.1	Definition	84
6.1.4.2	Service primitives	84
6.1.4.3	Parameter definitions and use	84
6.1.5	MAP_DETACH_IMSI service.....	85
6.1.5.1	Definition	85
6.1.5.2	Service primitives	85
6.1.5.3	Parameter definitions and use	85
6.1.6	MAP_PURGE_MS service.....	86
6.1.6.1	Definition	86
6.1.6.2	Service primitives	86
6.1.6.3	Parameter definitions and use	86
6.2	Paging and search	87
6.2.1	MAP_PAGE service.....	87
6.2.1.1	Definition	87
6.2.1.2	Service primitives	87
6.2.1.3	Parameter definitions and use	87
6.2.2	MAP_SEARCH_FOR_MS service.....	89
6.2.2.1	Definition	89
6.2.2.2	Service primitives	89
6.2.2.3	Parameter definitions and use	89
6.3	Access management services.....	90
6.3.1	MAP_PROCESS_ACCESS_REQUEST service.....	90
6.3.1.1	Definition	90
6.3.1.2	Service primitives	90
6.3.1.3	Parameter definitions and use	90
6.4	Handover services.....	92
6.4.1	MAP_PREPARE_HANDOVER service.....	92
6.4.1.1	Definition	92
6.4.1.2	Service primitives	92
6.4.1.3	Parameter use.....	92
6.4.2	MAP_SEND_END_SIGNAL service.....	94
6.4.2.1	Definition	94
6.4.2.2	Service primitives	94
6.4.2.3	Parameter use.....	94
6.4.3	MAP_PROCESS_ACCESS_SIGNALLING service	95
6.4.3.1	Definition	95
6.4.3.2	Service primitives	95

6.4.4	6.4.3.3	Parameter use	95
	MAP_FORWARD_ACCESS_SIGNALLING service	96	
	6.4.4.1	Definition	96
	6.4.4.2	Service primitives.....	96
	6.4.4.3	Parameter use	96
6.4.5	MAP_PREPARE_SUBSEQUENT_HANDOVER service.....	97	
	6.4.5.1	Definition	97
	6.4.5.2	Service primitives.....	97
	6.4.5.3	Parameter use	97
6.4.6	MAP_ALLOCATE_HANDOVER_NUMBER service	98	
	6.4.6.1	Definition	98
	6.4.6.2	Service primitives.....	98
	6.4.6.3	Parameter use	98
6.4.7	MAP_SEND_HANDOVER_REPORT service.....	99	
	6.4.7.1	Definition	99
	6.4.7.2	Service primitives.....	99
	6.4.7.3	Parameter use	99
6.5	Authentication management services	100	
6.5.1	MAP_AUTHENTICATE service.....	100	
	6.5.1.1	Definition	100
	6.5.1.2	Service primitives.....	100
	6.5.1.3	Parameter use	100
6.5.2	MAP_SEND_AUTHENTICATION_INFO service.....	101	
	6.5.2.1	Definition	101
	6.5.2.2	Service primitives.....	101
	6.5.2.3	Parameter use	101
6.6	Security management services	102	
6.6.1	MAP_SET_CIPHERING_MODE service.....	102	
	6.6.1.1	Definitions	102
	6.6.1.2	Service primitives.....	102
	6.6.1.3	Parameter use	102
6.7	International mobile equipment identities management services	103	
6.7.1	MAP_CHECK_SMEI service.....	103	
	6.7.1.1	Definition	103
	6.7.1.2	Service primitives.....	103
	6.7.1.3	Parameter use	103
6.7.2	MAP_OBTAIN_IMEI service	105	
	6.7.2.1	Definition	105
	6.7.2.2	Service primitives.....	105
	6.7.2.3	Parameter use	105
6.8	Subscriber management services	106	
6.8.1	MAP-INSERT-SUBSCRIBER-DATA service	106	
	6.8.1.1	Definition	106
	6.8.1.2	Service primitives.....	106
	6.8.1.3	Parameter use	107
	6.8.1.4	Basic service information related to supplementary services	112
6.8.2	MAP-DELETE-SUBSCRIBER-DATA service	113	
	6.8.2.1	Definition	113
	6.8.2.2	Service primitives.....	113
	6.8.2.3	Parameter use	113
6.9	Identity management services	115	
6.9.1	MAP-PROVIDE-IMSI service	115	
	6.9.1.1	Definition	115
	6.9.1.2	Service primitives.....	115
	6.9.1.3	Parameter use	115
6.9.2	MAP-FORWARD-NEW-TMSI service	116	
	6.9.2.1	Definition	116
	6.9.2.2	Service primitives.....	116
	6.9.2.3	Parameter use	116
6.10	Fault recovery services	117	
6.10.1	MAP_RESET service	117	
	6.10.1.1	Definition	117

	6.10.1.2	Service primitives	117
	6.10.1.3	Parameter definition and use	117
6.10.2	MAP_FORWARD_CHECK_SS_INDICATION service.....	118	
	6.10.2.1	Definition	118
	6.10.2.2	Service primitives	118
	6.10.2.3	Parameter definition and use	118
6.10.3	MAP_RESTORE_DATA service.....	119	
	6.10.3.1	Definition	119
	6.10.3.2	Service primitives	119
	6.10.3.3	Parameter definitions and use	119
7	Operation and maintenance services	121	
7.1	Subscriber tracing services	121	
7.1.1	MAP-ACTIVATE-TRACE-MODE service	121	
	7.1.1.1	Definition	121
	7.1.1.2	Service primitives	121
	7.1.1.3	Parameter use.....	121
7.1.2	MAP-DEACTIVATE-TRACE-MODE service	123	
	7.1.2.1	Definition	123
	7.1.2.2	Service primitives	123
	7.1.2.3	Parameter use.....	123
7.1.3	MAP-TRACE-SUBSCRIBER-ACTIVITY service	124	
	7.1.3.1	Definition	124
	7.1.3.2	Service primitives	124
	7.1.3.3	Parameter use.....	124
7.2	Other operation and maintenance services	125	
7.2.1	MAP-SEND-IMSI service.....	125	
	7.2.1.1	Definition	125
	7.2.1.2	Service primitives	125
	7.2.1.3	Parameter use.....	125
8	Call handling services	126	
8.1	MAP_SEND_INFO_FOR_INCOMING_CALL service.....	126	
	8.1.1	http://standards.iteh.ai/catalog/standard/sist/1/vd43503_v56_440_8573.html	126
	8.1.2	Service primitives	126
	8.1.3	Parameter use	126
8.2	MAP_SEND_INFO_FOR_OUTGOING_CALL service	129	
	8.2.1	Definition	129
	8.2.2	Service primitives.....	129
	8.2.3	Parameter use	129
8.3	MAP_SEND_ROUTING_INFORMATION service	131	
	8.3.1	Definition	131
	8.3.2	Service primitives.....	131
	8.3.3	Parameter use	131
8.4	MAP_PROVIDE_ROAMING_NUMBER service	134	
	8.4.1	Definition	134
	8.4.2	Service primitives.....	134
	8.4.3	Parameter use	134
8.5	MAP_COMPLETE_CALL service	136	
	8.5.1	Definition	136
	8.5.2	Service primitives.....	136
	8.5.3	Parameter use	136
8.6	MAP_PROCESS_CALL_WAITING service	138	
	8.6.1	Definition	138
	8.6.2	Service primitives.....	138
	8.6.3	Parameter use	138
9	Supplementary services related services	140	
9.1	MAP_REGISTER_SS service	140	
	9.1.1	Definition	140
	9.1.2	Service primitives.....	140
	9.1.3	Parameter use	140
9.2	MAP_ERASE_SS service	142	

Tech STANDARD PREVIEW
(standards.iteh.ai)

9.2.1	Definition.....	142
9.2.2	Service primitives	142
9.2.3	Parameter use	142
9.3	MAP_ACTIVATE_SS service	144
9.3.1	Definition.....	144
9.3.2	Service primitives	144
9.3.3	Parameter use	144
9.4	MAP_DEACTIVATE_SS service	146
9.4.1	Definitions	146
9.4.2	Service primitives	146
9.4.3	Parameter use	146
9.5	MAP_INTERROGATE_SS service.....	148
9.5.1	Definitions.....	148
9.5.2	Service primitives	148
9.5.3	Parameter use	148
9.6	MAP_INVOKE_SS service	150
9.6.1	Definitions	150
9.6.2	Service primitives	150
9.6.3	Parameter use	150
9.7	MAP_REGISTER_PASSWORD service	151
9.7.1	Definitions	151
9.7.2	Service primitives	151
9.7.3	Parameter use	151
9.8	MAP_GET_PASSWORD service	152
9.8.1	Definitions.....	152
9.8.2	Service primitives	152
9.8.3	Parameter use	152
9.9	MAP_PROCESS_UNSTRUCTURED_SS_REQUEST service.....	153
9.9.1	Definitions.....	153
9.9.2	Service primitives	153
9.9.3	Parameter use	153
9.10	MAP_UNSTRUCTURED_SS_REQUEST service	155
9.10.1	Definitions.....	155
9.10.2	Service primitives	155
9.10.3	Parameter use	155
9.11	MAP_UNSTRUCTURED_SS_NOTIFY service.....	157
9.11.1	Definitions	157
9.11.2	Service primitives	157
9.11.3	Parameter use	157
10	Short message service management services	159
10.1	MAP-SEND-ROUTING-INFO-FOR-SM service	159
10.1.1	Definition.....	159
10.1.2	Service primitives	159
10.1.3	Parameter use	159
10.2	MAP-FORWARD-SHORT-MESSAGE service	161
10.2.1	Definition.....	161
10.2.2	Service primitives	161
10.2.3	Parameter use	161
10.3	MAP-REPORT-SM-DELIVERY-STATUS service	163
10.3.1	Definition.....	163
10.3.2	Service primitives	163
10.3.3	Parameter use	163
10.4	MAP-READY-FOR-SM service	165
10.4.1	Definition.....	165
10.4.2	Service primitives	165
10.4.3	Parameter use	165
10.5	MAP-ALERT-SERVICE-CENTRE service.....	167
10.5.1	Definition.....	167
10.5.2	Service primitives	167
10.5.3	Parameter use	167
10.6	MAP-INFORM-SERVICE-CENTRE service	168
10.6.1	Definition.....	168

10.6.2	Service primitives.....	168
10.6.3	Parameter use	168
10.7	MAP-SEND-INFO-FOR-MT-SMS service.....	169
10.7.1	Definition	169
10.7.2	Service primitives.....	169
10.7.3	Parameter use	169
10.8	MAP-SEND-INFO-FOR-MO-SMS service	170
10.8.1	Definition	170
10.8.2	Service primitives.....	170
10.8.3	Parameter use	170
11	General	171
11.1	Overview.....	171
11.2	Underlying services	171
11.3	Model.....	171
11.4	Conventions.....	171
12	Elements of procedure.....	172
12.1	Dialogue establishment	172
12.1.1	Receipt of a MAP-OPEN request primitive.....	172
12.1.2	Receipt of a TC-BEGIN indication	173
12.1.3	Receipt of a MAP-OPEN response.....	176
12.1.4	Receipt of the first TC-CONTINUE ind	176
12.1.5	Receipt of a TC-END ind	176
12.1.6	Receipt of a TC-U-ABORT ind.....	177
12.1.7	Receipt of a TC-P-ABORT ind.....	177
12.2	Dialogue continuation.....	177
12.2.1	Sending entity	177
12.2.2	Receiving entity.....	177
12.3	Dialogue termination	178
12.3.1	Receipt of a MAP-CLOSE request	178
12.3.2	Receipt of a TC-END indication.....	178
12.4	User Abort	178
12.4.1	MAP-U-ABORT request.....	178
12.4.2	TC-U-ABORT indication.....	178
12.5	Provider Abort	179
12.5.1	MAP PM error situation.....	179
12.5.2	TC-P-ABORT ind	179
12.5.3	TC-U-ABORT ind	179
12.6	Procedures for MAP specific services.....	179
12.6.1	Service invocation.....	180
12.6.2	Service invocation receipt.....	180
12.6.3	Service response	181
12.6.4	Receipt of a response.....	182
12.6.4.1	Receipt of a TC-RESULT-NL indication.....	182
12.6.4.2	Receipt of a TC-RESULT-L indication	182
12.6.4.3	Receipt of a TC-U-ERROR indication.....	183
12.6.4.4	Receipt of a TC-INVOKE indication	183
12.6.4.5	Receipt of a TC-U-REJECT indication.....	184
12.6.4.6	Receipt of a TC-L-REJECT indication	184
12.6.4.7	Receipt of a TC-L-CANCEL indication.....	184
12.6.5	Other events	185
12.6.5.1	Receipt of a TC-U-REJECT	185
12.6.5.2	Receipt of a TC-R-REJECT indication.....	185
12.6.5.3	Receipt of a TC-L-REJECT indication	185
12.6.6	Parameter checks	186
12.6.7	Returning state machines to idle	186
12.6.8	Load control	186
13	Mapping on to TC services	187
13.1	Dialogue control	187
13.1.1	Directly mapped parameters.....	187
13.1.2	Use of other parameters of dialogue handling primitives	187

13.1.2.1	Dialogue Id.....	187
13.1.2.2	Application-context-name	187
13.1.2.3	User information	187
13.1.2.4	Component present	187
13.1.2.5	Termination.....	187
13.1.2.6	P-Abort-Cause	187
13.1.2.7	Quality of service	188
13.2	Service specific procedures	188
13.2.1	Directly mapped parameters	188
13.2.2	Use of other parameters of component handling primitives.....	188
13.2.2.1	Dialogue Id.....	188
13.2.2.2	Class	188
13.2.2.3	Linked Id	189
13.2.2.4	Operation	189
13.2.2.5	Error	191
13.2.2.6	Parameters	191
13.2.2.7	Time out.....	191
13.2.2.8	Last component	191
13.2.2.9	Problem code.....	192
13.2.2.9.1	Mapping to MAP User Error.....	192
13.2.2.9.2	Mapping to MAP Provider Error parameter.....	192
13.2.2.9.3	Mapping to diagnostic parameter	193
13.3	SDL descriptions	194
14	Abstract syntax of the MAP protocol	221
14.1	General	221
14.1.1	Encoding rules	221
14.1.2	Use of TC	222
14.1.3	Use of information elements defined outside MAP	222
14.1.4	Compatibility considerations.....	223
14.1.5	Structure of the Abstract Syntax of MAP.....	224
14.2	Operation packages.....	226
14.2.1	General aspects http://standards.sis-tehnik.com/standard/sist/1nd43503_e56_446_8573	226
14.2.2	Packages specifications http://standards.sis-tehnik.com/standard/sist/1nd43503_e56_446_8573	227
14.2.2.1	Location updating	227
14.2.2.2	Location cancellation	227
14.2.2.3	Roaming number enquiry	227
14.2.2.4	Information retrieval	228
14.2.2.5	Inter-VLR information retrieval.....	228
14.2.2.6	IMSI retrieval.....	228
14.2.2.7 - 14.2.2.9	[spare]	228
14.2.2.10	Interrogation.....	228
14.2.2.11	[spare]	228
14.2.2.12	Handover Control.....	229
14.2.2.13	Subscriber Data management stand alone	229
14.2.2.14	Equipment management.....	229
14.2.2.15	Subscriber data management.....	230
14.2.2.16	Location register restart	230
14.2.2.17	Tracing stand-alone	230
14.2.2.18	Functional SS handling.....	230
14.2.2.19	Tracing	231
14.2.2.20	Binding	231
14.2.2.21	Unstructured SS handling.....	231
14.2.2.22	Short message relay services.....	232
14.2.2.23	Short message gateway services	232
14.2.2.24 - 14.2.2.25	[spare]	232
14.2.2.26	Message waiting data management.....	232
14.2.2.27	Alerting	233
14.2.2.28	Data restoration	233
14.2.2.29	Purging.....	233
14.3	Application contexts	234
14.3.1	General aspects	234

14.3.2	Access-context definitions	235
14.3.2.1	[spare]	235
14.3.2.2	Location Updating	235
14.3.2.3	Location Cancellation	235
14.3.2.4	Roaming number enquiry	236
14.3.2.5	[spare]	236
14.3.2.6	Location Information Retrieval	236
14.3.2.7 - 14.3.2.10	[spare]	236
14.3.2.11	Location registers restart	236
14.3.2.12	Handover control	237
14.3.2.13	IMSI Retrieval	237
14.3.2.14	Equipment Management	237
14.3.2.15	Information retrieval	237
14.3.2.16	Inter-VLR information retrieval	238
14.3.2.17	Stand Alone Subscriber Data Management	238
14.3.2.18	Tracing	238
14.3.2.19	Network functional SS handling	239
14.3.2.20	Network unstructured SS handling	239
14.3.2.21	Short Message Gateway	239
14.3.2.22	Mobile originating Short Message Relay	240
14.3.2.23	[spare]	240
14.3.2.24	Short message alert	240
14.3.2.25	Short message waiting data management	240
14.3.2.26	Mobile terminating Short Message Relay	241
14.3.2.27	MS purging	241
14.3.3	ASN.1 Module for application-context-names	241
14.4	MAP Dialogue Information	245
14.5	MAP operation and error codes	247
14.6	MAP operation and error types	253
14.6.1	Mobile Service Operations	253
14.6.2	Operation and Maintenance Operations	259
14.6.3	Call Handling Operations	261
14.6.4	Supplementary service operations	263
14.6.5	Short message service operations	268
14.6.6	Errors	271
14.7	MAP constants and data types	275
14.7.1	Mobile Service data types	275
14.7.2	Operation and maintenance data types	281
14.7.3	Call handling data types	283
14.7.4	Supplementary service data types	285
14.7.5	Supplementary service codes	290
14.7.6	Short message data types	293
14.7.7	Error data types	295
14.7.8	Common data types	297
14.7.9	Teleservice Codes	302
14.7.10	Bearer Service Codes	304
15	General on MAP user procedures	306
15.1	Introduction	306
15.2	Common aspects of user procedure descriptions	306
15.2.1	General conventions	306
15.2.2	Naming conventions	306
15.2.3	Convention on primitives parameters	308
15.2.3.1	Open service	308
15.2.3.2	Close service	308
15.2.4	Version handling at dialogue establishment	308
15.2.4.1	Behaviour at the initiating side	308
15.2.4.2	Behaviour at the responding side	308
15.2.5	Abort Handling	309
15.2.6	SDL conventions	309
15.3	Interaction between MAP Provider and MAP Users	309
16	Mobility procedures	310

16.1	Location management Procedures	310
16.1.1	Location updating	315
16.1.1.1	General	315
16.1.1.2	Detailed procedure in the MSC.....	319
16.1.1.3	Detailed procedure in the VLR	323
16.1.1.4	Detailed procedure in the HLR	336
16.1.1.5	Send Identification	339
16.1.1.5.1	General	339
16.1.1.5.2	Detailed procedure in the VLR.....	339
16.1.1.5.3	Detailed procedure in the PVLR	339
16.1.1.6	The Process Update Location VLR	341
16.1.1.7	The Process Subscriber Present HLR.....	343
16.1.2	Location Cancellation	345
16.1.2.1	General	345
16.1.2.2	Detailed procedure in the HLR	345
16.1.2.3	Detailed procedure in the VLR	346
16.1.3	Detach IMSI	349
16.1.3.1	General	349
16.1.3.2	Detailed procedure in the MSC.....	349
16.1.3.3	Detailed procedure in the VLR	350
16.1.4	Purge MS.....	353
16.1.4.1	General	353
16.1.4.2	Detailed procedure in the VLR	353
16.1.4.3	Detailed procedure in the HLR	354
16.2	Handover procedure	357
16.2.1	General.....	357
16.2.2	Handover procedure in MSC-A	361
16.2.2.1	Basic handover	361
16.2.2.2	Handling of access signalling	361
16.2.2.3	Other procedures in stable handover situation.....	361
16.2.2.4	Subsequent handover.....	362
16.2.2.5	SDL Diagrams	362
16.2.3	Handover procedure in MSC-B	375
16.2.3.1	Basic handover	375
16.2.3.2	Allocation of handover number	375
16.2.3.3	Handling of access signalling	375
16.2.3.4	Other procedures in stable handover situation.....	375
16.2.3.5	Subsequent handover.....	375
16.2.3.6	SDL Diagrams	376
16.2.4	Handover error handling macro.....	388
16.2.5	Handover procedure in VLR	390
16.2.5.1	Allocation of handover number	390
16.2.5.2	SDL Diagrams	390
16.3	Fault recovery procedures	393
16.3.1	VLR fault recovery procedures.....	393
16.3.2	HLR fault recovery procedures.....	396
16.3.3	VLR restoration: the restore data procedure in the HLR.....	401
16.4	Macro Insert_Subs_Data_Framed_HLR	403
17	Operation and maintenance procedures	405
17.1	General	405
17.1.1	Tracing Co-ordinator for the VLR	405
17.1.2	Subscriber Data Management Co-ordinator for the VLR	407
17.2	Tracing procedures	409
17.2.1	Procedures in the HLR	411
17.2.1.1	Subscriber tracing activation procedure	411
17.2.1.2	Subscriber tracing deactivation procedure	414
17.2.2	Procedures in the VLR	417
17.2.2.1	Subscriber tracing activation procedure	417
17.2.2.2	Subscriber tracing deactivation procedure	419
17.2.2.3	Subscriber tracing procedure.....	421
17.2.3	Procedures in the MSC	421
17.2.3.1	Subscriber tracing procedure.....	421