

INTERNATIONAL STANDARD



This extended version of IEC 61010-2-032:2023 includes the content of the references made to IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016

**Safety requirements for electrical equipment for measurement, control, and laboratory use –
Part 2-032: Particular requirements for hand-held and hand-manipulated current sensors for electrical test and measurement**

[IEC 61010-2-032:2023](https://standards.iteh.ai/catalog/standards/iec/dd049254-944d-485a-bf32-057ae7bea612/iec-61010-2-032-2023)

<https://standards.iteh.ai/catalog/standards/iec/dd049254-944d-485a-bf32-057ae7bea612/iec-61010-2-032-2023>





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

International Standards
standards.iteh.ai
Document Preview

[IEC 61010-2-032:2023](https://standards.iteh.ai/catalog/standards/iec/dd049254-944d-485a-bf32-057ae7bea612/iec-61010-2-032-2023)

<https://standards.iteh.ai/catalog/standards/iec/dd049254-944d-485a-bf32-057ae7bea612/iec-61010-2-032-2023>



IEC 61010-2-032

Edition 5.0 2023-09
EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 61010-2-032:2023 includes the content of the references made to IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016

**Safety requirements for electrical equipment for measurement, control, and laboratory use –
Part 2-032: Particular requirements for hand-held and hand-manipulated current sensors for electrical test and measurement**

[IEC 61010-2-032:2023](https://standards.iteh.ai/catalog/standards/iec/dd049254-944d-485a-bf32-057ae7bea612/iec-61010-2-032-2023)

<https://standards.iteh.ai/catalog/standards/iec/dd049254-944d-485a-bf32-057ae7bea612/iec-61010-2-032-2023>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 19.080

ISBN 978-2-8322-7569-6

Warning! Make sure that you obtained this publication from an authorized distributor.

**SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT
FOR MEASUREMENT, CONTROL, AND LABORATORY USE –**

Part 1: General requirements

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 66: Safety of measuring, control and laboratory equipment.

The text of this interpretation sheet is based on the following documents:

ISH	Report on voting
66/497A/ISH	66/505/RVD

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

IEC 61010-1:2010 contains a requirement in 6.8.3.1 pertaining to voltage testers for type tests as follows:

“The generator shall be able to supply a power of at least 500 VA.”

This has given rise to the following questions:

How does one interpret the requirement for voltage testers in 6.8.3.1 of IEC 61010-1:2010? Specifically, this subclause requires that “The generator shall be able to supply a power of at least 500 VA.” Does this requirement apply throughout the rated output range of the voltage tester? What is meant by the word “generator”? Is the “generator” the power supply within the voltage tester, or the voltage tester output, or something else?

Interpretation:

“A voltage tester used for type tests must be able to deliver at least 500 VA at its full-rated output voltage. It does not necessarily need to deliver 500 VA if set for lower voltages.

For example, a voltage tester that can deliver 100 mA at any test output voltage up to 5 000 V (and a current corresponding to 500 VA above 5 000 V) would meet the requirement.

The requirements for voltage testers used for routine (production line) tests are included in Annex F. The requirements of 6.8.3.1 do not apply to these voltage testers.”

CONTENTS

FOREWORD.....	11
INTRODUCTION to IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016.....	15
INTRODUCTION.....	16
1 Scope and object.....	17
1.1 Scope.....	17
1.1.1 Equipment included in scope	17
1.1.2 Equipment excluded from scope	17
1.1.3 Computing equipment.....	17
1.2 Object	18
1.2.1 Aspects included in scope	18
1.2.2 Aspects excluded from scope	18
1.3 Verification	18
1.4 Environmental conditions	18
1.4.1 Normal environmental conditions	18
1.4.2 Extended environmental conditions	19
2 Normative references	19
3 Terms and definitions	21
3.1 Equipment and states of equipment.....	21
3.2 Parts and accessories	22
3.3 Quantities	23
3.4 Tests	24
3.5 Safety terms	24
3.6 Insulation	26
4 Tests	27
4.1 General	27
4.2 Sequence of tests.....	28
4.3 Reference test conditions	28
4.3.1 Environmental conditions.....	28
4.3.2 State of equipment	28
4.4 Testing in SINGLE FAULT CONDITION	30
4.4.1 General	30
4.4.2 Application of fault conditions	30
4.4.3 Duration of tests	32
4.4.4 Conformity after application of fault conditions.....	33
5 Marking and documentation.....	33
5.1 Marking	33
5.1.1 General	33
5.1.2 Identification.....	34
5.1.3 MAINS supply	34
5.1.4 Fuses	37
5.1.5 TERMINALS, connections and operating devices.....	37
5.1.6 Switches and circuit-breakers	39
5.1.7 Equipment protected by DOUBLE INSULATION or REINFORCED INSULATION.....	40
5.1.8 Field-wiring TERMINAL boxes	40
5.2 Warning markings	40

5.3	Durability of markings.....	41
5.4	Documentation	41
5.4.1	General	41
5.4.2	Equipment RATINGS.....	42
5.4.3	Equipment installation	42
5.4.4	Equipment operation.....	43
5.4.5	Equipment maintenance and service	44
5.4.6	Integration into systems or effects resulting from special conditions	44
6	Protection against electric shock	44
6.1	General	44
6.1.1	Requirements	44
6.1.2	Exceptions.....	44
6.2	Determination of ACCESSIBLE parts.....	45
6.2.1	General	45
6.2.2	Examination.....	45
6.2.3	Openings above parts that are HAZARDOUS LIVE.....	46
6.2.4	Openings for pre-set controls.....	46
6.3	Limit values for ACCESSIBLE parts.....	46
6.3.1	Levels in NORMAL CONDITION.....	46
6.3.2	Levels in SINGLE FAULT CONDITION.....	47
6.4	Primary means of protection.....	50
6.4.1	General	50
6.4.2	ENCLOSURES and PROTECTIVE BARRIERS.....	50
6.4.3	BASIC INSULATION	50
6.4.4	Impedance.....	50
6.5	Additional means of protection in case of SINGLE FAULT CONDITIONS	50
6.5.1	General	50
6.5.2	Not used.....	51
6.5.3	SUPPLEMENTARY INSULATION and REINFORCED INSULATION	51
6.5.4	PROTECTIVE IMPEDANCE	51
6.5.5	Not used.....	52
6.5.6	Current- or voltage-limiting device	52
6.6	Connections to external circuits.....	52
6.6.1	General	52
6.6.2	TERMINALS for external circuits.....	53
6.6.3	Circuits with TERMINALS which are HAZARDOUS LIVE.....	53
6.6.4	TERMINALS for stranded conductors	53
6.6.101	Measuring circuit TERMINALS.....	53
6.6.102	Input/output circuit leads.....	56
6.7	Insulation requirements	57
6.7.1	The nature of insulation	57
6.7.2	Insulation for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II with a nominal supply voltage up to 300 V	59
6.7.3	Insulation for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V	63
6.8	Procedure for voltage tests.....	69
6.8.1	General	69
6.8.2	Humidity preconditioning	70
6.8.3	Test procedures	71

6.9	Constructional requirements for protection against electric shock	72
6.9.1	General	72
6.9.2	Insulating materials	72
6.9.3	Colour coding	72
6.10	Connection to the MAINS supply source and connections between parts of equipment	72
6.10.1	MAINS supply cords	72
6.10.2	Fitting of non-detachable MAINS supply cords	73
6.10.3	Plugs and connectors	75
6.11	Disconnection from supply source	75
6.11.1	General	75
6.11.2	Exceptions	75
6.11.3	Requirements according to type of equipment	76
6.11.4	Disconnecting devices	76
6.101	Protection against hazardous live conductors	77
6.101.1	General	77
6.101.2	Protection by a PROTECTIVE FINGERGUARD	77
6.101.3	Insulation of HAND-HELD or hand-manipulated parts for Type A current sensors	78
6.101.4	Insulation of input/output circuits	79
7	Protection against mechanical HAZARDS	79
7.1	General	79
7.2	Sharp edges	80
7.3	Moving parts	80
7.3.1	General	80
7.3.2	Exceptions	80
7.3.3	RISK assessment for mechanical HAZARDS to body parts	80
7.3.4	Limitation of force and pressure	81
7.3.5	Gap limitations between moving parts	82
7.4	Stability	84
7.5	Provisions for lifting and carrying	85
7.5.1	General	85
7.5.2	Handles and grips	85
7.5.3	Lifting devices and supporting parts	85
7.6	Wall mounting	85
7.7	Expelled parts	86
8	Resistance to mechanical stresses	86
8.1	General	86
8.2	ENCLOSURE rigidity tests	87
8.2.1	Static test	87
8.2.2	Impact test	87
8.3	Drop test	88
8.3.1	Equipment other than HAND-HELD EQUIPMENT and DIRECT PLUG-IN EQUIPMENT	88
8.3.2	HAND-HELD EQUIPMENT and DIRECT PLUG-IN EQUIPMENT	89
8.101	JAW ENDS abrasion test	89
8.102	JAW impact test	90
8.103	Pressure test at high temperature for insulation of flexible current sensors	91
8.104	Pull test for endcaps of flexible current sensors	93

8.105 Attachment of the input/output leads.....	93
8.105.1 General	93
8.105.2 Pull test	94
8.105.3 Flexing test.....	94
9 Protection against the spread of fire and arc flash	96
9.1 General	96
9.2 Eliminating or reducing the sources of ignition within the equipment.....	98
9.3 Containment of fire within the equipment, should it occur	98
9.3.1 General	98
9.3.2 Constructional requirements	98
9.4 Limited-energy circuit	101
9.5 Requirements for equipment containing or using flammable liquids	102
9.6 Overcurrent protection.....	102
9.6.1 General	102
9.6.2 PERMANENTLY CONNECTED EQUIPMENT	103
9.6.3 Other equipment.....	103
9.101 Protection of measuring circuits.....	103
9.101.1 General	103
9.101.2 Protection against mismatches of inputs and ranges.....	103
9.101.3 Protection against mains overvoltages	106
9.102 Prevention of hazard from arc flash and short-circuits	107
9.102.1 General	107
9.102.2 Protection against short-circuits during clamping	107
9.102.3 Protection against short-circuits in closed position	109
10 Equipment temperature limits and resistance to heat.....	109
10.1 Surface temperature limits for protection against burns	109
10.2 Temperatures of windings	110
10.3 Other temperature measurements	110
10.4 Conduct of temperature tests	111
10.4.1 General	111
10.4.2 Temperature measurement of heating equipment	111
10.4.3 Equipment intended for installation in a cabinet or a wall.....	111
10.5 Resistance to heat.....	112
10.5.1 Integrity of CLEARANCES and CREEPAGE DISTANCES.....	112
10.5.2 Non-metallic ENCLOSURES	112
10.5.3 Insulating material	112
10.5.101 Resistance to heat of current sensors	113
10.101 Other temperatures of current sensors	113
11 Protection against HAZARDS from fluids and solid foreign objects	114
11.1 General	114
11.2 Cleaning.....	114
11.3 Spillage	114
11.4 Overflow.....	114
11.5 Battery electrolyte	115
11.6 Equipment RATED with a degree of ingress protection (IP code).....	115
11.6.1 General	115
11.6.2 Conditions for testing.....	115
11.6.3 Protection against solid foreign objects (including dust).....	116
11.6.4 Protection against water	116

11.7	Fluid pressure and leakage	116
11.7.1	Maximum pressure	116
11.7.2	Leakage and rupture at high pressure	117
11.7.3	Leakage from low-pressure parts	118
11.7.4	Overpressure safety device	118
12	Protection against radiation, including laser sources, and against sonic and ultrasonic pressure	119
12.1	General	119
12.2	Equipment producing ionizing radiation	119
12.2.1	Ionizing radiation	119
12.2.2	Accelerated electrons	120
12.3	Optical radiation	120
12.4	Microwave radiation	121
12.5	Sonic and ultrasonic pressure	121
12.5.1	Sound level	121
12.5.2	Ultrasonic pressure	122
12.6	Laser sources	122
13	Protection against liberated gases and substances, explosion and implosion	123
13.1	Poisonous and injurious gases and substances	123
13.2	Explosion and implosion	123
13.2.1	Components	123
13.2.2	Batteries and battery charging	123
13.2.3	Implosion of cathode ray tubes	124
14	Components and subassemblies	124
14.1	General	124
14.2	Motors	125
14.2.1	Motor temperatures	125
14.2.2	Series excitation motors	125
14.3	Overtemperature protection devices	126
14.4	Fuse holders	126
14.5	MAINS voltage selection devices	126
14.6	MAINS transformers tested outside equipment	126
14.7	Printed wiring boards	127
14.8	Circuits used to limit TRANSIENT OVERVOLTAGES	127
14.101	Probe assemblies and accessories	127
15	Protection by interlocks	128
15.1	General	128
15.2	Prevention of reactivating	128
15.3	Reliability	128
16	HAZARDS resulting from application	128
16.1	REASONABLY FORESEEABLE MISUSE	128
16.2	Ergonomic aspects	128
17	RISK assessment	129
101	Measuring circuits	129
101.1	General	129
101.2	Current sensor with an internal current transformer	130
101.3	Indicating devices	130
101.3.1	General	130

101.3.2 Battery level	130
101.3.3 Over-range indication	131
101.3.4 Permanent overvoltages	131
Annex A (normative) Measuring circuits for touch current (see 6.3).....	133
Annex B (normative) Standard test fingers (see 6.2).....	136
Annex C (normative) Measurement of CLEARANCES and CREEPAGE DISTANCES	138
Annex D (normative) Parts between which insulation requirements are specified (see 6.4, 6.5.3 and 6.101).....	142
Annex E (informative) Guideline for reduction of POLLUTION DEGREES	146
Annex F (normative) ROUTINE TESTS.....	147
Annex G (informative) Leakage and rupture from fluids under pressure	150
Annex H (normative) Qualification of conformal coatings for protection against POLLUTION	155
Annex I (informative) Line-to-neutral voltages for common MAINS supply systems	158
Annex J (informative) RISK assessment	160
Annex K (normative) Insulation requirements not covered by 6.7	163
Annex L (informative) Index of defined terms	192
Annex AA (normative) MEASUREMENT CATEGORIES	194
Annex BB (informative) HAZARDS pertaining to measurements performed in certain environments	197
Annex CC (informative) 4 mm "banana" TERMINALS	200
Annex DD (informative) Flowchart for insulation according to the type of circuit.....	202
Annex EE (informative) Determination of CLEARANCES for Table 101	205
Annex FF (normative) Type of current sensors.....	206
Annex GG (normative) CLAMP MULTIMETER	208
Bibliography.....	210
Figure 1 – Measurements through openings in ENCLOSURES.....	46
Figure 2 – Maximum duration of short-term ACCESSIBLE voltages in SINGLE FAULT CONDITION (see 6.3.2 a)	48
Figure 3 – Capacitance level versus voltage in NORMAL CONDITION and SINGLE FAULT CONDITION (see 6.3.1 c) and 6.3.2 c)	49
Figure 4 – Acceptable arrangement of protective means against electric shock	51
Figure 6 – Distance between conductors on an interface between two layers.....	61
Figure 7 – Distance between adjacent conductors along an interface of two inner layers.....	62
Figure 8 – Distance between adjacent conductors located between the same two layers.....	63
Figure 9 – Detachable MAINS supply cords and connections	73
Figure 101 – CLEARANCE between the PROTECTIVE FINGERGUARD to the JAWS and to the HAZARDOUS LIVE conductor	78
Figure 10 – Impact test using a sphere	88
Figure 102 – Abrasion test of the JAW ENDS.....	90
Figure 103 – Impact points for JAW impact test.....	91
Figure 104 – Indentation device	92
Figure 105 – Example of a current sensor with strain reliefs	94

Figure 106 – Flexing test	95
Figure 11 – Flow chart to explain the requirements for protection against the spread of fire	97
Figure 12 – Baffle	100
Figure 13 – Area of the bottom of an ENCLOSURE to be constructed as specified in 9.3.2 c) 1)	100
Figure 107 – Test probe to check protection against short-circuits	108
Figure 108 – Use of the test probe of Figure 107	108
Figure 14 – Ball-pressure test apparatus.....	113
Figure 16 – Ratio between test pressure and maximum working pressure.....	118
Figure 15 – Flow chart for conformity options 14.1 a), b), c) and d).....	125
Figure A.1 – Measuring circuit for a.c. with frequencies up to 1 MHz and for d.c.	133
Figure A.2 – Measuring circuits for sinusoidal a.c. with frequencies up to 100 Hz and for d.c.	134
Figure A.3 – Current measuring circuit for electrical burns	135
Figure A.4 – Current measuring circuit for wet contact	135
Figure B.1 – Rigid test finger	136
Figure B.2 – Jointed test finger	137
Figure C.1 – Examples of methods of measuring CLEARANCES and CREEPAGE DISTANCES	141
Figures D.1a) to d) – Protection between HAZARDOUS LIVE circuits and ACCESSIBLE parts	143
Figures D.1e) to h) – Protection between HAZARDOUS LIVE circuits and circuits with ACCESSIBLE external TERMINALS	143
Figures D.2 a) and D.2 b) – Protection between a HAZARDOUS LIVE internal circuit and an ACCESSIBLE part which is not bonded to other ACCESSIBLE parts.....	144
Figures D.2 c) and D.2 d) – Protection between a HAZARDOUS LIVE primary circuit and circuits which have ACCESSIBLE external TERMINALS	144
Figure D.3 – Protection of external ACCESSIBLE TERMINALS of two HAZARDOUS LIVE circuits.....	144
Figure D.101 – Parts of current sensors (see also Table D.101).....	145
Figure G.1 – Conformity verification process (see G.2)	151
Figure H.1 – Test sequence and conformity	157
Figure J.1 – Iterative process of RISK assessment and RISK reduction	160
Figure J.2 – RISK reduction	161
Figure K.1 – Distance between conductors on an interface between two layers	167
Figure K.2 – Distance between adjacent conductors along an interface of an inner layer	168
Figure K.3 – Distance between adjacent conductors located between the same two layers.....	169
Figure K.4 – Example of recurring peak voltage	182
Figure K.101 – CLEARANCES between the conductor, the input/output circuit and the enclosure of a Type A current sensor.....	184
Figure K.102 – Test circuit for evaluation of TRANSIENT OVERVOLTAGE attenuation.....	186
Figure AA.1 – Example to identify the locations of MEASUREMENT CATEGORIES	195
Figure CC.1 – Recommended dimensions of 4 mm TERMINALS	201
Figure DD.1 – Requirements for CLEARANCE, CREEPAGE DISTANCE and solid insulation.....	204

Figure FF.1 – Examples of current sensors and their parts	207
Figure GG.1 – Examples of CLAMP MULTIMETERS.....	208
Table 1 – Symbols	36
Table 101 – CLEARANCES for unmated measuring circuit TERMINALS.....	54
Table 3 – Multiplication factors for CLEARANCES of equipment RATED for operation at altitudes up to 5 000 m	58
TABLE 4 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V	60
Table 5 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V.....	60
Table 6 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V.....	65
Table 7 – CREEPAGE DISTANCES for secondary circuits	66
Table 8 – Minimum values for distance or thickness (see 6.7.3.4.2 to 6.7.3.4.4)	68
Table 9 – Distances between TERMINALS and foil.....	69
Table 10 – Correction factors according to test site altitude for test voltages for CLEARANCES	70
Table 11 – Values for physical tests on cord anchorages	74
Table 12 – Protective measures against mechanical HAZARDS to body parts.....	81
Table 13 – Minimum maintained gaps to prevent crushing for different body parts	83
Table 14 – Maximum gaps to prevent access for different body parts.....	83
Table 15 – Impact energy levels, test height and corresponding IK codes	88
Table 102 – Energy level for JAW impact test	90
Table 103 – Pull forces for endcaps of flexible current sensors	93
Table 104 – Pull forces for input/output lead attachment test	96
Table 16 – Acceptable perforation of the bottom of an ENCLOSURE	99
Table 17 – Limits of maximum available current.....	101
Table 18 – Values for overcurrent protection devices	102
Table 105 – Thickness of the test probe of Figure 107 and test voltages.....	109
Table 19 – Surface temperature limits in NORMAL CONDITION.....	110
Table 20 – Maximum temperatures for insulation material of windings	110
Table 22 – Lamp or lamp systems considered photobiologically safe	121
Table 23 – Lamp or lamp systems considered photobiologically safe under certain conditions	121
Table 21 – Impulse voltages for OVERVOLTAGECATEGORY II.....	127
Table C.1 – Dimensions of X.....	138
Table D.101 – Insulation requirements for current sensors.....	145
Table E.1 – Environmental situations	146
Table E.2 – Reduction of POLLUTION DEGREES	146
Table F.1 – Test voltages for ROUTINE TESTS of MAINS CIRCUITS	148
Table G.1 – Test pressures for equipment with pressures above 14 Mpa	153
Table H.1 – Test parameters, test conditions and test procedures	156
Table I.1 – Line-to-neutral voltages for common MAINS supply systems	158
Table J.1 – Severity of harm	162

Table J.2 – Probability of harm	162
Table J.3 – RISK category	162
Table K.1 – Multiplication factors for CLEARANCES for equipment RATED for operation at altitudes up to 5 000 m	164
Table K.2 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V	164
Table K.3 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY III	165
Table K.4 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV	165
Table K.5 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V	166
Table K.6 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY III	166
Table K.7 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV	166
Table K.8 – Test voltages for testing long-term stress of solid insulation in MAINS CIRCUITS	167
Table K.9 – Minimum values for distance or thickness of solid insulation	168
Table K.10 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V	171
Table K.11 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY III	172
Table K.12 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV	173
Table K.13 – CREEPAGE DISTANCES for secondary circuits	174
Table K.14 – Minimum values for distance or thickness (see K.2.4.2 to K.2.4.4)	176
Table K.15 – CLEARANCE values for the calculation of K.3.2	179
Table K.16 – Test voltages based on CLEARANCES	180
Table K.17 – CLEARANCES for BASIC INSULATION in circuits having recurring peak voltages or WORKING VOLTAGES with frequencies above 30 kHz	182
Table K.101 – Impulse voltages for circuits connected to MAINS	186
Table K.102 – CLEARANCES for measuring circuits RATED for MEASUREMENT CATEGORIES	187
Table K.103 – Impulse test voltages for testing electric strength of solid insulation for measuring circuits RATED for MEASUREMENT CATEGORIES	188
Table K.104 – a.c. test voltages for testing electric strength of solid insulation for measuring circuits RATED for MEASUREMENT CATEGORIES	189
Table K.105 – Minimum values for distance or thickness of solid insulation for measuring circuits RATED for MEASUREMENT CATEGORIES	190
Table AA.1 – Characteristics of MEASUREMENT CATEGORIES	196
Table EE.1 – CLEARANCE values for Table 101	205