

Edition 1.0 2024-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Pelton hydraulic turbines - Model acceptance tests

Turbines Pelton – Essais de réception sur modèle

Document Preview

IEC 63461:2024

https://standards.iteh.ai/catalog/standards/jec/fdce9a60-ccc5-4ccd-98db-1c6914157984/jec-63461-2024





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IFC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 1.0 2024-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Pelton hydraulic turbines - Model acceptance tests

Turbines Pelton – Essais de réception sur modèle

Document Preview

IEC 63461:2024

https://standards.iteh.ai/catalog/standards/iec/fdce9a60-ccc5-4ccd-98db-1c6914157984/iec-63461-2024

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 27.140 ISBN 978-2-8322-9236-5

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FC	REWO	RD	9
1	Scop	ə	11
2	Norm	ative references	12
3	Term	s, definitions, symbols and units	12
	3.1	General	
	3.2	Terms and definitions	
	3.3	Units	
	3.4	Terms, definitions, symbols and units	
	3.4.1	List by topics	
	3.4.2	Subscripts and symbols	
	3.4.3	Geometry	
	3.4.4	Physical quantities and properties	
	3.4.5	Discharge, velocity and speed	
	3.4.6	Pressure	
	3.4.7	Specific energy	19
	3.4.8	Height and head	
	3.4.9	Power and torque	20
	3.4.1	D Efficiency	22
	3.4.1		22
	3.4.1		
	3.4.1	3 Dimensionless terms and definitions	25
	3.4.1	4 Additional performance data	26
4	Physi	cal properties	26
	4.1	General	26
	4.2	Acceleration due to gravityIEC.63461:2024	26
	4.3 dar	Physical properties of waterfdce9a60-ccc5-4ccd-98db-1c6914157984/iec	-6346 27 2024
	4.3.1	Density of water	
	4.3.2	Kinematic viscosity	30
	4.3.3	Vapour pressure	30
	4.4	Physical conditions of atmosphere	31
	4.4.1	Density of dry air	31
	4.4.2	Ambient pressure	31
	4.5	Density of mercury	31
5	Requ	irements of tests	32
	5.1	Requirement of test installation and model	32
	5.1.1	Choice of laboratory	32
	5.1.2	Test installation	32
	5.1.3	Model requirements	33
	5.2	Dimensional check of model and prototype	35
	5.2.1	General	35
	5.2.2	Explanation of terms used for model and prototype	36
	5.2.3	Purpose of dimensional checks	36
	5.2.4	General rules	36
	5.2.5	Procedure	37
	5.2.6	Methods	38
	5.2.7	Accuracy of measurements	41
	528	Dimensions of model and prototype to be checked	41

	5.2.9		Permissible maximum deviations in geometrical similarity between prototype and model	43
	5.2.1	0	Surface waviness and roughness	44
	5.3	Test	procedures	46
	5.3.1		Organization of tests	46
	5.3.2		Inspections and calibrations	48
	5.3.3		Execution of tests	50
	5.3.4		Faults and repetition of tests	54
	5.3.5		Preliminary test report	55
	5.3.6		Final test report	55
6	Data	acqu	iisition	55
	6.1		a acquisition and data processing	
	6.1.1		General	
	6.1.2		General requirements	
	6.1.3		Data acquisition	
	6.1.4		Component requirements	
	6.1.5		Check of the data acquisition system	
	6.2		a acquisition and processing for measurement of fluctuating quantities	
	6.2.1		General	
	6.2.2		Data acquisition	
	6.2.3		Data processing	
	6.3		r analysis	67
	6.3.1		Definitions	
	6.3.2		Determination of uncertainties in model tests	
7			of measurement	
	7.1		harge measurement	
	7.1.1	D130	General	
			Choice of the method of measurement.	
	7.1.3		Accuracy of measurement	
	7.1.4		Primary methods	
	7.1.5		Secondary methods	
	7.2	Pres	ssure measurement	
	7.2.1	1 100	General	
	7.2.2		Choice of pressure-measuring section	
	7.2.3		Pressure taps and connecting lines	
	7.2.4		Apparatus for pressure measurement	
	7.2.5		Calibration of pressure measurement apparatus	
	7.2.6		Vacuum measurements	
	7.2.7		Uncertainty in pressure measurements	
	7.3		e water level measurement (see also ISO 4373)	
	7.3.1		General	
	7.3.2		Choice of water level measuring sections	
	7.3.3		Number of measuring points in a measuring section	
	7.3.4		Measuring methods	
	7.3.5		Uncertainty in free water level measurement	
	7.4		ft torque measurement	
	7.4.1		General	
	7.4.2		Methods of torque measurement	
	7.4.3		Methods of absorbing/generating power	

	7.4.4	Layout of arrangement	95
	7.4.5	Checking of system	99
	7.4.6	Calibration	100
	7.4.7		
	7.5	Rotational speed measurement	
	7.5.1		
		General	
	7.5.2	•	
	7.5.3	•	
	7.5.4	Uncertainty of measurement	102
8	Test	execution and results	102
	8.1	General	102
	8.2	Determination of E	103
	8.2.1	General	103
	8.2.2		
	8.2.3	• • • • • • • • • • • • • • • • • • • •	
	8.3	Determination of power and efficiency	
	8.3.1	·	
		Hydraulic power	
	8.3.2	•	
	8.3.3	, ,	
	8.4	Hydraulic similitude	
	8.4.1	Theoretical basic requirements and similitude numbers	110
	8.4.2	Conditions for hydraulic similitude as used in this document	110
	8.4.3	Similitude requirements for various types of model tests	111
	8.4.4	Reynolds similitude	111
	8.4.5	Froude similitude	111
	8.4.6	Other similitude conditions - Weber number	111
	8.5	Test conditions	112
	st 8.5.1	ds its Determination of test conditions	
	8.5.2		
	8.5.3		
	8.5.4	Adjustment of the operating point	
	8.6	Computation and presentation of test results	
	8.6.1	General	
	8.6.2	Power, discharge and efficiency in the guarantee range	
	8.6.3	, , , , ,	
9	Natui	e and extent of guarantees related to hydraulic performance	119
	9.1	General	119
	9.1.1	Design data and coordination	119
	9.1.2	Definition of the hydraulic performance guarantees	120
	9.1.3		
	9.1.4	·	
	9.2	Main hydraulic performance guarantees verifiable by model test	
	9.2.1	Guaranteed quantities for any machine	
	9.2.1	·	
		·	
	9.3	Guarantees not verifiable by model test	
	9.3.1	Guarantees on cavitation erosion	121
	9.3.2	, ,	404
	0.0.5	momentary pressure rise	
	9.3.3	Guarantees covering noise and vibration	

9.3.	4 Measurements not covered by this document	122
9.4	Comparison with guarantees	122
9.4.	1 General	122
9.4.	2 Interpolation curve and total uncertainty bandwidth	122
9.4.	Power, discharge and/or specific hydraulic energy and efficiency in the	
	guarantee range	123
9.4.	4 Prototype mechanical losses	124
9.4.	5 Runaway speed and discharge	124
9.4.	6 Penalty and premium	125
10 Add	itional performance data – Methods of measurement and results	125
10.1	Additional data measurement	125
10.1	.1 General	125
10.1		
10.1	•	
10.1		
10.2	Hydraulic loads on control components	
10.2		
10.2		
10.3	Influence of tail water level	
10.4	Testing in an extended operating range	
10.4		
10.4	I.2 Scope of tests	131
10.4		
10.5	Differential pressure measurement in view of prototype index test	
10.5	No assured Decarrings	
10.5		
10.5	·	
10.5 10.5//eta		
ps://sta10.5 10.5		
10.5	, , , , , , , , , , , , , , , , , , , ,	
	,	
10.6	Nozzle flow discharge calibration in view of prototype index test	
	(informative) Dimensionless terms	
Annex B	(normative) Physical properties, data	138
Annex C	(informative) Summarized test and calculation procedure	146
C.1	General	146
C.2	Agreements to be reached prior to testing	146
C.3	Model, test facility and instrumentation	147
C.3.	1 Model manufacture and dimensional checks	147
C.3.	2 Test facility instrumentation and data acquisition system	147
C.4	Tests and calculation of the model values	147
C.4.	1 Test types	147
C.4.	2 Measurement of the main quantities during the test	147
C.4.	3 Uncertainty of the measured quantities	148
C.4.	4 Calculation of the quantities related to the main hydraulic performance	148
C.4.	5 Calculation of the dimensionless factors or coefficients and of the Thoma number	148
C.5	Calculation of prototype quantities	
C.6	Plotting of model or prototype results	
C.7	Comparison with the guarantees	
O.1	Companion with the guarantees	

C.8	Final protocol	149
C.9	Final test report	149
	(normative) Computation of the prototype runaway characteristics taking into riction and windage losses of the unit	150
	(informative) Example of determination of the best smooth curve: method of	
	segments	151
Е.1	General	
E.2	Principle of the method	
E.3	Choice of the minimum width of the intervals	
E.4	Determination of the intervals	
Annex F	(informative) Examples of analysis of sources of error and uncertainty	
F.1	General	
F.2	Example of analysis of sources of error and of uncertainty evaluation in the	134
Γ.Ζ	measurement of a physical quantity	154
F.2.1	· · · · · · · · · · · · · · · · · · ·	
F.2.2		
F.2.3		
F.3	Example of calculation of uncertainty due to systematic errors in the	
	determination of the specific hydraulic energy, mechanical runner power and	
	hydraulic efficiency	
F.3.1		
F.3.2	(bttns://standards itah ai)	
F.3.3		
F.3.4	I localimont Provious	
F.3.5		
F.3.6		
	(normative) The scale effect on hydraulic efficiency for Pelton turbines	
ps://sG.1dar	General/catalog/standards/iec/fdce9a60-ccc5-4ccd-98db-1c6914157984/iec-63	
G.2	Similarity considerations	160
G.3	Transposition formula	162
	(normative) Analysis of random errors for a test at constant operating	400
	S	
H.1	General	
H.2	Standard deviation	
H.3	Confidence levels	
H.4	Student's t distribution	
H.5	Maximum permissible value of uncertainty due to random errors	
H.6	Example of calculation	
•	informative) Flux diagram of specific hydraulic energy and power	
Bibliograp	phy	169
Figure 1 -	- Schematic representation of a Pelton machine	16
Figure 2 -	- Reference diameter and bucket width	17
-	- Reference level of a Pelton machine	
•	– Flux diagram for power	
	- Illustration of some definitions related to oscillating quantities	
rigure 6 -	– Acceleration due to gravity g (m \cdot s ⁻²)	21

Figure 7 – Density of distilled water $\rho_{ m Wd}$ (kg · m ⁻³)	30
Figure 8 – Example for homology limits for wetted parts of a vertical Pelton turbine	34
Figure 9 – Example for homology limit for wetted parts of a horizontal Pelton turbine	
Figure 10 – Procedure for dimensional checks, comparison of results "steel to steel" and application of tolerances for model and prototype	37
Figure 11 – Pelton turbine: example of dimensions to be checked on the distributor and the housing of vertical and horizontal shaft machines	39
Figure 12 – Pelton turbine: example of dimensions to be checked on the buckets and nozzles	40
Figure 13 – Definition of waviness and surface roughness	45
Figure 14 – Time multiplexing data acquisition system	57
Figure 15 – Bus operated data acquisition system	57
Figure 16 – Time delay	59
Figure 17 – Typical low-pass filter attenuation characteristics	59
Figure 18 – Different measurement chains and their recommended checkpoints	62
Figure 19 – Typical data acquisition system	64
Figure 20 – Frequency response of analogue anti-aliasing filter	65
Figure 21 – Example of calibration curve	70
Figure 22 – Examples of pressure taps	82
Figure 23 – Types of pressure manifolds	83
Figure 24 – Dead weight manometer with compensation by pressure or force transducer (example of experimental set-up)	88
Figure 25 – Pressure weighbeam (example of experimental set-up)	89
Figure 26 – Stilling well	92
Figure 27 – Point and hook gaugesIEC 63461:2024	93
Figure 28 – Balance arrangement ds/iec/fdce9a60-ccc5-4ccd-98db-1c6914157984/iec-6	34696
Figure 29 – Balance arrangement with two separate frames	97
Figure 30 – Arrangement with machine bearings and seals not in balance	97
Figure 31 – Arrangement using a torquemeter	98
Figure 32 – Arrangement using a torquemeter with machine bearings and seals in balance	98
Figure 33 – Arrangement using a torquemeter with machine bearings and seals not in balance	99
Figure 34 – Example showing main elevations, heights and reference levels of the test rig and model machine	105
Figure 35 – Pelton turbines with horizontal axis: determination of specific hydraulic energy of the machine	108
Figure 36 – Pelton model turbine: performance hill diagram (example for a six-nozzle machine)	114
Figure 37 – Three-dimensional surface of hydraulic efficiency and curves of performance at E_{nD} constant	116
Figure 38 – Runaway curves for a six-nozzle Pelton turbine	118
Figure 39 – Runaway speed determined by extrapolation	
Figure 40 – Measured hydraulic efficiency compared to guarantee point	
Figure 41 – Comparison between guarantees and measurements	

Figure 42 – Pelton turbine runaway speed and discharge curves: comparison between guarantees and measurements	125
Figure 43 – Pelton needle force factor as a function of relative needle stroke	
Figure 44 – Example of pressure tap location for index test	
Figure 45 – Example of graphical representation of index test data	134
Figure D.1 – Determination of the maximum runaway speed of the prototype taking into account the friction and windage losses of the unit	150
Figure E.1 – Principle of the method of separate segments	
Figure E.2 – Example of determination of intervals	
Figure G.1 – Influence of Froude number	161
Figure G.2 – Influence of Weber number	162
Figure G.3 – Influence of Reynolds number	162
Figure I.1 – Turbine	167
Table 1 – Coefficients of the Herbst and Roegener formula	29
Table 2 – Permissible maximum deviations	43
Table 3 – Maximum recommended prototype surface roughness Ra	46
Table 4 – Summary of errors that determine total measurement uncertainty	71
Table 5 – Examples of experimental setup of liquid column manometers	
Table 6 – Nomenclature for Figure 28 to Figure 33	
Table 7 – Similitude numbers	110
Table 8 – Similitude requirements for various types of model tests	111
Table 9 – Minimum values for model size and test parameters	113
Table 10 – Variables defining the operating point of a machine	
Table A.1 – Dimensionless termss://standards.iteh.ai/catalog/standards/iec/fdce9a60-ccc3-4ccd-98db-1c6914157984/iec-6	137
Table B.1 – Acceleration due to gravity g (m·s ⁻²)	
Table B.2 – Density of distilled water $\rho_{Wd}~(\text{kg}\cdot\text{m}^{-3})$	139
Table B.3 – Kinematic viscosity of distilled water $v (m^2 \cdot s^{-1})$	141
Table B.4 – Vapour pressure of distilled water p_{Va} (Pa)	142
Table B.5 – Density of dry air ρ_a (kg·m ⁻³)	143
Table B.6 – Ambient pressure p_{amb} (Pa)	144
Table B.7 – Density of mercury $\rho_{\mbox{Hg}}$ (kg·m $^{-3}$)	145
Table G.1 – Numerical data for surface tension σ^*	161
Table H.1 – Confidence levels	164
Table H.2 – Values of Student's t	165
Table H.3 – Computation of the estimated standard deviation and the uncertainty for eight observations	166

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PELTON HYDRAULIC TURBINES – MODEL ACCEPTANCE TESTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63461 has been prepared by IEC technical committee 4: Hydraulic turbines. It is an International Standard.

This first edition of IEC 63461 cancels and replaces the third edition of IEC 60193 published in 2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the Pelton-specific requirements are being removed;
- b) the new standard is published as a stand-alone publication.

The text of this International Standard is based on the following documents:

Draft	Report on voting
4/460/CDV	4/483/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn, or
- revised.

i Teh Standards
(https://standards.
Docum eenvti ePwr

<u>I E C 6</u>3 4 6 1 : 2 0 2 4 h t t p s : //standards.iteh.ai/catalog

PELTON HYDRAULIC TURBINES – MODEL ACCEPTANCE TESTS

1 Scope

This document applies to laboratory model tests of any type of Pelton hydraulic turbine.

This document applies to models of prototype machines with unit power greater than 5 MW. Full application of the procedures herein described is not generally justified for machines with smaller power. Nevertheless, this document can be used for such machines by agreement between the purchaser and the supplier.

This document excludes all matters of purely commercial interest, except those inextricably bound up with the conduct of the tests.

This document is concerned with neither the structural details of the machines nor the mechanical properties of their components, so long as these do not affect model performance or the relationship between model and prototype performances.

This document covers the arrangements for model acceptance tests to be performed on Pelton turbines to determine if the main hydraulic performance contract guarantees (see 9.2) have been satisfied.

It contains the rules governing test conduct and provides measures to be taken if any phase of the tests is disputed.

The main objectives of this document are:

- http.-// to define the terms and quantities used; e9a60-ccc5-4ccd-98db-1c6914157984/jec-63461-20
 - to specify methods of testing and of measuring the quantities involved, in order to ascertain the hydraulic performance of the model;
 - to specify the methods of computation of results and of comparison with guarantees;
 - to determine if the contract guarantees that fall within the scope of this document have been fulfilled;
 - to define the extent, content and structure of the final report.

The guarantees can be given in one of the following ways:

- guarantees for prototype hydraulic performance, computed from model test results considering scale effects;
- guarantees for model hydraulic performance.

Moreover, additional performance data (see Clause 10) can be needed for the design or the operation of the prototype of the hydraulic machine. Contrary to the requirements of Clause 8 related to main hydraulic performance, the information of these additional data given in Clause 10 is considered only as recommendation or guidance to the user (see 10.1).

Model acceptance tests are performed if the expected field conditions for acceptance tests (see IEC 60041:1991) would not allow the verification of guarantees given for the prototype machine.

It is important that the method for performance conversion from model to prototype be clearly defined in the main hydraulic performance contract.

This document can also be applied to model tests for other purposes, i.e. comparative tests and research and development work.

If model acceptance tests have been performed, field tests can be limited to index tests (see IEC 60041:1991).

If a contradiction is found between this document and any other document, this document prevails.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2186:2007, Fluid flow in closed conduits – Connections for pressure signal transmissions between primary and secondary elements

ISO 2533:1975, Standard atmosphere

ISO 4185:1980, Measurement of liquid flow in closed conduits – Weighing method

ISO 8316:1987, Measurement of liquid flow in closed conduits – Method by collection of the liquid in a volumetric tank

3 Terms, definitions, symbols and units

3.1 General

For the purposes of this document, the following terms, definitions, symbols and units apply. Specialized terms are explained where they appear.

Clarification of any term, definition or unit of measure in question shall be agreed to in writing by the contracting parties in advance of the test.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.2 Terms and definitions

3.2.1

point

value established by one or more consecutive sets of readings or recordings at unchanged operating condition and settings, sufficient to calculate the performance of the machine at this operating condition and these settings

3.2.2

test

collection of points and results adequate to establish the performance of the machine over a specified range of operating conditions