

INTERNATIONAL STANDARD



This extended version of IEC 61558-2-10:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

**Safety of transformers, reactors, power supply units and combinations thereof –
Part 2-10: Particular requirements and tests for separating transformers with
high insulation level and separating transformers with output voltages
exceeding 1 000 V**

Document Preview

[IEC 61558-2-10:2024](https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4cd-333b35249b17/iec-61558-2-10-2024)

<https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4cd-333b35249b17/iec-61558-2-10-2024>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

International
Standards
iteh.ai
Document Preview

[IEC 61558-2-10:2024](https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4cd-333b35249b17/iec-61558-2-10-2024)

<https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4cd-333b35249b17/iec-61558-2-10-2024>



IEC 61558-2-10

Edition 2.0 2024-06
EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 61558-2-10:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

**Safety of transformers, reactors, power supply units and combinations thereof –
Part 2-10: Particular requirements and tests for separating transformers with
high insulation level and separating transformers with output voltages
exceeding 1 000 V**

[IEC 61558-2-10:2024](https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4cd-333b35249b17/iec-61558-2-10-2024)

<https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4cd-333b35249b17/iec-61558-2-10-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.180

ISBN 978-2-8322-9149-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	9
INTRODUCTION to IEC 61558-1:2017.....	12
INTRODUCTION to 61558-2-10:2024	14
1 Scope.....	15
2 Normative references	16
3 Terms and definitions	19
3.1 Transformers	20
3.2 General terms	23
3.3 Operations and protections	25
3.4 Circuits and windings	26
3.5 Ratings	27
3.6 No-load values.....	29
3.7 Insulation	29
3.8 Touch current and protective earthing conductor current.....	33
4 General requirements	33
5 General notes on tests	34
6 Ratings.....	36
7 Classification.....	37
8 Marking and other information	38
9 Protection against electric shock	46
9.1 General.....	46
9.2 Protection against contact with hazardous-live-parts.....	46
9.2.1 Determination of hazardous-live-parts	46
9.2.2 Accessibility to hazardous-live-parts.....	47
9.2.3 Accessibility to non hazardous-live-part.....	49
9.3 Protection against hazardous electrical discharge.....	49
10 Change of input voltage setting	50
11 Output voltage and output current under load	50
12 No-load output voltage	51
13 Short-circuit voltage.....	52
14 Heating.....	52
14.1 General requirements	52
14.1.1 Temperature-rise test	52
14.1.2 Alternative temperature-rise test.....	54
14.1.3 Determination of steady-state conditions	57
14.2 Application of 14.1 or 14.3 according to the insulation system.....	58
14.3 Accelerated ageing test for undeclared class of insulation system	59
14.3.1 General	59
14.3.2 Heat run	59
14.3.3 Vibration.....	60
14.3.4 Moisture treatment.....	60
14.3.5 Measurements	60
15 Short circuit and overload protection.....	60
15.1 General requirements	60
15.1.1 Short circuit and overload test method.....	60

15.1.2	Alternative short circuit and overload test method	63
15.2	Inherently short-circuit proof transformers	63
15.3	Non-inherently short-circuit proof transformers	63
15.4	Non-short-circuit proof transformers	64
15.5	Fail-safe transformers	64
16	Mechanical strength	65
16.1	General	65
16.2	Stationary transformers	65
16.3	Portable transformers (except portable transformers with integral pins for introduction in socket-outlet in the fixed wiring)	66
16.4	Portable transformers provided with integral pins for introduction in socket-outlets of the fixed wiring	66
16.4.1	General requirements	66
16.4.2	Portable transformers provided with integral pins according to EN 50075 (IEC plug type C) for introduction in socket-outlets of the fixed wiring	67
16.5	Additional requirements for transformers to be used in vehicles and railway applications	68
16.5.1	Transformers to be used in vehicles and railway applications	68
16.5.2	Test requirements for the transportation of transformers	69
17	Protection against harmful ingress of dust, solid objects and moisture	70
17.1	Degrees of protection provided by enclosures (IP code)	70
17.1.1	General requirements	70
17.1.2	Tests on transformers with enclosure	71
17.2	Humidity treatment	73
18	Insulation resistance, dielectric strength and leakage current	74
18.1	General	74
18.2	Insulation resistance	74
18.3	Dielectric strength test	75
18.4	Insulation between and within windings	76
18.5	Touch current and protective earthing conductor current	76
18.5.1	General	76
18.5.2	Touch current	77
18.5.3	Protective earthing conductor current	77
19	Construction	78
19.1	General construction	78
19.2	Flammability of materials	79
19.3	Short-circuit characteristics of portable transformers	79
19.4	Class II transformer contact prevention of accessible conductive parts	79
19.5	Class II transformer insulation reassembling after service	79
19.6	Loosening of wires, screws or similar parts	80
19.7	Resistor or capacitor connection with accessible conductive parts	80
19.8	Bridging of separated conductive parts by resistors or capacitors	80
19.9	Insulating material separating input and output windings	81
19.10	Accidental contact protection against hazardous-live-parts provided by isolating coating	81
19.11	Insulating material of handles, operating levers, knobs and similar parts	82
19.12	Winding construction	82
19.13	Fixing of handles, operating levers and similar parts	86
19.14	Fixing of covers providing protection against electric shock	86

19.15	Strain on fixed socket-outlets caused by pin-transformers connection	87
19.16	Portable transformers for use in irregular or harsh conditions	87
19.17	Drain hole of transformers protected against ingress of water	87
19.18	Plug connected transformers protected against ingress of water	87
19.19	Flexible cable or flexible cord connection for class I portable transformers	87
19.20	SELV- and PELV-circuit separation of live parts.....	88
19.21	Protection against contact for FELV-circuit.....	88
19.22	Protective earthing regarding class II transformers	88
19.23	Protective earthing regarding class III transformers	89
20	Components	89
21	Internal wiring.....	94
22	Supply connection and other external flexible cables or cords	95
23	Terminals for external conductors.....	101
24	Provisions for protective earthing.....	103
25	Screws and connections	104
26	Creepage distances, clearances and distances through insulation.....	107
26.1	General.....	107
26.2	Creepage distances and clearances.....	108
26.2.1	General	108
26.2.2	Windings covered with adhesive tape	108
26.2.3	Uncemented insulating parts.....	108
26.2.4	Cemented insulating parts	108
26.2.5	Enclosed parts (e.g. by impregnation or potting)	109
26.3	Distance through insulation.....	111
27	Resistance to heat, fire and tracking.....	122
27.1	General.....	122
27.2	Resistance to heat.....	122
27.2.1	General	122
27.2.2	External accessible parts	122
27.2.3	Internal parts	123
27.3	Resistance to abnormal heat under fault conditions	123
27.4	Resistance to fire.....	124
27.4.1	General	124
27.4.2	External accessible parts.....	125
27.4.3	Internal parts	125
27.5	Resistance to tracking.....	126
28	Resistance to rusting.....	126
Annex A	(normative) Measurement of creepage distances and clearances.....	127
Annex B	(normative) Testing a series of transformers	131
B.1	General.....	131
B.2	Requirements	131
B.3	Constructional inspection	132
Annex C	(void).....	133
Annex D	(void).....	134
Annex E	(normative) Glow-wire test	135
E.1	General.....	135
E.2	Severity	135

E.3	Conditioning.....	135
E.4	Test procedure.....	135
Annex F (normative) Requirements for manually operated switches which are parts of transformers assembly.....		136
F.1	General.....	136
F.2	Switches tested as a separate component	136
F.3	Switches tested as part of the transformer	136
Annex G (normative) Tracking test.....		139
G.1	General.....	139
G.2	Test specimen	139
G.3	Test apparatus.....	139
G.4	Procedure	139
Annex H (normative) Electronic circuits.....		140
H.1	General.....	140
H.2	General notes on tests (addition to Clause 5).....	140
H.3	Short circuit and overload protection (addition to Clause 15).....	140
H.4	Creepage distances, clearances and distances through insulation (addition to Clause 26)	142
Annex I (informative) Dimensions for rectangular cross-section connectors of transformers, basic dimensions and coordination		144
Annex J (normative) Measuring network for touch-currents		146
Annex K (normative) Insulated winding wires		147
K.1	General.....	147
K.2	Type tests	147
K.2.1	General	147
K.2.2	Dielectric strength test.....	147
K.2.3	Flexibility and adherence	147
K.2.4	Heat shock	148
K.2.5	Retention of dielectric strength after bending.....	148
K.3	Testing during manufacturing.....	149
K.3.1	General	149
K.3.2	Routine test.....	149
K.3.3	Sampling test.....	149
Annex L (normative) Routine tests (production tests).....		150
L.1	General.....	150
L.2	Protective earthing continuity test	150
L.3	Checking of no-load output voltage	150
L.4	Dielectric strength test	150
L.5	Checking of protective devices mounting	151
L.6	Visual inspection.....	151
L.7	Repetition test after routine dielectric strength test	151
Annex M (informative) Examples to be used as a guide for 19.1		152
M.1	General.....	152
M.2	Coil-former.....	152
M.2.1	Concentric type	152
M.2.2	Side-by-side type.....	153
M.3	Windings.....	153
M.3.1	Without screen	153

M.3.2 With screen	154
Annex N (informative) Examples for checking points of dielectric strength test voltages.....	155
Annex O (void).....	157
Annex P (informative) Examples for measurement points of creepage distances and clearances	158
Annex Q (informative) Explanation of IP numbers for degrees of protection	161
Q.1 General.....	161
Q.2 Degrees of protection against access to hazardous parts and against solid foreign objects	161
Q.3 Degrees of protection against ingress of water.....	163
Annex R (normative) Explanations of the application of 6.1.2.2.1 of IEC 60664-1:2007	164
R.1 Impulse dielectric test	164
R.2 Example.....	164
Annex S (void).....	166
Annex T (void).....	167
Annex U (void).....	168
Annex V (informative) Symbols to be used for thermal cut-outs.....	169
V.1 General.....	169
V.2 Non-self-resetting thermal cut-out (see 3.3.4)	169
V.3 Self-resetting thermal cut-out (see 3.3.3)	169
Annex W (normative) Coated printed circuit boards.....	170
W.1 Preamble	170
W.2 General.....	170
W.3 Cold.....	170
W.4 Rapid change of temperature	170
W.5 Additional tests	170
Bibliography.....	171
Index of defined terms	174
Figure 1 – IEC 61558 principle.....	13
Figure 2 – Mounting box for flush-type transformer	36
Figure 3 – Test pin (see IEC 61032, test probe 13).....	47
Figure 4 – Standard test finger (see IEC 61032, test probe B)	49
Figure 5 – Example of back-to-back method – Single phase	56
Figure 6 – Example of back-to-back method – Three phase	56
Figure 7 – Amplitude spectrum density for random testing	69
Figure 8 – Normalised spectrum of shock	70
Figure 10 – Test configuration: single-phase equipment on star TN or TT system	77
Figure 11 – Abrasion resistance test for insulating coated layers	82
Figure 12 – Flexing test apparatus	99
Figure 13 – Test arrangement for checking mechanical withstanding of insulating materials in thin sheet layers	114
Figure 14 – Ball-pressure apparatus	122
Figure A.1 – Example 1.....	127
Figure A.2 – Example 2.....	128
Figure A.3 – Example 3.....	128

Figure A.4 – Example 4.....	128
Figure A.5 – Example 5.....	129
Figure A.6 – Example 6.....	129
Figure A.7 – Example 7.....	130
Figure A.8 – Example 8.....	130
Figure H.1 – Example of an electronic circuit with low-power points.....	143
Figure J.1 – Measuring network for touch-current	146
Figure M.1 – Examples for concentric type constructions	152
Figure M.2 – Examples for side-by-side type constructions	153
Figure M.3 – Examples for winding constructions without screen	153
Figure M.4 – Examples for wrapped winding constructions	154
Figure M.5 – Examples for winding constructions with screen	154
Figure N.1 – Transformer of class I construction with metal enclosure	155
Figure N.2 – Transformer of class II construction with metal enclosure	156
Figure N.3 – Transformer of class II construction with enclosure of insulating material	156
Figure P.1 – Transformer of class I construction	158
Figure P.2 – Transformer of class I construction with earthed metal screen	159
Figure P.3 – Transformer of class II construction with metal enclosure	159
Figure P.4 – Transformer of class II construction with enclosure of insulating material.....	160
Figure V.1 – Restored by manual operation	169
Figure V.2 – Restored by disconnection of the supply	169
Figure V.3 – Thermal link (see 3.3.5).....	169
Figure V.4 – Self-resetting thermal cut-out.....	169
https://standards.iteh.ai/document/iec-61558-2-10-2024	
Table 1 – Symbols used on equipment or in instructions	42
Table 101 – Symbols indicating the kind of transformer	44
Table 102 – Output voltage difference	52
Table 2 – Values of maximum temperatures in normal use.....	57
Table 3 – Explanation of the maximum winding temperatures required in Table 2	58
Table 4 – Test temperature and testing time (in days) per cycle.....	59
Table 5 – Maximum values of temperatures under short-circuit or overload conditions.....	62
Table 6 – Values of T and k for fuses	63
Table 7 – Pull force on pins	67
Table 8 – Conditions for vibration testing (random).....	68
Table 9 – Amplitude spectrum density ASD values for accelerated life testing	68
Table 10 – Frequency values depending on the weight of the specimen.....	69
Table 11 – Excitation values for vibration testing	69
Table 12 – Solid-object-proof transformer test	72
Table 13 – Values of insulation resistance	75
Table 103 – Table of dielectric strength test voltages for working voltages above 1 000 V.....	75
Table 15 – Limits for currents	78
Table 16 – Nominal cross-sectional areas of external flexible cables or cords.....	96

Table 17 – Pull and torque to be applied to external flexible cables or cords fixed to stationary and portable transformers.....	100
Table 18 – Torque to be applied to screws and connections	105
Table 19 – Torque test on glands.....	107
Table 104 – Minimum clearances in air up to 2 000 m above sea level.....	110
Table 105 – Minimum creepage distances for basic or supplementary insulation.....	111
Table 20 – Clearances in mm	115
Table 21 – Creepage distances in mm	116
Table 22 – Distance through insulation in mm.....	117
Table 23 – Creepage distances and clearance between terminals for external connection	118
Table 24 – Values of FIW wires with minimum overall diameter and minimum test voltages according to the total enamel increase.....	120
Table A.1 – Width of groove values depending on the pollution degree	127
Table F.1 – Peak surge current of additional loads.....	137
Table I.1 – Dimensions of rectangular copper connectors	144
Table K.1 – Mandrel diameter	148
Table K.2 – Oven temperature	148
Table Q.1 – Degrees of protection against access to hazardous parts indicated by the first characteristic numeral.....	162
Table Q.2 – Degrees of protection against solid foreign objects indicated by the first characteristic numeral.....	162
Table Q.3 – Degrees of protection indicated by the second characteristic numeral	163
Table R.1 – Impulse test voltage according to 6.1.2.2.1 of IEC 60664-1:2007	164

[IEC 61558-2-10:2024](https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4ed-333b35249b17/iec-61558-2-10-2024)

<https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4ed-333b35249b17/iec-61558-2-10-2024>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SAFETY OF TRANSFORMERS, REACTORS, POWER SUPPLY UNITS AND COMBINATIONS THEREOF –

Part 2-10: Particular requirements and tests for separating transformers with high insulation level and separating transformers with output voltages exceeding 1 000 V

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the comprehensive content of the Standard.

IEC 61558-2-10:2024 EXV includes the content of IEC 61558-2-10:2024, and the references made to IEC 61558-1:2017.

The specific content of IEC 61558-2-10:2024 is displayed on a blue background.

IEC 61558-2-10 has been prepared by IEC technical committee 96: Transformers, reactors, power supply units and combinations thereof. It is an International Standard.

This second edition cancels and replaces the first edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) adjustment of structure and references in accordance with IEC 61558-1:2017;
- b) overvoltage categories I, II, III and IV for clearances and dielectric strength tests are included;
- c) clearances for homogenous field conditions deleted.

The text of this International Standard is based on the following documents:

Draft	Report on voting
96/589/FDIS	96/595/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

It has the status of a group safety publication in accordance with IEC Guide 104.

This International Standard is to be used in conjunction with IEC 61558-1:2017.

This document supplements or modifies the corresponding clauses in IEC 61558-1:2017, so as to convert that publication into the IEC standard: *Particular requirements and tests for separating transformers with high insulation level and separating transformers with output voltages exceeding 1 000 V*.

A list of all parts in the IEC 61558 series published under the general title *Safety of transformers, reactors, power supply units and combinations thereof*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

Where this document states "*addition*", "*modification*" or "*replacement*", the relevant text of IEC 61558-1:2017 is to be adapted accordingly.

In this document, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type*;
- explanatory matter: in smaller roman type.

In the text of this document, the words in **bold** are defined in Clause 3.

Subclauses, notes, figures and tables additional to those in IEC 61558-1:2017 are numbered starting from 101; supplementary annexes are entitled AA, BB, etc.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 61558-2-10:2024](https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4cd-333b35249b17/iec-61558-2-10-2024)

<https://standards.iteh.ai/catalog/standards/iec/4d511291-770a-429c-b4cd-333b35249b17/iec-61558-2-10-2024>

INTRODUCTION to IEC 61558-1:2017

This document covers safety requirements for **transformers**. Where the term **transformer** is used, it covers **transformers**, **reactors** and **power supply units** where applicable.

During the development of this document, to the extent possible, the requirements of IEC 60364 (all parts) were taken into consideration, so that a **transformer** can be installed in accordance with the wiring rules contained in that document. However, national wiring rules can differ.

This document recognizes the internationally accepted levels of protection against the possible electrical, mechanical, and fire hazards caused by **transformers** operating under normal conditions in accordance with the manufacturer's instructions. It also covers abnormal conditions which can occur in practice.

A **transformer** complying with this document will not necessarily be judged to comply with the safety principles of this document if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A **transformer** employing materials or having forms of construction differing from those detailed in this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the safety principles of this document.

The document dealing with non-safety aspects of electromagnetic compatibility (EMC) of **transformers** is IEC 62041. However, that document also includes tests that can subject the **transformer** to conditions involving safety aspects.

The objective of IEC 61558-1 is to provide a set of requirements and tests considered to be generally applicable to most types of **transformers**, and which can be called up as required by the relevant part of IEC 61558-2. IEC 61558-1 is thus not to be regarded as a specification by itself for any type of **transformer**, and its provisions apply only to particular types of **transformers** to the extent determined by the appropriate part of IEC 61558-2. IEC 61558-1 also contains normative routine tests.

Each part of IEC 61558-2 in conjunction with this document contains all the necessary requirements for the **transformer** being covered and does not contain references to other parts of IEC 61558-2. For **transformers** with a protection index IP00 and associated **transformers**, it is possible to have circuits corresponding to different parts of IEC 61558-2 within the same construction (e.g. SELV output circuit according to IEC 61558-2-6 and a 230 V output circuit according to IEC 61558-2-4). However, if the **transformer** is covered by different parts IEC 61558-2, to the extent reasonable, the relevant part of IEC 61558-2 is applied to each function/application separately. If applicable, the effect of one function on the other is taken into consideration.

If an appropriate part of IEC 61558-2 does not exist for a particular **transformer** or group of **transformers**, the nearest applicable part may be used as a guide to the requirements and tests.

However, individual countries may wish to consider its application, to the extent reasonable, to transformers not mentioned in the IEC 61558-2 series, and to transformers designed on new principles.

Where the requirements of any of the clauses of a part of IEC 61558-2 refer to IEC 61558-1 by the phrase "This clause of Part 1 is applicable", this phrase means that all the requirements of that clause of IEC 61558-1 are applicable, except those requirements that are clearly not applicable to the particular type of **transformer** covered by that part of IEC 61558-2.