

Edition 3.0 2024-04 EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 61558-2-12:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

Safety of transformers, reactors, power supply units and combination thereof – Part 2-12: Particular requirements and tests for constant voltage transformers and power supply units for constant voltage

Document Preview

IEC 61558-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/1c80023e-4934-4404-83fe-161fa23d5d19/iec-61558-2-12-2024





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 3.0 2024-04 EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 61558-2-12:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

Safety of transformers, reactors, power supply units and combination thereof – Part 2-12: Particular requirements and tests for constant voltage transformers and power supply units for constant voltage

Document Preview

IEC 61558-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/1c80023e-4934-4404-83fe-161fa23d5d19/iec-61558-2-12-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.180 ISBN 978-2-8322-8750-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FO	REWO	PRD	9
INT	RODU	ICTION	12
INT	RODU	ICTION to IEC 61558-2-12	14
1	Scop	re	15
2	•	native references	
3		is and definitions	
	3.1	Transformers	
	3.2	General terms	
	3.3	Operations and protections	
	3.4	Circuits and windings	
	3.5	Ratings	
	3.6 3.7	No-load values	
		Insulation	
	3.8 Cons	Touch current and protective earthing conductor currenteral requirements	
4		·	
5		eral notes on tests	
6	Ratir	ngs	37
7	Class	sification	38
8	Mark	ing and other information	39
9	Prote	ing and other informationection against electric shock	47
Ç	9.1	General	47
ç	9.2	Protection against contact with hazardous-live-parts	47
	9.2.1		
	9.2.2	Accessibility to hazardous-live-parts	48
	9.2.3	Accessibility to non hazardous-live-part	-6.1.5.58351
Ç	9.3	Protection against hazardous electrical discharge	51
10	Char	nge of input voltage setting	51
11	Outp	ut voltage and output current under load	52
12	No-lo	pad output voltage	52
13		t-circuit voltage	
14		ing	
	14.1	General requirements	
	14.1	·	
	14.1.	·	
	14.1.	·	
	14.1. 14.2	Application of 14.1 or 14.3 according to the insulation system	
	14.3	Accelerated ageing test for undeclared class of insulation system	
	14.3.	·	
	14.3.		
	14.3.		
	14.3.		
	14.3.		
15		t circuit and overload protection	
_	15.1	General requirements	
	15. i 15.1.	·	
	10.1.	TI OHOR GIRGIR AND OVERTOAD LEST METHOD	02

15.1	.2 Alternative short circuit and overload test method	64
15.2	Inherently short-circuit proof transformers	64
15.3	Non-inherently short-circuit proof transformers	64
15.4	Non-short-circuit proof transformers	65
15.5	Fail-safe transformers	65
16 Mec	hanical strength	66
16.1	General	66
16.2	Stationary transformers	
16.3	Portable transformers (except portable transformers with integral pins for introduction in socket-outlet in the fixed wiring)	
16.4	Portable transformers provided with integral pins for introduction in socket-	
	outlets of the fixed wiring	67
16.4	.1 General requirements	67
16.4	.2 Portable transformers provided with integral pins according to EN 50075 (IEC plug type C) for introduction in socket-outlets of the fixed wiring	68
16.5	Additional requirements for transformers to be used in vehicles and railway applications	
16.5	.1 Transformers to be used in vehicles and railway applications	69
16.5	.2 Test requirements for the transportation of transformers	70
17 Prote	ection against harmful ingress of dust, solid objects and moisture	71
17.1	Degrees of protection provided by enclosures (IP code)	71
17.1	, , ,	
17.1	(https://standards.itah.ai)	
17.2	Humidity treatment	
	lation resistance, dielectric strength and leakage current	
18.1	General	
18.2	Insulation resistance IFC 61558-2-12:2024	
10.2 star _{18.3} ls	Dielectric strength test //ec/1c80023e-4934-4404-83fe-161fa23d5d19/iec-615	
18.4	Insulation between and within windings	
	<u> </u>	
18.5	Touch current and protective earthing conductor current	
18.5		
18.5		
18.5	3	
	struction	
19.1	General construction	
19.1		
19.1	.2 Auto-transformers	81
19.1	1 0	
19.1	, ,	
19.2	Flammability of materials	85
19.3	Short-circuit characteristics of portable transformers	85
19.4	Class II transformer contact prevention of accessible conductive parts	86
19.5	Class II transformer insulation reassembling after service	86
19.6	Loosening of wires, screws or similar parts	86
19.7	Resistor or capacitor connection with accessible conductive parts	
19.8	Bridging of separated conductive parts by resistors or capacitors	
19.9	Insulating material separating input and output windings	
19.10	Accidental contact protection against hazardous-live-parts provided by isolating coating	

19.11 Insulating material of handles, operating levers, knobs and simila	ır parts89
19.12 Winding construction	89
19.13 Fixing of handles, operating levers and similar parts	93
19.14 Fixing of covers providing protection against electric shock	93
19.15 Strain on fixed socket-outlets caused by pin-transformers connec	tion93
19.16 Portable transformers for use in irregular or harsh conditions	94
19.17 Drain hole of transformers protected against ingress of water	94
19.18 Plug connected transformers protected against ingress of water.	94
19.19 Flexible cable or flexible cord connection for class I portable tran	
19.20 SELV- and PELV-circuit separation of live parts	94
19.21 Protection against contact for FELV-circuit	95
19.22 Protective earthing regarding class II transformers	
19.23 Protective earthing regarding class III transformers	
20 Components	
21 Internal wiring	101
22 Supply connection and other external flexible cables or cords	101
23 Terminals for external conductors	108
24 Provisions for protective earthing	109
25 Screws and connections	
11ch Standards	
26.1 General	
26.2.1 General	
26.2.3 Uncemented insulationing parts	
26.2.4 Cemented insulationing parts	
26.2.5 Enclosed parts (e.g. by impregnation or potting)	
26.3 Distance through insulation	
27 Resistance to heat, fire and tracking	
27.1 General	
27.1 General 27.2 Resistance to heat	
27.2.1 General	
27.2.2 External accessible parts	
27.2.3 Internal parts	
27.3 Resistance to abnormal heat under fault conditions	
27.4 Resistance to fire	
27.4.1 General	
27.4.2 External accessible parts	
27.4.3 Internal parts	
27.5 Resistance to tracking	
28 Resistance to rusting	
Annex A (normative) Measurement of creepage distances and clearances	
Annex B (normative) Testing a series of transformers	
B.1 General	
B.2 Requirements	
B.3 Constructional inspection	
Annex C (void)	۱۵۵

Annex D (void)	139
Annex E (normative) Glow-wire test	140
E.1	General	140
E.2	Severity	140
E.3	Conditioning	140
E.4	Test procedure	140
	normative) Requirements for manually operated switches which are parts of ers assembly	141
F.1	General	141
F.2	Switches tested as a separate component	
F.3	Switches tested as part of the transformer	
	normative) Tracking test	
G.1	General	
G.2	Test specimen	
G.3	Test apparatus	
G.3 G.4	Procedure	
_	normative) Electronic circuits	
·	·	
H.1	General metro on tests (addition to Clause 5)	
H.2	General notes on tests (addition to Clause 5)	
H.3	Short circuit and overload protection (addition to Clause 15)	145
H.4	Creepage distances, clearances and distances through insulation (addition to Clause 26)	147
	nformative) Dimensions for rectangular cross-section connectors of ers, basic dimensions and coordination	
	normative) Measuring network for touch-currents	
`	normative) Insulated winding wires	
K.1	General IEC 61558-2-12:2024	152
K.2	Type tests og/standards/iec/1c80023e-4934-4404-83fe-161fa23d5d19/iec-615	
K.2.1	General	
K.2.2	9	
K.2.3	•	152
K.2.4		
K.2.5	3	
K.3	Testing during manufacturing	
K.3.1	General	
K.3.2		154
K.3.3	1 0	
Annex L (normative) Routine tests (production tests)	155
L.1	General	155
L.2	Protective earthing continuity test	155
L.3	Checking of no-load output voltage	155
L.4	Dielectric strength test	
L.5	Checking of protective devices mounting	
L.6	Visual inspection	
L.7	Repetition test after routine dielectric strength test	
	(informative) Examples to be used as a guide for 19.1	
M.1	General	
M.2	Coil-former	

	1 Concentric type	157
M.2.	3	
M.3	Windings	
M.3.		
M.3.		
	(informative) Examples for checking points of dielectric strength test voltages	
	(void)	162
	(informative) Examples for measurement points of creepage distances and	163
	(informative) Explanation of IP numbers for degrees of protection	
Q.1	General	
Q.2	Degrees of protection against access to hazardous parts and against solid	100
	foreign objects	166
Q.3	Degrees of protection against ingress of water	
Annex R	(normative) Explanations of the application of 6.1.2.2.1 of IEC 60664-1:2007	
R.1	Impulse dielectric test	
R.2	Example	
	(void)	
	(void)	
	(void)	
	(informative) Symbols to be used for thermal cut-outs	
V.1	General	
V.2	Non-self-resetting thermal cut-out (see 3.3.4)	
V.3	Self-resetting thermal cut-out (see 3.3.3)	
	(normative) Coated printed circuit boards	
W.1 W.2	Preamble	
W.3	Cold	
W.4	Rapid change of temperature	
W.5	Additional tests	
Bibliogra	phy	176
Index of	defined terms	178
Figure 2	Mounting box for flush-type transformer	36
Figure 3	- Test pin (see IEC 61032, test probe 13)	49
Figure 4	– Standard test finger (see IEC 61032, test probe B)	50
Figure 5	– Example of back-to-back method – Single phase	58
Figure 6	– Example of back-to-back method – Three phase	58
Figure 7	– Amplitude spectrum density for random testing	70
Figure 8	- Normalised spectrum of shock	71
-	– Test voltage sequence	
i igaic c) – Test configuration: single-phase equipment on star TN or TT system	
_	Took comigaration omgre phace equipment on etal fit of it eveterminim	-
Figure 10	1 – Abrasion resistance test for insulating coated layers	89

Figure 14 – Ball-pressure apparatus	. 127
Figure A.1 – Example 1	. 132
Figure A.2 – Example 2	. 133
Figure A.3 – Example 3	. 133
Figure A.4 – Example 4	. 133
Figure A.5 – Example 5	. 134
Figure A.6 – Example 6	. 134
Figure A.7 – Example 7	. 135
Figure A.8 – Example 8	. 135
Figure H.1 – Example of an electronic circuit with low-power points	. 148
Figure J.1 – Measuring network for touch-current	. 151
Figure M.1 – Examples for concentric type constructions	. 157
Figure M.2 – Examples for side-by-side type constructions	. 158
Figure M.3 – Examples for winding constructions without screen	. 158
Figure M.4 – Examples for wrapped winding constructions	. 159
Figure M.5 – Examples for winding constructions with screen	. 159
Figure N.1 – Transformer of class I construction with metal enclosure	. 160
Figure N.2 – Transformer of class II construction with metal enclosure	. 161
Figure N.3 – Transformer of class II construction with enclosure of insulating material	. 161
Figure P.1 – Transformer of class I construction	. 163
Figure P.2 – Transformer of class I construction with earthed metal screen	. 164
Figure P.3 – Transformer of class II construction with metal enclosure	. 164
Figure P.4 – Transformer of class II construction with enclosure of insulating material	.165
Figure V.1 – Restored by manual operation 5.5.2.2.2.2.2.2.2	
Figure V.2 - Restored by disconnection of the supply .4404-83fe-161fa23d5d19/lec-6155	1742-2
Figure V.3 – Thermal link (see 3.3.5)	. 174
Figure V.4 – Self-resetting thermal cut-out	. 174
Table 1 – Symbols used on equipment or in instructions	43
Table 101 – Symbols indicating the kind of transformer	44
Table 2 – Values of maximum temperatures in normal use	59
Table 3 – Explanation of the maximum winding temperatures required in Table 2	60
Table 4 – Test temperature and testing time (in days) per cycle	61
Table 5 – Maximum values of temperatures under short-circuit or overload conditions	63
Table 6 – Values of T and k for fuses	64
Table 7 – Pull force on pins	68
Table 8 – Conditions for vibration testing (random)	69
Table 9 – Amplitude spectrum density ASD values for accelerated life testing	69
Table 10 – Frequency values depending on the weight of the specimen	70
Table 11 – Excitation values for vibration testing	70
Table 12 – Solid-object-proof transformer test	73
Table 13 – Values of insulation resistance	76
Table 14 – Table of dielectric strength test voltages	77

Table 15 – Limits for currents	80
Table 16 – Nominal cross-sectional areas of external flexible cables or cords	103
Table 17 – Pull and torque to be applied to external flexible cables or cords fixed to stationary and portable transformers	107
Table 18 – Torque to be applied to screws and connections	112
Table 19 – Torque test on glands	113
Table 20 – Clearances in mm	120
Table 21 – Creepage distances in mm	121
Table 22 – Distance through insulation in mm	122
Table 23 – Creepage distances and clearance between terminals for external connection	123
Table 24 – Values of FIW wires with minimum overall diameter and minimum test voltages according to the total enamel increase	125
Table A.1 – Width of groove values depending on the pollution degree	132
Table F.1 – Peak surge current of additional loads	142
Table I.1 – Dimensions of rectangular copper connectors	149
Table K.1 – Mandrel diameter	153
Table K.2 – Oven temperature	153
Table Q.1 – Degrees of protection against access to hazardous parts indicated by the first characteristic numeral	167
Table Q.2 – Degrees of protection against solid foreign objects indicated by the first characteristic numeral	167
Table Q.3 – Degrees of protection indicated by the second characteristic numeral	168
Table R 1 – Impulse test voltage according to 6 1 2 2 1 of IEC 60664-1:2007	169

IEC 61558-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/1c80023e-4934-4404-83fe-161fa23d5d19/iec-61558-2-12-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SAFETY OF TRANSFORMERS, REACTORS, POWER SUPPLY UNITS AND COMBINATIONS THEREOF –

Part 2-12: Particular requirements and tests for constant voltage transformers and power supply units for constant voltage

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the comprehensive content of the Standard.

IEC 61558-2-12:2024 EXV includes the content of IEC 61558-2-12:2024, and the references made to IEC 61558-1:2017.

The specific content of IEC 61558-2-12:2024 is displayed on a blue background.

IEC 61558-2-12 has been prepared by IEC technical committee 96: Transformers, reactors, power supply units and combinations thereof. It is an International Standard.

This third edition cancels and replaces the second edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) adjustment of structure and references in accordance with IEC 61558-1:2017;
- b) description of constructions moved to IEC 61558-1:2017;
- c) new symbol for power supply unit with linearly regulated output voltage.

The text of this International Standard is based on the following documents:

Draft	Report on voting
96/587/FDIS	96/591/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

It has the status of a group safety publication in accordance with IEC Guide 104.

This International Standard is to be used in conjunction with IEC 61558-1:2017.

This document supplements or modifies the corresponding clauses in IEC 61558-1:2017, so as to convert that publication into the IEC standard: *Particular requirements and tests for constant voltage transformers and power supply units for constant voltage.*

A list of all parts in the IEC 61558 series published under the general title *Safety of transformers, reactors, power supply units and combinations thereof,* can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

Where this document states "addition", "modification" or "replacement", the relevant text of IEC 61558-1:2017 is to be adopted accordingly.

In this document, the following print types are used:

- requirements proper: in roman type;
- test specifications: in italic type;
- explanatory matter: in smaller roman type:

In the text of this document, the words in **bold** are defined in Clause 3.

Subclauses, notes, figures and tables additional to those in IEC 61558-1:2017 are numbered starting from 101; supplementary annexes are entitled AA, BB, etc.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 61558-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/1c80023e-4934-4404-83fe-161fa23d5d19/iec-61558-2-12-2024

INTRODUCTION

This document covers safety requirements for **transformers**. Where the term **transformer** is used, it covers **transformers**, **reactors** and **power supply units** where applicable.

During the development of this document, to the extent possible, the requirements of IEC 60364 (all parts) were taken into consideration, so that a **transformer** can be installed in accordance with the wiring rules contained in that document. However, national wiring rules can differ.

This document recognizes the internationally accepted levels of protection against the possible electrical, mechanical, and fire hazards caused by **transformers** operating under normal conditions in accordance with the manufacturer's instructions. It also covers abnormal conditions which can occur in practice.

A **transformer** complying with this document will not necessarily be judged to comply with the safety principles of this document if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A **transformer** employing materials or having forms of construction differing from those detailed in this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the safety principles of this document.

The document dealing with non-safety aspects of electromagnetic compatibility (EMC) of transformers is IEC 62041. However, that document also includes tests that can subject the transformer to conditions involving safety aspects.

The objective of of IEC 61558-1 is to provide a set of requirements and tests considered to be generally applicable to most types of **transformers**, and which can be called up as required by the relevant part of IEC 61558-2. IEC 61558-1 is thus not to be regarded as a specification by itself for any type of **transformer**, and its provisions apply only to particular types of **transformers** to the extent determined by the appropriate part of IEC 61558-2. IEC 61558-1 2 2024 also contains normative routine tests.

Each part of IEC 61558-2 in conjunction with this document contains all the necessary requirements for the **transformer** being covered and does not contain references to other parts of IEC 61558-2. For **transformers** with a protection index IP00 and associated **transformers**, it is possible to have circuits corresponding to different parts of IEC 61558-2 within the same construction (e.g. SELV output circuit according to IEC 61558-2-6 and a 230 V output circuit according to IEC 61558-2-4). However, if the **transformer** is covered by different parts IEC 61558-2, to the extent reasonable, the relevant part of IEC 61558-2 is applied to each function/application separately. If applicable, the effect of one function on the other is taken into consideration.

If an appropriate part of IEC 61558-2 does not exist for a particular **transformer** or group of **transformer**s, the nearest applicable part may be used as a guide to the requirements and tests

However, individual countries may wish to consider its application, to the extent reasonable, to transformers not mentioned in the IEC 61558-2 series, and to transformers designed on new principles.

Where the requirements of any of the clauses of a part of IEC 61558-2 refer to IEC 61558-1 by the phrase "This clause of Part 1 is applicable", this phrase means that all the requirements of that clause of IEC 61558-1 are applicable, except those requirements that are clearly not applicable to the particular type of **transformer** covered by that part of IEC 61558-2.