



Edition 1.0 2025-02

# INTERNATIONAL STANDARD

Connectors for electrical and electronic equipment – Product requirements – Part 8-111: Power connectors – Detail specification for 3-pole snap locking rectangular connectors with IP65/IP67 plastic housing for rated current of 20 A

## Document Preview

IEC 61076-8-111:2025

https://standards.iteh.ai/catalog/standards/iec/014e675a-70d6-4104-a0b3-23f1dd6b76dc/iec-61076-8-111-2025





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Secretariat** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 1.0 2025-02

# INTERNATIONAL STANDARD

Connectors for electrical and electronic equipment – Product requirements – Part 8-111: Power connectors – Detail specification for 3-pole snap locking rectangular connectors with IP65/IP67 plastic housing for rated current of 20 A

## Document Preview

IEC 61076-8-111:2025

https://standards.iteh.ai/catalog/standards/iec/014e675a-70d6-4104-a0b3-23f1dd6b76dc/iec-61076-8-111-202:

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31,220,10 ISBN 978-2-8327-0005-1

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

ŀ	-OREW	URD	5
,	1 Sco	pe	8
2	2 Nor	mative references	8
3	3 Teri	ns and definitions	10
2	1 Tec	hnical information	10
	4.1	Recommended method of termination	
	4.1.		
	4.1.		-
	4.2	Ratings and characteristics	_
	4.3	Systems of levels	
	4.3.	•	
	4.3.		
	4.4	Classification into climatic categories	
	4.5	Clearance and creepage distance	
	4.6	Current-carrying capacity	
	4.7	Marking	
	4.8	Safety aspects	
į		ensional information	
	5.1	General 11en Standards	
	5.2	Isometric view and common features	
	5.2.		
	5.2.		
	5.3	Engagement (mating) information	
	5.4	Fixed connectors	
	5.4.		
		2 <sup>lch_al</sup> Terminations and siec 014e6/5a-70d6-4104-a0b3-2311dd6b76dc/iec-0	1076-814
	5.5	Free connectors	
	5.5.		
	5.5.	· •	
	5.6	Accessories	
	5.7	Mounting information	
	5.8	Gauges	
	5.8.	<u> </u>	
6		hnical characteristics	
·	6.1	Classification into climatic categories	
	6.2	Electrical characteristics	
	6.2.		
	6.2.	· ·	
	6.2.		
	6.2.		
	6.2.		
	6.2.	•	
	6.3	Mechanical characteristics	
	6.3.		
	6.3.		
	6.3.	•	
	0.3.	breaking capacity (engaging and separating with electrical load)	17

6.3.4	4 Effectiveness of connector coupling devices18	
6.3.5	5 Engaging and separating force18	
6.3.6	6 Contact retention in insert18	
6.3.7	7 Gauge retention force (resilient contact)18	
6.3.8	B Conductor secureness	
6.4	Dynamic stress test	
6.4.	1 Vibration (sine)	
6.4.2	2 Shock19	
6.4.3	3 IP degree of protection19	
6.5	Climatic test	
6.5.	1 , ,	
6.5.2		
6.5.3	,	
6.5.4	,	
6.5.5		
6.6	Environmental aspects20	
6.6.	3	
6.6.2	3	
7 Test	s and test schedules21	
7.1	General21	
7.2	Test schedules 21	
7.2.	(http://gtom.dow.do.itoh.oi)	
7.2.2		
7.3	Test procedures and measurement methods	
7.4	Pre-conditioning	
7.5	Wiring and mounting of test specimens31	
7.5.	120 010 / 0 0 111.2020	
nttps://standa <b>7</b> .5.2	2 eh.a Mounting tandarde/iee/01/4e675a.70d6.4104.a0h3.23f1dd6h76de/iee.61076.93111-	
Figure 1	– Free female connector12	
Figure 2	– Fixed male connector12	
Figure 3	- Fixed male connector13	
Figure 4	– Free female connector14	
_	– Gauge for contacts15	
Table 1 –	- Climatic category11	
Table 2 -	- Fixed connector dimensions13	
Table 3 -	- Free connector dimensions14	
Table 4 -	- Gauge dimensions15	
Table 5 -	- Conductor secureness test	
Table 6 -	- Vibration19	
	- Number of test specimens21	
	- Test group P	
	- '	
	- Test group AP	
	- Test group BP24	
Table 11	- Test group CP26	

Table 12 – Test group DP	27
Table 13 – Test group EP	28
Table 14 – Test group GP	
Table 15 – Test group JP	
Table 16 – Test group KP	

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

# Part 8-111: Power connectors – Detail specification for 3-pole snap locking rectangular connectors with IP65/IP67 plastic housing for rated current of 20 A

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61076-8-111 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting	
48B/3114/FDIS	48B/3132/RVD	

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

A list of all parts in the IEC 61076 series, published under the general title *Connectors for electrical and electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn, or
- revised.

## iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 61076-8-111:2025

https://standards.iteh.ai/catalog/standards/iec/014e675a-70d6-4104-a0b3-23f1dd6b76dc/iec-61076-8-111-2025

Pree rectangular connector; For rated current of 20 A; 3-pole; Female contacts for power; Straight insertion and withdrawal.  Fixed connector  Fixed connector  Fixed connector  Fixed connector  Fixed rectangular connector; For rated current of 20 A; 3-pole; Female contacts for power; Straight insertion and withdrawal.  Fixed rectangular connector; For rated current of 20 A; 3-pole; Male contacts for power; Straight insertion and withdrawal.	The International Electrotechnical Commission IEC SC 48B—Electrical connectors		IEC 61076-8-111 Ed. 1	
Fixed connector  Fixed rectangular connector;  For rated current of 20 A;  3-pole;  For rated current of 20 A;  3-pole;  Straight insertion and withdrawal.				
Fixed rectangular connector; For rated current of 20 A; 3-pole; Male contacts for power; Straight insertion and withdrawal.			For rated current of 20 A; 3-pole; Female contacts for power;	
3-pole 20 A fixed connector	connector	i/catalog/state/014e675a-7cd6-4	For rated current of 20 A; 3-pole; Male contacts for power; Straight insertion and withdrawal.	

## CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT – PRODUCT REQUIREMENTS –

# Part 8-111: Power connectors – Detail specification for 3-pole snap locking rectangular connectors with IP65/IP67 plastic housing for rated current of 20 A

#### 1 Scope

This part of the IEC 61076 series describes 3-pole snap locking rectangular power connectors with IP65/IP67 plastic housing, for rated current of 20 A. It includes overall dimensions, interface dimensions, technical characteristics, performance requirements, and test methods.

The products covered by this detail specification are connectors with breaking capacity (CBC) according to IEC 61984 which are mainly used in AC power conduction, in the field of electrical and electronic equipment.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, International Electrotechnical Vocabulary (IEV) – Part 581: Electromechanical components for electronic equipment

https://sIEC 60068-1, Environmental testing - Part 1: General and guidance Idd6b76dc/iec-61076-8-111-2025

IEC 60228, Conductors of insulated cables

IEC 60352, Solderless connections (all parts)

IEC 60512-2-1, Connectors for electronic equipment – Tests and measurements – Part 2-1: Electrical continuity and contact resistance tests – Test 2a: Contact resistance – Millivolt level method

IEC 60512-3-1, Connectors for electronic equipment – Tests and measurements – Part 3-1: Insulation tests – Test 3a: Insulation resistance

IEC 60512-4-1, Connectors for electronic equipment – Tests and measurements – Part 4-1: Voltage stress tests – Test 4a: Voltage proof

IEC 60512-5-1, Connectors for electronic equipment – Tests and measurements – Part 5-1: Current-carrying capacity tests – Test 5a: Temperature rise

IEC 60512-5-2, Connectors for electronic equipment – Tests and measurements – Part 5-2: Current-carrying capacity tests – Test 5b: Current-temperature derating

IEC 60512-6-3, Connectors for electronic equipment – Tests and measurements – Part 6-3: Dynamic stress tests – Test 6c: Shock

IEC 60512-6-4, Connectors for electronic equipment – Tests and measurements – Part 6-4: Dynamic stress tests – Test 6d: Vibration (sinusoidal)

IEC 60512-7-2, Connectors for electronic equipment – Tests and measurements – Part 7-2: Impact tests (free components) – Test 7b: Mechanical strength impact

IEC 60512-9-1, Connectors for electronic equipment – Tests and measurements – Part 9-1: Endurance tests – Test 9a: Mechanical operation

IEC 60512-9-2, Connectors for electronic equipment – Tests and measurements – Part 9-2: Endurance tests – Test 9b: Electrical load and temperature

IEC 60512-11-3, Connectors for electronic equipment – Tests and measurements – Part 11-3: Climatic tests – Test 11c: Damp heat, steady state

IEC 60512-11-4, Connectors for electronic equipment – Tests and measurements – Part 11-4: Climatic tests – Test 11d: Rapid change of temperature

IEC 60512-11-6, Connectors for electronic equipment – Tests and measurements – Part 11-6: Climatic tests – Test 11f: Corrosion, salt mist

IEC 60512-11-9, Connectors for electronic equipment – Tests and measurements – Part 11-9: Climatic tests – Test 11i: Dry heat

IEC 60512-11-10, Connectors for electronic equipment – Tests and measurements – Part 11-10: Climatic tests – Test 11j: Cold

IEC 60512-13-1, Connectors for electronic equipment – Tests and measurements – Part 13-1: Mechanical operation tests –Test 13a: Engaging and separating forces

IEC 60512-15-6, Connectors for electronic equipment – Tests and measurements – Part 15-6: Connector tests (mechanical) – Test 15f: Effectiveness of connector coupling devices

IEC 60512-16-5, Connectors for electronic equipment – Tests and measurements – Part 16-5: Mechanical tests on contacts and terminations – Test 16e: Gauge retention force (resilient contacts)

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60529:1989/AMD1:1999 IEC 60529:1989/AMD2:2013

IEC 60664-1, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

IEC 60999-1:1999, Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0.2 mm<sup>2</sup> up to 35 mm<sup>2</sup> (included)

IEC 61076-1:2006, Connectors for electronic equipment – Product requirements – Part 1: Generic specification

IEC 61076-1:2006/AMD1:2019

IEC 61984:2008, Connectors – Safety requirements and tests