



Standard Guide for Database Structure of Electronic Data Interchange Between Ship Owner and Shipyard for Contract Administration¹

This standard is issued under the fixed designation F2017; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This guide provides the database structure of electronic data interchange (EDI) information between ship owner and a shipyard for contract administration. Ship owners (hereinafter referred to as owners) and shipyards may each have unique software programs to manage their respective portions of a ship repair period. There is information that must be exchanged between the parties during the contract period. This guide has been developed to establish common field lengths, names, and types such that the exchanged information can be used directly by the respective software programs without scanning, typing, or redundant keying of information.

1.2 *This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.*

2. Terminology

2.1 *Definitions of Terms Specific to This Standard:*

2.1.1 **BLOB**—short for binary large object, a collection of binary data stored as a single entity in a database management systems (DBMS). BLOBs are used primarily to hold multimedia objects such as images, videos, and sound, though they can also be used to store programs or even fragments of code. Not all DBMSs support BLOBs.

2.1.2 **CHAR(XX)**—character data, alphanumeric where XX represents the maximum number of characters permitted and SQL fills the remaining spaces with blanks if fewer than the maximum are entered.

2.1.3 **Condition Found Report (CFR)**—a report generated by the shipyard to inform the owner of conditions found, deficiencies with the specification, or any other pertinent information regarding a particular work item.

2.1.4 **Condition Found Report Response**—the owner's response back to the shipyard's Condition Found Report. It may be a simple acknowledgement of receipt or a lengthy response and reference to a Request for Proposal.

2.1.5 **DATE**—stores the year, month, and day values of a date. The length of a DATE is ten positions, as in 01/31/2000 (for 31 Jan 2000).

2.1.6 **INTEGER**—a number that has no fractional part and its precision (maximum number of digits) depends on the specific SQL implementation.

2.1.7 **owner**—in this case, the recognized authority for contracting ship repair work.

2.1.8 **Request for Proposal**—an owner-generated document asking the shipyard to add, modify, or delete work to the existing package. It may or may not be related to a shipyard initiated CFR.

2.1.9 **shipyard**—in this case, the principal party to a contract with a ship owner.

2.1.10 **SQL compliant**—an industry standard data sublanguage, specifically designed to create, manipulate, and control relational databases.

2.1.11 **tests and trial agenda**—the agenda provided by the shipyard, which details the planning schedule for all testing events to be conducted during a dock or sea trial.

3. Significance and Use

3.1 **Intended Use**—Compliance with this guide will allow the sharing of electronic data between contracting parties that is normally done by hard copy. This can only be used when both parties use a database-derived software package to manage their contracts. Specifically, it will:

3.1.1 Eliminate the duplication of manual entry of data into each party's contract administration software package and

3.1.2 Allow for wide access of the data to all authorized parties.

4. Database Structure

4.1 A shipyard contract management database, or an owner contract management database, may contain hundreds of tables and fields and thousands of records. Much of the data is business-sensitive and must remain under the control of the

¹ This guide is under the jurisdiction of ASTM Committee F25 on Ships and Marine Technology and is the direct responsibility of Subcommittee F25.05 on Computer Applications.

Current edition approved Feb. 1, 2022. Published April 2022. Originally approved in 2000. Last previous edition approved in 2015 as F2017 – 15. DOI: 10.1520/F2017-15R22.

party. However, there is data that is shared and common to both parties in a ship repair contract.

4.2 Condition Found Report—A Condition Found Report, generated by the shipyard and forwarded to the owner, will be structured as follows:

Name	Required Field	Type	Size	Data Element Owner
Condition Found Report ID	Y	CHAR	10	shipyard
Contract number	Y	CHAR	16	owner
Work item number	Y	CHAR	7	owner
Equipment ID number	N	Integer	12	owner
Ship name	N	CHAR	30	owner
Date Condition Found Report Generated	Y	DATE	10	shipyard
		MM/DD/YYYY		
Shipyard POC	Y	CHAR	30	shipyard
Condition	Y	memo	BLOB	shipyard
Recommendation	N	Memo	BLOB	shipyard

4.3 Condition Found Report Response—A Condition Found Report Response, generated by the owner and forwarded to the shipyard, will be structured as follows:

Name	Required Field	Type	Size	Data Element Owner
Condition Found Report ID	Y	CHAR	10	shipyard
Contract number	Y	CHAR	16	shipyard
Ship name	N	CHAR	30	owner
Response date	Y	DATE	10	owner
		MM/DD/YYYY		
Owner POC	Y	CHAR	30	owner
Response	N	memo	BLOB	owner

4.4 Request for Proposal—A Request for Proposal, generated by the owner and forwarded to the shipyard, will be structured as follows:

Name	Required Field	Type	Size	Data Element Owner
RFP ID	Y	INTEGER	4	owner
Condition Found Report ID	Y	CHAR	10	shipyard
Owner contract number	Y	CHAR	16	owner
Shipyard contract number	Y	CHAR	16	shipyard
Ship name	N	CHAR	30	owner
RFP date	Y	DATE	10	owner
		(MM/DD/YYYY)		
Owner POC	Y	CHAR	30	owner
Statement of work	Y	memo	BLOB	owner

4.5 Proposal—A Proposal, in response to an RFP and generated by the shipyard and forwarded to the owner, will be structured as follows:

Name	Required Field	Type	Size	Data Element Owner
Proposal ID	Y	CHAR	10	shipyard
Owner contract number	Y	CHAR	16	owner
Shipyard contract number	Y	CHAR	16	shipyard
Ship name	N	CHAR	30	owner
RFP ID	N	INTEGER	4	owner
Proposal date	Y	DATE	8	shipyard
		(MM/DD/YYYY)		
Shipyard POC	Y	CHAR	30	shipyard
SOW comments	N	memo	BLOB	shipyard
Shipyard proposal	N	Currency	\$M	shipyard
		(\$#,###,###.##)		

4.6 Test and Trial Agenda—A TTA, generated by the shipyard and forwarded to the owner, will be structured as follows:

Name	Required Field	Type	Size	Data Element Owner
TTA ID		Number (Long)	4	
Owner contract number	Y	CHAR	16	owner
Shipyard contract number	Y	CHAR	16	shipyard
Ship name	N	CHAR	30	owner
Agenda date	Y	DATE	8	shipyard
		(MM/DD/YYYY)		
Shipyard POC	Y	CHAR	30	shipyard
Event table ⁴	Y	memo	BLOB	shipyard

⁴ The event table will include the test name, equipment name, start time, and required attendees (witnesses).

5. Keywords

5.1 contract administration; database; electronic; owner; shipyard

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org). Permission rights to photocopy the standard may also be secured from the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, Tel: (978) 646-2600; http://www.copyright.com/