

Edition 3.0 2024-06 EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 61558-2-23:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

Safety of transformers, reactors, power supply units and combinations thereof – Part 2-23: Particular requirements and tests for transformers and power supply units for construction sites

Document Preview

IEC 61558-2-23:2024

https://standards.iteh.ai/catalog/standards/iec/d0cfc254-73b2-492a-8872-c7daeca833b5/iec-61558-2-23-2024





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 3.0 2024-06 EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 61558-2-23:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

Safety of transformers, reactors, power supply units and combinations thereof – Part 2-23: Particular requirements and tests for transformers and power supply units for construction sites

Document Preview

IEC 61558-2-23:2024

https://standards.iteh.ai/catalog/standards/iec/d0cfc254-73b2-492a-8872-c7daeca833b5/iec-61558-2-23-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.180 ISBN 978-2-8322-9151-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD		9
INTRODUCTION to IEC	C 61558-1:2017	12
INTRODUCTION to IEC	C 61558-2-23:2024	14
	ces	
	ons	
	S	
	ns	
·	nd protectionswindings	
	windings	
J	es	
	nt and protective earthing conductor current	
	ents	
	tests	
6 Ratings	:Tale Odered and a	30
7 Classification	iTeh Standards	37
8 Marking and other	informationelectric shock	38
9 Protection against	electric shock	46
9.1 General	Day Deavison	46
9.2 Protection ag	gainst contact with hazardous-live-parts	47
	nation of hazardous-live-parts	
	bility to hazardous-live-parts	
	bility to non hazardous-live-part	
-	gainst hazardous electrical discharge	
•	oltage setting	
,	d output current under load	
12 No-load output volt	tage	52
13 Short-circuit voltag	ge	54
14 Heating		54
14.1 General requ	uirements	54
14.1.1 Tempera	ature-rise test	54
•	ive temperature-rise test	
14.1.3 Determin	nation of steady-state conditions	59
14.2 Application o	of 14.1 or 14.3 according to the insulation system	60
14.3 Accelerated a	ageing test for undeclared class of insulation system	61
14.3.1 General		61
14.3.2 Heat run	າ	61
14.3.3 Vibration	n	62
14.3.4 Moisture	e treatment	62
14.3.5 Measure	ements	62
15 Short circuit and ov	verload protection	62
15.1 General requ	uirements	62
15.1.1 Short cir	rcuit and overload test method	62

15.1	.2 Alternative short circuit and overload test method	65
15.2	Inherently short-circuit proof transformers	65
15.3	Non-inherently short-circuit proof transformers	65
15.4	Non-short-circuit proof transformers	66
15.5	Fail-safe transformers	66
16 Mec	hanical strength	67
16.1	General	67
16.2	Impact test and shock test	
16.2	·	
16.2	•	
16.3	Portable transformers (except portable transformers with integral pins for introduction in socket-outlet in the fixed wiring)	
16.4	Portable transformers provided with integral pins for introduction in socket-	
	outlets of the fixed wiring	69
16.4	.1 General requirements	69
16.4	.2 Portable transformers provided with integral pins according to EN 50075 (IEC plug type C) for introduction in socket-outlets of the fixed wiring	70
16.5	Additional requirements for transformers to be used in vehicles and railway	
10.5	applications	71
16.5	• •	
16.5		
	ection against harmful ingress of dust, solid objects and moisture	
17.1	Degrees of protection provided by enclosures (IP code)	
17.1		
17.1	_ Incliment Preview	
17.1	Humidity treatment	
–	lation resistance, dielectric strength and leakage current	
star18.11s		
18.2	Insulation resistance	
18.3	Dielectric strength test	
	Insulation between and within windings	
18.4 18.5	Touch current and protective earthing conductor current	
18.5	· · · · · · · · · · · · · · · · · · ·	
18.5		
18.5	3	
	struction	
19.1	General construction	
19.2	Flammability of materials	
19.3	Short-circuit characteristics of portable transformers	
19.4	Class II transformer contact prevention of accessible conductive parts	
19.5	Class II transformer insulation reassembling after service	
19.6	Loosening of wires, screws or similar parts	
19.7	Resistor or capacitor connection with accessible conductive parts	
19.8	Bridging of separated conductive parts by resistors or capacitors	
19.9	Insulating material separating input and output windings	85
19.10	isolating coating	
19.11	Insulating material of handles, operating levers, knobs and similar parts	
19.12	Winding construction	87

19.13 Fixing of handles, operating levers and similar parts	91
19.14 Fixing of covers providing protection against electric shock	91
19.15 Strain on fixed socket-outlets caused by pin-transformers of	onnection91
19.16 Portable transformers for use in irregular or harsh condition	ıs92
19.17 Drain hole of transformers protected against ingress of wat	er92
19.18 Plug connected transformers protected against ingress of v	vater92
19.19 Flexible cable or flexible cord connection for class I portable	e transformers92
19.20 SELV- and PELV-circuit separation of live parts	92
19.21 Protection against contact for FELV-circuit	93
19.22 Protective earthing regarding class II transformers	93
19.23 Protective earthing regarding class III transformers	93
20 Components	94
21 Internal wiring	99
22 Supply connection and other external flexible cables or cords	100
23 Terminals for external conductors	106
24 Provisions for protective earthing	108
25 Screws and connections	
26 Creepage distances, clearances and distances through insulation	
26.1 General	
26.2 Creepage distances and clearances	
26.2.1 General	
26.2.2 Windings covered with adhesive tape	
26.2.3 Uncemented insulationing parts	
26.2.4 Cemented insulating parts	
26.2.5 Enclosed parts (e.g. by impregnation or potting)	
26.3 Distance through insulation	115
27 Resistance to heat, fire and tracking	
27.1 General	126
27.2 Resistance to heat	126
27.2.1 General	126
27.2.2 External accessible parts	126
27.2.3 Internal parts	127
27.3 Resistance to abnormal heat under fault conditions	127
27.4 Resistance to fire	128
27.4.1 General	128
27.4.2 External accessible parts	129
27.4.3 Internal parts	129
27.5 Resistance to tracking	
28 Resistance to rusting	130
Annex A (normative) Measurement of creepage distances and cleara	nces132
Annex B (normative) Testing a series of transformers	136
B.1 General	136
B.2 Requirements	136
B.3 Constructional inspection	137
Annex C (void)	138
Annex D (void)	139
Annex E (normative) Glow-wire test	140

E.1	General	140
E.2	Severity	140
E.3	Conditioning	140
E.4	Test procedure	140
Annex F	(normative) Requirements for manually operated switches which are parts of	
transform	ners assembly	141
F.1	General	141
F.2	Switches tested as a separate component	141
F.3	Switches tested as part of the transformer	141
Annex G	(normative) Tracking test	144
G.1	General	144
G.2	Test specimen	144
G.3	Test apparatus	
G.4	Procedure	
	(normative) Electronic circuits	
H.1	General	
H.2	General notes on tests (addition to Clause 5)	
H.3	Short circuit and overload protection (addition to Clause 15)	
H.4	Creepage distances, clearances and distances through insulation (addition	143
П.4	to Clause 26)	147
Annex I (informative) Dimensions for rectangular cross-section connectors of	
	ners, basic dimensions and coordination	149
Annex J	(normative) Measuring network for touch-currents	151
	(normative) Insulated winding wires	
K.1	GeneralPreview	
K.1 K.2	Type tests	
K.2.		
	2itch aDielectric strength test///mfc254-73h2-492a-8872-c7/mecs833h5/iec.615	
K.2.	-	
K.2.	•	
K.2.	3	
K.3	Testing during manufacturing	
K.3.		
K.3.		
K.3.	1 3	
	(normative) Routine tests (production tests)	
L.1	General	
L.2	Protective earthing continuity test	
L.3	Checking of no-load output voltage	155
L.4	Dielectric strength test	156
L.5	Checking of protective devices mounting	156
L.6	Visual inspection	156
L.7	Repetition test after routine dielectric strength test	156
Annex M	(informative) Examples to be used as a guide for 19.1	157
M.1	General	157
M.2	Coil-former	
M.2.		
₩.∠.		101

M.3 Windings	158
M.3.1 Without screen	158
M.3.2 With screen	159
Annex N (informative) Examples for checking points of dielectric strength test voltages	s 160
Annex O (void)	162
Annex P (informative) Examples for measurement points of creepage distances and clearances	163
Annex Q (informative) Explanation of IP numbers for degrees of protection	166
Q.1 General	166
Q.2 Degrees of protection against access to hazardous parts and against solid foreign objects	166
Q.3 Degrees of protection against ingress of water	168
Annex R (normative) Explanations of the application of 6.1.2.2.1 of IEC 60664-1:2007	169
R.1 Impulse dielectric test	169
R.2 Example	169
Annex S (void)	171
Annex T (void)	172
Annex U (void)	173
Annex V (informative) Symbols to be used for thermal cut-outs	
V.1 General	174
V.2 Non-self-resetting thermal cut-out (see 3.3.4)	
V.3 Self-resetting thermal cut-out (see 3.3.3)	174
Annex W (normative) Coated printed circuit boards	
W.1 Preamble	
W.2 General	
W.4 - Popid shapes of temporature	475
PS://sta W.4 _{ds.} Rapid change of temperature	
Bibliography	
Index of defined terms	
madx of defined terms	170
Figure 1 – IEC 61558 principle	13
Figure 2 – Mounting box for flush-type transformer	36
Figure 3 – Test pin (see IEC 61032, test probe 13)	48
Figure 4 – Standard test finger (see IEC 61032, test probe B)	49
Figure 5 – Example of back-to-back method – Single phase	58
Figure 6 – Example of back-to-back method – Three phase	58
Figure 7 – Amplitude spectrum density for random testing	71
Figure 8 – Normalised spectrum of shock	72
Figure 9 – Test voltage sequence	79
Figure 10 – Test configuration: single-phase equipment on star TN or TT system	
Figure 11 – Abrasion resistance test for insulating coated layers	
Figure 12 – Flexing test apparatus	
Figure 13 – Test arrangement for checking mechanical withstanding of insulating	
materials in thin sheet layers	118
Figure 14 – Ball-pressure apparatus	126

Figure 101 – Impact test for horizontal surface	131
Figure 102 – Impact test for vertical surface	131
Figure A.1 – Example 1	132
Figure A.2 – Example 2	133
Figure A.3 – Example 3	133
Figure A.4 – Example 4	133
Figure A.5 – Example 5	134
Figure A.6 – Example 6	134
Figure A.7 – Example 7	135
Figure A.8 – Example 8	135
Figure H.1 – Example of an electronic circuit with low-power points	148
Figure J.1 – Measuring network for touch-current	151
Figure M.1 – Examples for concentric type constructions	157
Figure M.2 – Examples for side-by-side type constructions	158
Figure M.3 – Examples for winding constructions without screen	158
Figure M.4 – Examples for wrapped winding constructions	159
Figure M.5 – Examples for winding constructions with screen	159
Figure N.1 – Transformer of class I construction with metal enclosure	160
Figure N.2 – Transformer of class II construction with metal enclosure	161
Figure N.3 – Transformer of class II construction with enclosure of insulating material	
Figure P.1 – Transformer of class I construction	163
Figure P.2 – Transformer of class I construction with earthed metal screen	
Figure P.3 – Transformer of class II construction with metal enclosure	164
Figure P.4 – Transformer of class II construction with enclosure of insulating material	165
Figure V.1 – Restored by manual operation	174
Figure V.2 – Restored by disconnection of the supply	174
Figure V.3 – Thermal link (see 3.3.5)	174
Figure V.4 – Self-resetting thermal cut-out	174
Table 1 – Symbols used on equipment or in instructions	42
Table 101 – Symbols indicating the kind of transformer	44
Table 102 – Output voltage ratio for safety isolating transformers	53
Table 103 – Output voltage ratio for isolating transformers	53
Table 2 – Values of maximum temperatures in normal use	59
Table 3 – Explanation of the maximum winding temperatures required in Table 2	60
Table 4 – Test temperature and testing time (in days) per cycle	61
Table 5 – Maximum values of temperatures under short-circuit or overload conditions	64
Table 6 – Values of T and k for fuses	65
Table 7 – Pull force on pins	70
Table 8 – Conditions for vibration testing (random)	71
Table 9 – Amplitude spectrum density ASD values for accelerated life testing	71
Table 10 – Frequency values depending on the weight of the specimen	71
Table 11 – Excitation values for vibration testing	72

Tabl	e 12 – Solid-object-proof transformer test	74
Tabl	e 13 – Values of insulation resistance	77
Tabl	e 14 – Table of dielectric strength test voltages	78
Tabl	e 15 – Limits for currents	81
Tabl	e 16 – Nominal cross-sectional areas of external flexible cables or cords	101
	e 17 – Pull and torque to be applied to external flexible cables or cords fixed to onary and portable transformers	105
Tabl	e 18 – Torque to be applied to screws and connections	110
Tabl	e 19 – Torque test on glands	112
Tabl	e 20 – Clearances in mm	119
Tabl	e 21 – Creepage distances in mm	120
Tabl	e 22 – Distance through insulation in mm	121
	e 23 – Creepage distances and clearance between terminals for external nection	122
	e 24 – Values of FIW wires with minimum overall diameter and minimum test iges according to the total enamel increase	124
Tabl	e A.1 – Width of groove values depending on the pollution degree	132
Tabl	e F.1 – Peak surge current of additional loads	142
	e I.1 – Dimensions of rectangular copper connectors	
	e K.1 – Mandrel diameter	
Tabl	e K.2 – Oven temperature	153
	e Q.1 – Degrees of protection against access to hazardous parts indicated by the characteristic numeral	167
	e Q.2 – Degrees of protection against solid foreign objects indicated by the first acteristic numeral	167
Tabl	e Q.3 – Degrees of protection indicated by the second characteristic numeral	168
https://stand Tabl	e R.1 – Impulse test voltage according to 6.1.2.2.1 of IEC 60664-1:2007	169

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SAFETY OF TRANSFORMERS, REACTORS, POWER SUPPLY UNITS AND COMBINATIONS THEREOF –

Part 2-23: Particular requirements and tests for transformers and power supply units for construction sites

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the comprehensive content of the Standard.

IEC 61558-2-23:2024 EXV includes the content of IEC 61558-2-23:2024, and the references made to IEC 61558-1:2017.

The specific content of IEC 61558-2-23:2024 is displayed on a blue background.

IEC 61558-2-23 has been prepared by IEC technical committee 96: Transformers, reactors, power supply units and combinations thereof. It is an International Standard.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) adjustment of structure and references in accordance with IEC 61558-1:2017;
- b) new symbol for power supply units with linearly regulated output voltage.

The text of this International Standard is based on the following documents:

Draft	Report on voting
96/590/FDIS	96/596/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

It has the status of a group safety publication in accordance with IEC Guide 104.

This International Standard is to be used in conjunction with IEC 61558-1:2017.

This document supplements or modifies the corresponding clauses in IEC 61558-1:2017, so as to convert that publication into the IEC standard: *Particular requirements and tests for transformers and power supply units for construction sites*.

A list of all parts in the IEC 61558 series published under the general title *Safety of transformers, reactors, power supply units and combinations thereof,* can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

Where this document states "addition", "modification" or "replacement", the relevant text of IEC 61558-1:2017 is to be adapted accordingly.

In this document, the following print types are used:

- requirements proper: in roman type;
- test specifications: in italic type;
- explanatory matter: in smaller roman type.

In the text of this document, the words in **bold** are defined in Clause 3.

Subclauses, notes, figures and tables additional to those in IEC 61558-1:2017 are numbered starting from 101; supplementary annexes are entitled AA, BB, etc.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards (https://standards.iteh.ai) Document Preview

EC 61558-2-23:2024

https://standards.iteh.ai/catalog/standards/iec/d0cfc254-73b2-492a-8872-c7daeca833b5/iec-61558-2-23-2024

INTRODUCTION to IEC 61558-1:2017

This document covers safety requirements for **transformers**. Where the term **transformer** is used, it covers **transformers**, **reactors** and **power supply units** where applicable.

During the development of this document, to the extent possible, the requirements of IEC 60364 (all parts) were taken into consideration, so that a **transformer** can be installed in accordance with the wiring rules contained in that document. However, national wiring rules can differ.

This document recognizes the internationally accepted levels of protection against the possible electrical, mechanical, and fire hazards caused by **transformers** operating under normal conditions in accordance with the manufacturer's instructions. It also covers abnormal conditions which can occur in practice.

A **transformer** complying with this document will not necessarily be judged to comply with the safety principles of this document if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A **transformer** employing materials or having forms of construction differing from those detailed in this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the safety principles of this document.

The document dealing with non-safety aspects of electromagnetic compatibility (EMC) of transformers is IEC 62041. However, that document also includes tests that can subject the transformer to conditions involving safety aspects.

The objective of of IEC 61558-1 is to provide a set of requirements and tests considered to be generally applicable to most types of **transformers**, and which can be called up as required by the relevant part of IEC 61558-2. IEC 61558-1 is thus not to be regarded as a specification by itself for any type of **transformer**, and its provisions apply only to particular types of **transformers** to the extent determined by the appropriate part of IEC 61558-2. IEC 61558-1 2024 also contains normative routine tests.

Each part of IEC 61558-2 in conjunction with this document contains all the necessary requirements for the **transformer** being covered and does not contain references to other parts of IEC 61558-2. For **transformers** with a protection index IP00 and associated **transformers**, it is possible to have circuits corresponding to different parts of IEC 61558-2 within the same construction (e.g. SELV output circuit according to IEC 61558-2-6 and a 230 V output circuit according to IEC 61558-2-4). However, if the **transformer** is covered by different parts IEC 61558-2, to the extent reasonable, the relevant part of IEC 61558-2 is applied to each function/application separately. If applicable, the effect of one function on the other is taken into consideration.

If an appropriate part of IEC 61558-2 does not exist for a particular **transformer** or group of **transformer**s, the nearest applicable part may be used as a guide to the requirements and tests

However, individual countries may wish to consider its application, to the extent reasonable, to transformers not mentioned in the IEC 61558-2 series, and to transformers designed on new principles.

Where the requirements of any of the clauses of a part of IEC 61558-2 refer to IEC 61558-1 by the phrase "This clause of Part 1 is applicable", this phrase means that all the requirements of that clause of IEC 61558-1 are applicable, except those requirements that are clearly not applicable to the particular type of **transformer** covered by that part of IEC 61558-2.