

Edition 1.2 2013-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances - Safety -

Part 2-105: Particular requirements for multifunctional shower cabinets

Appareils électrodomestiques et analogues - Sécurité -

Partie 2-105: Règles particulières pour les cabines de douche multifonctions



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications beleased. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc


Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 1.2 2013-06

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Household and similar electrical appliances - Safety -

Part 2-105: Particular requirements for multifunctional shower cabinets

Appareils électrodoméstiques et analogues - Sécurité - Partie 2-105: Règles particulières pour les cabines de douche multifonctions

nttps://standards.iteh.ai/cvt/ox Mandan/s/ick/2bNb9-4a

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 13.120; 97.170 ISBN 978-2-8322-0921-9

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

| FΟ | OREWORD | | |
|-----|--|----------|--|
| INT | RODUCTION | 5 | |
| | | | |
| 1 | Scope | 6 | |
| 2 | Normative references | 6 | |
| 3 | Terms and definitions | 7 | |
| 4 | General requirement | 7 | |
| 5 | General conditions for the tests | 7 | |
| 6 | Classification | 7 | |
| 7 | Marking and instructions | 7 | |
| 8 | Protection against access to live parts | 9 | |
| 9 | Starting of motor-operated appliances | 9 | |
| 10 | Power input and current | 9 | |
| 11 | Heating | 9 | |
| 12 | Void | | |
| 13 | Leakage current and electric strength at operating temperature | 10 | |
| 14 | Transient overvoltages | | |
| 15 | Moisture resistance | 10 | |
| 16 | Leakage current and electric strength | 11 | |
| 17 | Overload protection of transformers and associated circuits | 11 | |
| 18 | Endurance | | |
| 19 | Abnormal operation 115,033, 2-105;2004 | 11 | |
| 20 | Stability and mechanical hazards | -2-1105- | |
| 21 | Mechanical strength | 11 | |
| 22 | Construction | 12 | |
| 23 | Internal wiring | 12 | |
| 24 | | 12 | |
| 25 | Supply connection and external flexible cords | 12 | |
| 26 | Terminals for external conductors | | |
| 27 | Provision for earthing | | |
| 28 | Screws and connections | | |
| 29 | Clearances, creepage distances and solid insulation | 13 | |
| 30 | Resistance to heat and fire | | |
| 31 | Resistance to rusting | | |
| | Radiation, toxicity and similar hazards | | |
| | , | - | |
| Anı | nex AA (informative) Example of a multifunctional shower cabinet | 15 | |
| | nex BB (informative) Example of a separate multifonctional shower unit | | |
| | (| | |
| Dib | liography | 17 | |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-105: Particular requirements for multifunctional shower cabinets

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication. 655615e83c3d/lec-60335-2-105-2004
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable to the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of IEC 60335-2-105 consists of the first edition (2004) [documents 61/2737/FDIS and 61/2789/RVD], its amendment 1 (2008) [documents 61/3412/FDIS and 61/3425/RVD] and its amendment 2 (2013) [documents 61/4523/CDV and 61/4594/RVC]. It bears the edition number 1.2.

The technical content is therefore identical to the base edition and its amendments and has been prepared for user convenience. A vertical line in the margin shows where the base publication has been modified by amendments 1 and 2. Additions and deletions are displayed in red, with deletions being struck through.

-4 -

This part of international standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances. It forms the first edition of 60335-2-105.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric multifunctional shower cabinets.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 19
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below.

30.101: Additional requirements apply to large panels of non-metallic material (USA).

The French version of amendment 2 has not been voted upon.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of the amendment 1 be adopted for implementation nationally not earlier than 12 months from the date of its publication.

IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to 5-2004 comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-105: Particular requirements for multifunctional shower cabinets

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric multifunctional shower cabinets and electric separate multifunctional shower units for household and similar purposes, their rated voltage being not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in hotels, fitness centres and similar locations, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children
- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledge.

prevents them from using the appliance safely without supervision or instruction;

children playing with the appliance.

NOTE 101 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national water supply authorities, the national authorities responsible for the protection of labour and similar authorities.
- in many countries, mechanical strength, impact resistance and shattering properties of shower enclosures can be covered by national regulations.

NOTE 102 If an appliance incorporates a part that is within the scope of IEC 60065, IEC 60598 or IEC 60950, the part is tested in accordance with the relevant standard as far as reasonable.

NOTE 103 This standard does not apply to

- instantaneous water heaters used for showering (IEC 60335-2-35);
- shower-boost pumps (IEC 60335-2-41);
- appliances intended for medical purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

ISO 3864-1:2002, Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs in workplaces and public areas

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.101

multifunctional shower cabinet

prefabricated shower cabinet that incorporates at least one other function, such as a steam bath, in addition to the showering function

NOTE An example of a multifunctional shower cabinet is shown in Annex AA.

3.102

separate multifunctional shower unit

Annex A multifunctional shower unit without a prefabricated shower cabinet that incorporates at least one electric function in addition to the showering function

NOTE An example of a separate multifunctional shower unit is shown in Annex BB.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.4 Addition:

When testing a function of the appliance, the influence of another function that can be applied simultaneously is taken into account.

5.6 Addition:

Sensing elements located in the air intake to the heater are short-circuited or otherwise rendered inoperative.

6 Classification

This clause of Part 1 is applicable except as follows.

6.2 Addition:

Multifunctional shower cabinets and separate multifunctional shower units shall be at least IPX4.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

For appliances with an air-heating function, other than those having the air outlet located at a height at least 1,8 m above the floor or those that cannot be covered, shall be marked near the air outlet with symbol IEC 60417-5641 (DB:2002-10) combined with the prohibition sign in ISO 3864-1, except for colours, or with the substance of the following:

Do not cover

Appliances shall be marked on or near the lampholder with the maximum power input of replaceable lamps as follows:

Lamp max W

The word "lamp" may be replaced by symbol IEC 60417-5012 (DB: 2002-10).

If the temperature of a water or steam outlet, excluding the shower head and the water outlets when the water is not heated by the **multifunctional** shower cabinet or separate multifunctional shower unit itself, exceeds 60 °C, the appliance shall be marked near the outlet with the symbol IEC 60417-5041 (DB:2002-10) or with the substance of the following:

CAUTION: Hot surface

7.6 Addition:



[symbol IEC 60417-5041 (DB:2002-10)]

Hot surface



55**-**2-105:2004

Do not cover 3d/iec-60335-2-105-2004

NOTE 101 The "Do not cover symbol incorporates symbol IEC 60417-5641(DB:2002-10) combined with the prohibition sign of ISO 3864-1, except for colours.

7.12 Addition:

The instructions shalf provide details concerning cleaning to ensure hygienic conditions.

The instructions shall state that separate electrical appliances producing steam or humidity are not to be used inside the cabinet.

If symbols IEC 60417-5041 or "Do not cover" are marked on the appliance, their meaning shall be explained.

The instructions shall state the substance of the following:

WARNING: Only allow children to use the appliance without supervision when adequate instructions have been given so that the child is able to use the appliance in a safe way and understands the hazards of improper use.

7.12.1 *Addition:*

60335-2-105 © IEC:2004+A1:2008 +A2:2013

The instructions shall make reference to national wiring rules and state the substance of the following:

-9-

- earthed appliances must be permanently connected to fixed wiring;
- the appliance should be supplied through a residual current device (RCD) having a rated residual operating current not exceeding 30 mA.

The instructions shall give details on how to follow the wiring rules, for example by ensuring that the installation is in the correct zone and that equipotential bonding is carried out.

7.14 Addition:

The height of symbols IEC 60417-5041 and "Do not cover" shall be at least 15 mm. The height of the words "Caution hot surface" and "Do not cover" shall be at least 6 mm.

7.15 Addition:

Symbol IEC 60417-5041 shall be marked near the outlet for hot air.

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows

8.1.4 Modification:

Any energized part is considered to be a live part.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current

This clause of Part 1 is applicable.

11 Heating

This clause of Part \(\sigma \) is applicable except as follows.

11.4 Addition:

If the temperature rise limits are exceeded in appliances incorporating motors, transformers or **electronic circuits**, and the power input is lower than the **rated power input**, the test is repeated with the appliance supplied at 1,06 times **rated voltage**.

11.6 Addition:

Combined appliances are operated as heating appliances.

11.7 Replacement:

Appliances are operated until steady conditions are established.