

INTERNATIONAL STANDARD

IEC
60335-2-15

Fifth edition
2002-07

Household and similar electrical appliances – Safety –

Part 2-15: Particular requirements for appliances for heating liquids

*Appareils électrodomestiques et analogues –
Sécurité –*

*Partie 2-15:
Règles particulières pour les appareils de chauffage
des liquides*



Reference number
IEC 60335-2-15:2002(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/catlg-e.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/JP.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60335-2-15

Fifth edition
2002-07

Household and similar electrical appliances – Safety –

Part 2-15: Particular requirements for appliances for heating liquids

*Appareils électrodomestiques et analogues –
Sécurité –*

*Partie 2-15:
Règles particulières pour les appareils de chauffage
des liquides*

© IEC 2002 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

S

For price, see current catalogue

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	7
3 Definitions	7
4 General requirement	8
5 General conditions for the tests	8
6 Classification	8
7 Marking and instructions	9
8 Protection against access to live parts	10
9 Starting of motor-operated appliances	10
10 Power input and current	10
11 Heating	10
12 Void	12
13 Leakage current and electric strength at operating temperature	12
14 Transient overvoltages	12
15 Moisture resistance	12
16 Leakage current and electric strength	13
17 Overload protection of transformers and associated circuits	13
18 Endurance	13
19 Abnormal operation	13
20 Stability and mechanical hazards	15
21 Mechanical strength	15
22 Construction	15
23 Internal wiring	18
24 Components	18
25 Supply connection and external flexible cords	18
26 Terminals for external conductors	19
27 Provision for earthing	19
28 Screws and connections	19
Clearances, creepage distances and solid insulation	19
30 Resistance to heat and fire	20
31 Resistance to rusting	20
32 Radiation, toxicity and similar hazards	20
Annexes	21
Bibliography	21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-15: Particular requirements for appliances for heating liquids**

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This fifth edition cancels and replaces the fourth edition published in 1995 and its amendments 1 (1999) and 2 (2000). It constitutes a technical revision.

The text of this part of IEC 60335 is based on the following documents:

FDIS	Report on voting
61/2134/FDIS	61/2159/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electrical appliances for heating liquids.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until 2004. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The following differences exist in the countries indicated below.

- 7.12: Appliances that are not intended to be immersed in water for cleaning are nevertheless required to be marked with a warning unless the test of 15.101 is withstood (USA).
- 7.12: The instruction that appliances intended to be used with a connector incorporating a thermostat must only be used with the appropriate connector, is required to be marked on the appliance (USA).
- 7.12: The instruction that cordless kettles are only to be used with the stand provided, is required to be marked on the appliance (USA).
- 11.2: Appliances are generally positioned against one wall and 100 mm away from the other wall of the test corner (USA).
- 11.7: The test durations are different (USA).
- 15.102: The test is not applicable (USA).
- 19.13: The criteria are different (USA).
- 19.101: The test is not applicable (Japan).
- 19.101: The test is not carried out if the thermal cut-out has been tested and found to be reliable (USA).
- 22.7: The test for pressure cookers is carried out at five times the maximum normal operating pressure or 2,5 times the release pressure of the safety device, whichever is greater (USA).
- 22.103: The test is different (USA).
- 22.104: The test is different (USA).
- 22.108: The force is different (USA).
- 22.109: The requirement is not applicable (USA).
- 24.1.3: A different number of cycles is specified (USA).
- 25.8: A supply cord having a cross-sectional area of 0,75 mm² is not allowed for appliances having a rated current exceeding 6 A (Japan and USA).
- 25.8: Longer supply cords are allowed (Japan).

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

<https://standards.iteh.ai/standards/iec/09895d8d-7314-44b3-89b3-47263fa0fd0/iec-60335-2-15-2002>

<https://standards.iteh.ai/standards/iec/09895d8d-7314-44b3-89b3-47263fa0fd0/iec-60335-2-15-2002>

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-15: Particular requirements for appliances for heating liquids

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electrical appliances for heating liquids for household and similar purposes, their **rated voltage** being not more than 250 V.

NOTE 101 Some appliances may be used for heating food.

NOTE 102 Examples of appliances that are within the scope of this standard are

- coffee-makers;
- cooking pans;
- egg boilers;
- **feeding-bottle heaters**;
- kettles and other appliances for boiling water, having a **rated capacity** not exceeding 10 l;
- milk heaters;
- pressure cookers having a **rated cooking pressure** not exceeding 140 kPa and a **rated capacity** not exceeding 10 l;
- slow cookers;
- **steam cookers**;
- wash boilers;
- yoghurt makers.

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

NOTE 103 Examples of such appliances are

- glue pots with a water jacket;
- livestock feed boilers;
- sterilizers.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 104 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 105 This standard does not apply to

- frying pans and deep fat fryers (IEC 60335-2-13);
- storage water heaters (IEC 60335-2-21);
- instantaneous water heaters (IEC 60335-2-35);
- surface-cleaning appliances employing liquids or steam (IEC 60335-2-54);

- portable immersion heaters (IEC 60335-2-74);
- commercial dispensing appliances and vending machines (IEC 60335-2-75)
- appliances for medical purposes (IEC 60601);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- appliances for high-frequency heating;
- pressure sterilizers.

NOTE 106 Attention is drawn to the fact that in many countries requirements for pressure vessels are applied to pressure cookers.

2 Normative references

This clause of Part 1 is applicable.

3 Definitions

This clause of Part 1 is applicable except as follows.

3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

3.1.9.101 Kettles and other appliances for boiling water, coffee-makers, cooking pans, glue pots, milk heaters, slow cookers, sterilizers, wash boilers and yoghurt makers are operated with their container filled with the **rated capacity** of water, any lid being closed. The quantity of water in slow cookers is maintained above 50 % of their **rated capacity**.

Appliances with a heated surface intended to keep the liquid warm are operated with or without the container, whichever is the more unfavourable.

3.1.9.102 Egg boilers and **steam cookers** are operated with their containers filled with the maximum quantity of water specified in the instructions.

3.1.9.103 Feeding-bottle heaters are operated with a bottle of heat-resistant glass, round or hexagonal in shape, having a mass between 190 g and 200 g and a capacity of approximately 225 ml, unless a particular bottle is specified, in which case that bottle is used. The bottle is filled to approximately its **rated capacity** of water or 200 ml, whichever is less, and is placed in the **feeding-bottle heater**. The heater is filled with water to the level specified in the instructions or, in the absence of instructions, to the maximum level.

3.1.9.104 Livestock feed boilers are operated with the lid closed, the container being filled with half its **rated capacity** of water.

3.1.9.105 Pressure cookers are operated in accordance with the instructions but with the container filled with water to a depth of 25 mm.

3.101

rated capacity

capacity assigned to the appliance by the manufacturer

3.102

rated cooking pressure

pressure assigned to the appliance by the manufacturer

3.103

espresso coffee-maker

coffee-maker in which water is heated and forced through the ground coffee by steam pressure or by means of a pump

NOTE Espresso coffee-makers may have an outlet for supplying steam or hot water.

3.104

feeding-bottle heater

appliance for heating prepared baby food in a feeding-bottle to a predetermined temperature, heat being transferred by means of water

3.105

pressure regulator

control that maintains the pressure at a particular value during normal use

3.106

pressure-relief device

control that limits the pressure under abnormal operating conditions

3.107

cordless kettle

kettle incorporating a heating element and which is connected to the supply only when placed on its associated stand

3.108

steam cooker

appliance in which food is heated by steam generated at atmospheric pressure

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

NOTE 101 If the test of 15.101 has to be carried out, three additional samples are required.

5.3 Addition:

The test of 19.101 is carried out after the other tests.

6 Classification

This clause of Part 1 is applicable except as follows.

6.2 Addition:

Wash boilers and livestock feed boilers shall be at least IPX3.