# INTERNATIONAL STANDARD



Edition 5.1 2005-10

Edition 5:2002 consolidated with amendment 1:2005

Household and similar electrical appliances – Safety –

Part 2-15: Particular requirements for appliances for heating liquids

https://standards.iteh.ai/

This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.



Reference number IEC 60335-2-15:2002+A1:2005(E)

#### **Publication numbering**

As from 1 January 1997 all I EC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

#### Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

#### Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- IEC Web Site (<u>www.iec.ch</u>)
- Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/search.ub) enables you to search by a variety of criteria including text searches technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (www.iec.ch/online\_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

d8d-7314-44b3-89b3-47263fa0ffd0/iec-60335-2-15-2002

Email: custserv@iec.ch +41 22 919 02 11 Tel: +41 22 919 03 00 Pax:

# INTERNATIONAL STANDARD

-----



Edition 5.1 2005-10

Edition 5:2002 consolidated with amendment 1:2005

Household and similar electrical appliances – Safety –

Part 2-15: Particular requirements for appliances for heating liquids

https://standards.iteh.ai/

-7314-44b3-89b3-47263fa0ffd0/iec-60335-2-15-2002

© IEC 2005 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия PRICE CODE CH

For price, see current catalogue

# CONTENTS

FOREWORD	5
INTRODUCTION	11
1 Scope	13
2 Normative references	
3 Definitions	
4 General requirement	
5 General conditions for the tests	
6 Classification	
7 Marking and instructions	
<ul> <li>8 Protection against access to live parts</li></ul>	
10 Power input and current	23
	23
12 Void	25
13 Leakage current and electric strength at operating temperature	
14 Transient overvoltages	25
15. Mojeture registance	25
16 Leakage current and electric strength	29
17 Overload protection of transformers and associated circuits	
18 Endurance	29
19 Abnormal operation	29
20 Stability and mechanical hazards	
21 Mechanical strength	<u>-60335-3</u> 35-
22 Construction	
23 Internal wiring	41
24 Components	41
25 Supply connection and external flexible cords	43
26 Terminals for external conductors	
27 Provision for earthing	45
28 Screws and connections	45
29 Clearances, creepage distances and solid insulation	45
30 Resistance to heat and fire	45
31 Resistance to rusting	47
32 Radiation, toxicity and similar hazards	47
Annexes	49
Bibliography	49
Figure 101 – Schematic representation of the 30 ml spillage test	41

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

# Part 2-15: Particular requirements for appliances for heating liquids

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as hearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.

- 6) All users should ensure that they have the latest edition of this publication.
  - 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
  - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
  - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

This consolidated version of IEC 60335-2-15 consists of the fifth edition (2002) [documents 61/2134/FDIS and 61/2159/RVD], its amendment 1 (2005) [documents 61/2887/FDIS and 61/2903/RVD] and its corrigendum of November 2003.

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 5.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electrical appliances for heating liquids.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to these in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.
- NOTE 3 The following print types are used:
- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below

- 7.12: Appliances that are not intended to be immersed in water for cleaning are nevertheless required to be marked with a warning unless the test of 15.101 is withstood (USA).
- 7.12: The instruction that appliances intended to be used with a connector incorporating a thermostat must only be used with the appropriate connector, is required to be marked on the appliance (USA).
- 7.12: The instruction that cordless kettles are only to be used with the stand provided, is required to be marked on the appliance (USA).

 11.2: Appliances are generally positioned against one wall and 100 mm away from the other wall of the test corner (USA).

- 11.7: The test durations are different (USA).
- 15.102: The test is not applicable (USA).
- 19.13: The criteria are different (USA)
- 19.101: The test is not applicable (Japan).
- 19.101: The test is not carried out if the thermal cut-out has been tested and found to be reliable (USA).
- 22.7: The test for pressure cookers is carried out at five times the maximum normal operating pressure or 2,5 times the release pressure of the safety device, whichever is greater (USA).
- 22.103: The test is different (USA).
- 22.104: The test is different (USA).
- 22.108: The force is different (USA).
- 22.109: The requirement is not applicable (USA).
- 24.1.3: A different number of cycles is specified (USA).
- 25.8: A supply cord having a cross-sectional area of 0,75 mm<sup>2</sup> is not allowed for appliances having a rated current exceeding 6 A (Japan and USA).
- 25.8: Longer supply cords are allowed (Japan).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

iTes S xn (a xos (https://standards.iteh.au) D Cn el- Preview https://standards.iteh.au) https://standards.iteh.au) 60335-2-15 © IEC:2002+A1:2005

### INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

https://standards.iteh.ai/at

14-44b3-89b3-47263fa0ffd0/iec-60335-2-15-2002

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

# Part 2-15: Particular requirements for appliances for heating liquids

### 1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electrical appliances for heating liquids for household and similar purposes, their **rated voltage** being not more than 250 V.

NOTE 101 Some appliances may be used for heating food.

NOTE 102 Examples of appliances that are within the scope of this standard are

- coffee-makers;
- cooking pans;
- egg boilers;
- feeding-bottle heaters;
- kettles and other appliances for boiling water, having a rated capacity not/exceeding 10 l;
- milk heaters;
- pressure cookers having a rated cooking pressure not exceeding 140 kPa and a rated capacity not exceeding 10 l;
- slow cookers;
- steam cookers;
- wash boilers;

# yoghurt makers

Appliances not intended for normal household use but which nevertheless may be a source of danger to the public, such as appliances intended to be used by laymen in shops, in light industry and on farms, are within the scope of this standard.

NOTE 103 Examples of such appliances are

- glue pots with a water jacket;
- livestock feed bailers;
- sterilizers.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

NOTE 104 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 105 This standard does not apply to

- frying pans and deep fat fryers (IEC 60335-2-13);
- storage water heaters (IEC 60335-2-21);
- instantaneous water heaters (IEC 60335-2-35);
- surface-cleaning appliances employing liquids or steam (IEC 60335-2-54);
- portable immersion heaters (IEC 60335-2-74);
- commercial dispensing appliances and vending machines (IEC 60335-2-75)
- appliances for medical purposes (IEC 60601);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- appliances for high-frequency heating;
- pressure sterilizers;
- humidifiers for household and similar use (IEC 60335-2-98).

NOTE 106 Attention is drawn to the fact that in many countries requirements for pressure vessels are applied to pressure cookers.

#### 2 Normative references

This clause of Part 1 is applicable.

#### **Definitions** 3

This clause of Part 1 is applicable except as follows

#### 3.1.9 Replacement:

normal operation

operation of the appliance under the following conditions

3.1.9.101 Kettles, thermal pots, uns and other appliances for boiling water, coffee-makers, cooking pans, glue pots, milk heaters, slow cookers, sterilizers, wash boilers and yoghurt makers are operated with their container filled with the rated capacity of water, any lid being closed. The quantity of water in slow cookers is maintained above 50 % of their rated capacity.

Appliances with a heated surface intended to keep the liquid warm are operated with or without the container, whichever is the more unfavourable.

3.1.9.102 Egg boilers and steam cookers are operated with their containers filled with the maximum quantity of water specified in the instructions.

3.1.9.103 Feeding-bottle heaters are operated with a bottle of heat-resistant glass, round or hexagonal in shape, having a mass between 190 g and 200 g and a capacity of approximately 225 ml, unless a particular bottle is specified, in which case that bottle is used. The bottle is filled to approximately its **rated capacity** of water or 200 ml, whichever is less, and is placed in the feeding-bottle heater. The heater is filled with water to the level specified in the instructions or, in the absence of instructions, to the maximum level.

**3.1.9.104** Livestock feed boilers are operated with the lid closed, the container being filled with half its rated capacity of water.

**3.1.9.105** Pressure cookers are operated in accordance with the instructions but with the container filled with water to a depth of 25 mm.