

# INTERNATIONAL STANDARD



This extended version of IEC 61558-2-9:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

**Safety of transformers, reactors, power supply units and combinations thereof –  
Part 2-9: Particular requirements and tests for transformers and power supply  
units for class III handlamps**

Document Preview

[IEC 61558-2-9:2024](https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024)

<https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024>





IEC 61558-2-9

Edition 3.0 2024-06  
EXTENDED VERSION

# INTERNATIONAL STANDARD



This extended version of IEC 61558-2-9:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

**Safety of transformers, reactors, power supply units and combinations thereof –  
Part 2-9: Particular requirements and tests for transformers and power supply  
units for class III handlamps**

Document Preview

[IEC 61558-2-9:2024](https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024)

<https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 29.180

ISBN 978-2-8322-9129-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	9
INTRODUCTION to IEC 61558-1:2017.....	12
INTRODUCTION to IEC 61558-2-9:2024.....	14
1 Scope.....	15
2 Normative references.....	16
3 Terms and definitions.....	19
3.1 Transformers.....	19
3.2 General terms.....	23
3.3 Operations and protections.....	24
3.4 Circuits and windings.....	26
3.5 Ratings.....	27
3.6 No-load values.....	29
3.7 Insulation.....	29
3.8 Touch current and protective earthing conductor current.....	33
4 General requirements.....	33
5 General notes on tests.....	34
6 Ratings.....	36
7 Classification.....	36
8 Marking and other information.....	37
9 Protection against electric shock.....	44
9.1 General.....	44
9.2 Protection against contact with hazardous-live-parts.....	44
9.2.1 Determination of hazardous-live-parts.....	44
9.2.2 Accessibility to hazardous-live-parts.....	45
9.2.3 Accessibility to non hazardous-live-part.....	48
9.3 Protection against hazardous electrical discharge.....	48
10 Change of input voltage setting.....	48
11 Output voltage and output current under load.....	49
12 No-load output voltage.....	49
13 Short-circuit voltage.....	50
14 Heating.....	51
14.1 General requirements.....	51
14.1.1 Temperature-rise test.....	51
14.1.2 Alternative temperature-rise test.....	53
14.1.3 Determination of steady-state conditions.....	55
14.2 Application of 14.1 or 14.3 according to the insulation system.....	57
14.3 Accelerated ageing test for undeclared class of insulation system.....	57
14.3.1 General.....	57
14.3.2 Heat run.....	58
14.3.3 Vibration.....	58
14.3.4 Moisture treatment.....	58
14.3.5 Measurements.....	58
15 Short circuit and overload protection.....	59
15.1 General requirements.....	59
15.1.1 Short circuit and overload test method.....	59

15.1.2	Alternative short circuit and overload test method	61
15.2	Inherently short-circuit proof transformers	61
15.3	Non-inherently short-circuit proof transformers	61
15.4	Non-short-circuit proof transformers	62
15.5	Fail-safe transformers	62
16	Mechanical strength	63
16.1	General	63
16.2	Stationary transformers	63
16.3	Portable transformers (except portable transformers with integral pins for introduction in socket-outlet in the fixed wiring)	64
16.4	Portable transformers provided with integral pins for introduction in socket-outlets of the fixed wiring	64
16.4.1	General requirements	64
16.4.2	Portable transformers provided with integral pins according to EN 50075 (IEC plug type C) for introduction in socket-outlets of the fixed wiring	65
16.5	Additional requirements for transformers to be used in vehicles and railway applications	66
16.5.1	Transformers to be used in vehicles and railway applications	66
16.5.2	Test requirements for the transportation of transformers	67
17	Protection against harmful ingress of dust, solid objects and moisture	68
17.1	Degrees of protection provided by enclosures (IP code)	68
17.1.1	General requirements	68
17.1.2	Tests on transformers with enclosure	69
17.2	Humidity treatment	71
18	Insulation resistance, dielectric strength and leakage current	72
18.1	General	72
18.2	Insulation resistance	72
18.3	Dielectric strength test	73
18.4	Insulation between and within windings	75
18.5	Touch current and protective earthing conductor current	75
18.5.1	General	75
18.5.2	Touch current	76
18.5.3	Protective earthing conductor current	77
19	Construction	77
19.1	General construction	77
19.2	Flammability of materials	79
19.3	Short-circuit characteristics of portable transformers	79
19.4	Class II transformer contact prevention of accessible conductive parts	79
19.5	Class II transformer insulation reassembling after service	80
19.6	Loosening of wires, screws or similar parts	80
19.7	Resistor or capacitor connection with accessible conductive parts	80
19.8	Bridging of separated conductive parts by resistors or capacitors	81
19.9	Insulating material separating input and output windings	81
19.10	Accidental contact protection against hazardous-live-parts provided by isolating coating	82
19.11	Insulating material of handles, operating levers, knobs and similar parts	83
19.12	Winding construction	83
19.13	Fixing of handles, operating levers and similar parts	87
19.14	Fixing of covers providing protection against electric shock	87

19.15	Strain on fixed socket-outlets caused by pin-transformers connection .....	87
19.16	Portable transformers for use in irregular or harsh conditions .....	87
19.17	Drain hole of transformers protected against ingress of water .....	87
19.18	Plug connected transformers protected against ingress of water .....	87
19.19	Flexible cable or flexible cord connection for class I portable transformers .....	88
19.20	SELV- and PELV-circuit separation of live parts.....	88
19.21	Protection against contact for FELV-circuit.....	88
19.22	Protective earthing regarding class II transformers .....	89
19.23	Protective earthing regarding class III transformers .....	89
20	Components .....	89
21	Internal wiring.....	94
22	Supply connection and other external flexible cables or cords .....	95
23	Terminals for external conductors.....	102
24	Provisions for protective earthing.....	103
25	Screws and connections .....	105
26	Creepage distances, clearances and distances through insulation.....	107
26.1	General.....	107
26.2	Creepage distances and clearances.....	108
26.2.1	General .....	108
26.2.2	Windings covered with adhesive tape .....	108
26.2.3	Uncemented insulating parts.....	108
26.2.4	Cemented insulating parts .....	108
26.2.5	Enclosed parts (e.g. by impregnation or potting) .....	109
26.3	Distance through insulation.....	110
27	Resistance to heat, fire and tracking.....	121
27.1	General.....	121
27.2	Resistance to heat .....	121
27.2.1	General .....	121
27.2.2	External accessible parts .....	121
27.2.3	Internal parts .....	122
27.3	Resistance to abnormal heat under fault conditions .....	122
27.4	Resistance to fire.....	123
27.4.1	General .....	123
27.4.2	External accessible parts.....	124
27.4.3	Internal parts .....	124
27.5	Resistance to tracking.....	125
28	Resistance to rusting .....	125
Annex A	(normative) Measurement of creepage distances and clearances.....	126
Annex B	(normative) Testing a series of transformers .....	130
B.1	General.....	130
B.2	Requirements .....	130
B.3	Constructional inspection .....	131
Annex C	(void).....	132
Annex D	(void).....	133
Annex E	(normative) Glow-wire test .....	134
E.1	General.....	134
E.2	Severity .....	134

E.3	Conditioning.....	134
E.4	Test procedure.....	134
Annex F (normative) Requirements for manually operated switches which are parts of transformers assembly .....		135
F.1	General.....	135
F.2	Switches tested as a separate component .....	135
F.3	Switches tested as part of the transformer .....	135
Annex G (normative) Tracking test.....		138
G.1	General.....	138
G.2	Test specimen .....	138
G.3	Test apparatus.....	138
G.4	Procedure .....	138
Annex H (normative) Electronic circuits.....		139
H.1	General.....	139
H.2	General notes on tests (addition to Clause 5).....	139
H.3	Short circuit and overload protection (addition to Clause 15).....	139
H.4	Creepage distances, clearances and distances through insulation (addition to Clause 26) .....	141
Annex I (informative) Dimensions for rectangular cross-section connectors of transformers, basic dimensions and coordination .....		143
Annex J (normative) Measuring network for touch-currents .....		145
Annex K (normative) Insulated winding wires .....		146
K.1	General.....	146
K.2	Type tests .....	146
K.2.1	General .....	146
K.2.2	Dielectric strength test.....	146
K.2.3	Flexibility and adherence .....	146
K.2.4	Heat shock .....	147
K.2.5	Retention of dielectric strength after bending .....	147
K.3	Testing during manufacturing .....	148
K.3.1	General .....	148
K.3.2	Routine test.....	148
K.3.3	Sampling test.....	148
Annex L (normative) Routine tests (production tests) .....		149
L.1	General.....	149
L.2	Protective earthing continuity test .....	149
L.3	Checking of no-load output voltage .....	149
L.4	Dielectric strength test .....	149
L.5	Checking of protective devices mounting .....	150
L.6	Visual inspection.....	150
L.7	Repetition test after routine dielectric strength test .....	150
Annex M (informative) Examples to be used as a guide for 19.1 .....		151
M.1	General.....	151
M.2	Coil-former.....	151
M.2.1	Concentric type .....	151
M.2.2	Side-by-side type.....	152
M.3	Windings.....	152
M.3.1	Without screen .....	152

M.3.2    With screen .....	153
Annex N (informative) Examples for checking points of dielectric strength test voltages.....	154
Annex O (void).....	156
Annex P (informative) Examples for measurement points of creepage distances and clearances .....	157
Annex Q (informative) Explanation of IP numbers for degrees of protection .....	160
Q.1    General.....	160
Q.2    Degrees of protection against access to hazardous parts and against solid foreign objects .....	160
Q.3    Degrees of protection against ingress of water.....	162
Annex R (normative) Explanations of the application of 6.1.2.2.1 of IEC 60664-1:2007 .....	163
R.1    Impulse dielectric test .....	163
R.2    Example.....	163
Annex S (void).....	165
Annex T (void).....	166
Annex U (void).....	167
Annex V (informative) Symbols to be used for thermal cut-outs.....	168
V.1    General.....	168
V.2    Non-self-resetting thermal cut-out (see 3.3.4) .....	168
V.3    Self-resetting thermal cut-out (see 3.3.3) .....	168
Annex W (normative) Coated printed circuit boards.....	169
W.1    Preamble .....	169
W.2    General.....	169
W.3    Cold.....	169
W.4    Rapid change of temperature .....	169
W.5    Additional tests .....	169
<b>Bibliography.....</b>	<b>170</b>
Index of defined terms .....	172
Figure 1 – IEC 61558 principle.....	13
Figure 2 – Mounting box for flush-type transformer .....	35
Figure 3 – Test pin (see IEC 61032, test probe 13).....	46
Figure 4 – Standard test finger (see IEC 61032, test probe B) .....	47
Figure 5 – Example of back-to-back method – Single phase .....	55
Figure 6 – Example of back-to-back method – Three phase .....	55
Figure 7 – Amplitude spectrum density for random testing .....	67
Figure 8 – Normalised spectrum of shock .....	68
Figure 9 – Test voltage sequence .....	75
Figure 10 – Test configuration: single-phase equipment on star TN or TT system .....	77
Figure 11 – Abrasion resistance test for insulating coated layers .....	82
Figure 12 – Flexing test apparatus .....	99
Figure 13 – Test arrangement for checking mechanical withstanding of insulating materials in thin sheet layers .....	113
Figure 14 – Ball-pressure apparatus .....	121
Figure A.1 – Example 1.....	126
Figure A.2 – Example 2.....	127



Figure A.3 – Example 3.....	127
Figure A.4 – Example 4.....	127
Figure A.5 – Example 5.....	128
Figure A.6 – Example 6.....	128
Figure A.7 – Example 7.....	129
Figure A.8 – Example 8.....	129
Figure H.1 – Example of an electronic circuit with low-power points.....	142
Figure J.1 – Measuring network for touch-current.....	145
Figure M.1 – Examples for concentric type constructions.....	151
Figure M.2 – Examples for side-by-side type constructions.....	152
Figure M.3 – Examples for winding constructions without screen.....	152
Figure M.4 – Examples for wrapped winding constructions.....	153
Figure M.5 – Examples for winding constructions with screen.....	153
Figure N.1 – Transformer of class I construction with metal enclosure.....	154
Figure N.2 – Transformer of class II construction with metal enclosure.....	155
Figure N.3 – Transformer of class II construction with enclosure of insulating material.....	155
Figure P.1 – Transformer of class I construction.....	157
Figure P.2 – Transformer of class I construction with earthed metal screen.....	158
Figure P.3 – Transformer of class II construction with metal enclosure.....	158
Figure P.4 – Transformer of class II construction with enclosure of insulating material.....	159
Figure V.1 – Restored by manual operation.....	168
Figure V.2 – Restored by disconnection of the supply.....	168
Figure V.3 – Thermal link (see 3.3.5).....	168
Figure V.4 – Self-resetting thermal cut-out.....	168
<a href="https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024">https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024</a>	
Table 1 – Symbols used on equipment or in instructions.....	41
Table 101 – Symbols indicating the kind of transformer.....	42
Table 102 – Output voltage ratio.....	50
Table 2 – Values of maximum temperatures in normal use.....	56
Table 3 – Explanation of the maximum winding temperatures required in Table 2.....	57
Table 4 – Test temperature and testing time (in days) per cycle.....	58
Table 5 – Maximum values of temperatures under short-circuit or overload conditions.....	60
Table 6 – Values of $T$ and $k$ for fuses.....	61
Table 7 – Pull force on pins.....	65
Table 8 – Conditions for vibration testing (random).....	66
Table 9 – Amplitude spectrum density ASD values for accelerated life testing.....	66
Table 10 – Frequency values depending on the weight of the specimen.....	67
Table 11 – Excitation values for vibration testing.....	67
Table 12 – Solid-object-proof transformer test.....	70
Table 13 – Values of insulation resistance.....	73
Table 14 – Table of dielectric strength test voltages.....	74
Table 15 – Limits for currents.....	77
Table 16 – Nominal cross-sectional areas of external flexible cables or cords.....	97

Table 17 – Pull and torque to be applied to external flexible cables or cords fixed to stationary and portable transformers.....	101
Table 18 – Torque to be applied to screws and connections .....	106
Table 19 – Torque test on glands.....	107
Table 20 – Clearances in mm .....	114
Table 21 – Creepage distances in mm .....	115
Table 22 – Distance through insulation in mm.....	116
Table 23 – Creepage distances and clearance between terminals for external connection .....	117
Table 24 – Values of FIW wires with minimum overall diameter and minimum test voltages according to the total enamel increase.....	119
Table A.1 – Width of groove values depending on the pollution degree.....	126
Table F.1 – Peak surge current of additional loads.....	136
Table I.1 – Dimensions of rectangular copper connectors .....	143
Table K.1 – Mandrel diameter .....	147
Table K.2 – Oven temperature .....	147
Table Q.1 – Degrees of protection against access to hazardous parts indicated by the first characteristic numeral.....	161
Table Q.2 – Degrees of protection against solid foreign objects indicated by the first characteristic numeral.....	161
Table Q.3 – Degrees of protection indicated by the second characteristic numeral .....	162
Table R.1 – Impulse test voltage according to 6.1.2.2.1 of IEC 60664-1:2007 .....	163

## Document Preview

[IEC 61558-2-9:2024](https://standards.iteh.ai/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024)

<https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024>

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SAFETY OF TRANSFORMERS, REACTORS,  
POWER SUPPLY UNITS AND COMBINATIONS THEREOF –****Part 2-9: Particular requirements and tests for transformers and  
power supply units for class III handlamps**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

**This extended version (EXV) of the official IEC Standard provides the user with the comprehensive content of the Standard.**

**IEC 61558-2-9:2024 EXV includes the content of IEC 61558-2-9:2024, and the references made to IEC 61558-1:2017.**

**The specific content of IEC 61558-2-9:2024 is displayed on a blue background.**

IEC 61558-2-9 has been prepared by IEC technical committee 96: Transformers, reactors, power supply units and combinations thereof. It is an International Standard.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) adjustment of structure and references in accordance with IEC 61558-1:2017;
- b) addition of a new symbol for power supply unit with linearly regulated output voltage;
- c) document is not only valid for transformers for tungsten filament handlamps.

The text of this International Standard is based on the following documents:

Draft	Report on voting
96/593/FDIS	96/597/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this document is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

It has the status of a group safety publication in accordance with IEC Guide 104.

This document is to be used in conjunction with IEC 61558-1:2017.

This document supplements or modifies the corresponding clauses in IEC 61558-1:2017, so as to convert that publication into the IEC standard: *Particular requirements and tests for transformers and power supply units for class III handlamps*.

A list of all parts in the IEC 61558 series published under the general title *Safety of transformers, reactors, power supply units and combinations thereof*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

Where this document states "*addition*", "*modification*" or "*replacement*", the relevant text of IEC 61558-1:2017 is to be adopted accordingly.

In this document, the following print types are used:

- requirements proper: in roman type;
- *test specifications: in italic type*;
- explanatory matter: in smaller roman type.

In the text of this document, the words in **bold** are defined in Clause 3.

Subclauses, notes, figures and tables additional to those in IEC 61558-1:2017 are numbered starting from 101; supplementary annexes are entitled AA, BB, etc.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[IEC 61558-2-9:2024](https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024)

<https://standards.iteh.ai/catalog/standards/iec/c17b9b1c-e809-4f53-ac08-46f398f5be08/iec-61558-2-9-2024>

## INTRODUCTION to IEC 61558-1:2017

This document covers safety requirements for **transformers**. Where the term **transformer** is used, it covers **transformers**, **reactors** and **power supply units** where applicable.

During the development of this document, to the extent possible, the requirements of IEC 60364 (all parts) were taken into consideration, so that a **transformer** can be installed in accordance with the wiring rules contained in that document. However, national wiring rules can differ.

This document recognizes the internationally accepted levels of protection against the possible electrical, mechanical, and fire hazards caused by **transformers** operating under normal conditions in accordance with the manufacturer's instructions. It also covers abnormal conditions which can occur in practice.

A **transformer** complying with this document will not necessarily be judged to comply with the safety principles of this document if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A **transformer** employing materials or having forms of construction differing from those detailed in this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the safety principles of this document.

The document dealing with non-safety aspects of electromagnetic compatibility (EMC) of **transformers** is IEC 62041. However, that document also includes tests that can subject the **transformer** to conditions involving safety aspects.

The objective of IEC 61558-1 is to provide a set of requirements and tests considered to be generally applicable to most types of **transformers**, and which can be called up as required by the relevant part of IEC 61558-2. IEC 61558-1 is thus not to be regarded as a specification by itself for any type of **transformer**, and its provisions apply only to particular types of **transformers** to the extent determined by the appropriate part of IEC 61558-2. IEC 61558-1 also contains normative routine tests.

Each part of IEC 61558-2 in conjunction with this document contains all the necessary requirements for the **transformer** being covered and does not contain references to other parts of IEC 61558-2. For **transformers** with a protection index IP00 and associated **transformers**, it is possible to have circuits corresponding to different parts of IEC 61558-2 within the same construction (e.g. SELV output circuit according to IEC 61558-2-6 and a 230 V output circuit according to IEC 61558-2-4). However, if the **transformer** is covered by different parts IEC 61558-2, to the extent reasonable, the relevant part of IEC 61558-2 is applied to each function/application separately. If applicable, the effect of one function on the other is taken into consideration.

If an appropriate part of IEC 61558-2 does not exist for a particular **transformer** or group of **transformers**, the nearest applicable part may be used as a guide to the requirements and tests.

However, individual countries may wish to consider its application, to the extent reasonable, to transformers not mentioned in the IEC 61558-2 series, and to transformers designed on new principles.

Where the requirements of any of the clauses of a part of IEC 61558-2 refer to IEC 61558-1 by the phrase "This clause of Part 1 is applicable", this phrase means that all the requirements of that clause of IEC 61558-1 are applicable, except those requirements that are clearly not applicable to the particular type of **transformer** covered by that part of IEC 61558-2.