

Edition 3.0 2024-06 EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 61558-2-8:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

Safety of transformers, reactors, power supply units and combinations thereof – Part 2-8: Particular requirements and tests for transformers and power supply units for bells and chimes

Document Preview

IEC 61558-2-8:2024

https://standards.iteh.ai/catalog/standards/iec/1052305b-f66c-4698-bdf3-3fe86535e85e/iec-61558-2-8-2024





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 3.0 2024-06 EXTENDED VERSION

INTERNATIONAL STANDARD



This extended version of IEC 61558-2-8:2024 includes the content of the references made to IEC 61558-1:2017

GROUP ENERGY EFFICIENCY PUBLICATION

Safety of transformers, reactors, power supply units and combinations thereof – Part 2-8: Particular requirements and tests for transformers and power supply units for bells and chimes

Document Preview

IEC 61558-2-8:2024

https://standards.iteh.ai/catalog/standards/iec/1052305b-f66c-4698-bdf3-3fe86535e85e/iec-61558-2-8-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.180 ISBN 978-2-8322-9127-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

	EWORD	
INTF	RODUCTION to IEC 61558-2-8:2024	14
1	Scope	15
	Normative references	
	Terms and definitions	
3.		
3.		
3.		
3.		
3.	· ·	
3.	· · · · · · · · · · · · · · · · · · ·	
3.		
3.		
	General requirements	
	General notes on tests	
	Ratings	
7	Classification Talls CAs and assets	
7	Classification	36
8	Marking and other information	37
9	Protection against electric shock	44
9	1 General	44
9.	2 Protection against contact with hazardous-live-parts	44
	9.2.1 Determination of hazardous-live-parts	
	9.2.2 Accessibility to hazardous-live-parts	
	9.2.3 Accessibility to non hazardous-live-part	
9.	3	
	Change of input voltage setting	
11	Output voltage and output current under load	49
12	No-load output voltage	50
13	Short-circuit voltage	50
14	Heating	50
	4.1 General requirements	
•	14.1.1 Temperature-rise test	
	14.1.2 Alternative temperature-rise test	
	14.1.3 Determination of steady-state conditions	
14	4.2 Application of 14.1 or 14.3 according to the insulation system	
	4.3 Accelerated ageing test for undeclared class of insulation system	
-	14.3.1 General	
	14.3.2 Heat run	
	14.3.3 Vibration	
	14.3.4 Moisture treatment	
	14.3.5 Measurements	
15	Short circuit and overload protection	
	5.1 General requirements	
-	15.1.1 Short circuit and overload test method	

5.1.2	Alternative short circuit and overload test method	61
2 Inhe	erently short-circuit proof transformers	61
3 Nor	-inherently short-circuit proof transformers	61
4 Nor	-short-circuit proof transformers	62
5 Fail	-safe transformers	62
lechanic	al strength	63
1 Ger	ieral	63
3 Por	table transformers (except portable transformers with integral pins for	
4 Por	table transformers provided with integral pins for introduction in socket-	
6.4.1	_	
6.4.2	Portable transformers provided with integral pins according to EN 50075 (IEC plug type C) for introduction in socket-outlets of the fixed	
	itional requirements for transformers to be used in vehicles and railway	
6.5.1	Transformers to be used in vehicles and railway applications	66
6.5.2	Test requirements for the transportation of transformers	67
rotectio	n against harmful ingress of dust, solid objects and moisture	68
1 Deg	rees of protection provided by enclosures (IP code)	68
7.1.1	General requirements	68
7.1.2	/ https://ctopoloude.itob_oil	
2 Hur	nidity treatment	71
	I I I I I I I I I I I I I I I I I I I	
	-	
	~	
~ F:	1. 1114	70
	mmability of materials	
	rt-circuit characteristics of portable transformers	
3 Sho	•	78
3 Sho 4 Cla	rt-circuit characteristics of portable transformers	78 78
3 Sho 4 Cla 5 Cla	rt-circuit characteristics of portable transformersss II transformer contact prevention of accessible conductive parts	78 78 78
3 Sho 4 Cla 5 Cla 6 Loo	rt-circuit characteristics of portable transformersss II transformer contact prevention of accessible conductive partsss II transformer insulation reassembling after service	78 78 78 78
3 Sho 4 Cla 5 Cla 6 Loo 7 Res	rt-circuit characteristics of portable transformersss II transformer contact prevention of accessible conductive partsss II transformer insulation reassembling after servicessening of wires, screws or similar parts	78 78 78 78
3 Sho 4 Cla 5 Cla 6 Loo 7 Res 8 Brid	rt-circuit characteristics of portable transformersss II transformer contact prevention of accessible conductive partsss II transformer insulation reassembling after servicesening of wires, screws or similar partsstor or capacitor connection with accessible conductive partsstor of separated conductive parts by resistors or capacitorss	78 78 78 78 79
3 Sho 4 Cla 5 Cla 6 Loo 7 Res 8 Bric 9 Insu	rt-circuit characteristics of portable transformers	78 78 78 79 79
3 Sho 4 Cla: 5 Cla: 6 Loo 7 Res 8 Bric 9 Insu 10 Acc	rt-circuit characteristics of portable transformers	78 78 78 79 79 79
3 Sho 4 Clade 5 Clade 6 Loo 7 Res 8 Bride 9 Insu 10 Accessisol 11 Insu	rt-circuit characteristics of portable transformers	78 78 78 79 79 80 80
3 Sho 4 Cla 5 Cla 6 Loo 7 Res 8 Bric 9 Insu 10 Acc isol 11 Insu 12 Win	rt-circuit characteristics of portable transformers	78787879798081
	2 Inhe 3 Non 4 Non 5 Fail- echanic 1 Gen 2 Stat 3 Port intro 4 Port outl 6.4.1 6.4.2 5 Add app 6.5.1 6.5.2 rotectior 1 Deg 7.1.1 7.1.2 2 Hun sulation 1 Gen 2 Insu 3 Diel 4 Insu 6 Tou 3 Soliel 4 Insu 6 Tou	Inherently short-circuit proof transformers

19.15	Strain on fixed socket-outlets caused by pin-transformers connection	86
19.16	Portable transformers for use in irregular or harsh conditions	86
19.17	Drain hole of transformers protected against ingress of water	86
19.18	Plug connected transformers protected against ingress of water	86
19.19	Flexible cable or flexible cord connection for class I portable transformers	86
19.20	SELV- and PELV-circuit separation of live parts	86
19.21	Protection against contact for FELV-circuit	87
19.22	Protective earthing regarding class II transformers	87
19.23	Protective earthing regarding class III transformers	87
20 Com	ponents	88
21 Inter	nal wiring	93
22 Supp	oly connection and other external flexible cables or cords	94
23 Tern	ninals for external conductors	100
24 Prov	risions for protective earthing	102
	ws and connections	
-	epage distances, clearances and distances through insulation	
26.1	General Granage distances and degranage	
26.2 26.2	Creepage distances and clearances	
26.2 26.2		
26.2		
26.2		
26.2	(
26.3	Distance through insulation	
	stance to heat, fire and tracking	
27.1	General	
27.2		
27.2		
27.2	·	
27.3	Resistance to abnormal heat under fault conditions	
27.4	Resistance to fire	121
27.4	.1 General	121
27.4	.2 External accessible parts	122
27.4	.3 Internal parts	122
27.5	Resistance to tracking	
28 Resi	stance to rusting	123
Annex A	(normative) Measurement of creepage distances and clearances	124
Annex B	(normative) Testing a series of transformers	128
B.1	General	128
B.2	Requirements	128
B.3	Constructional inspection	129
Annex C	(void)	130
Annex D	(void)	131
	(normative) Glow-wire test	
E.1	General	
E.2	Severity	

E.3	Conditioning	132
E.4	Test procedure	132
	F (normative) Requirements for manually operated switches which are parts of	
	ormers assembly	133
F.1	General	133
F.2	' '	
F.3	•	
Annex	G (normative) Tracking test	136
G.1	General	136
G.2	Part specimen	136
G.3	B Test apparatus	136
G.4	Procedure	136
Annex	H (normative) Electronic circuits	137
H.1	General	137
H.2	General notes on tests (addition to Clause 5)	137
H.3	Short circuit and overload protection (addition to Clause 15)	137
H.4	Creepage distances, clearances and distances through insulation (addition to Clause 26)	139
	I (informative) Dimensions for rectangular cross-section connectors of	
	ormers, basic dimensions and coordination	
Annex	J (normative) Measuring network for touch-currents	143
Annex	K (normative) Insulated winding wires	144
K.1	General	144
K.2	Type tests	144
K	.2.1 General	144
K	.2.2 Dielectric strength test	144
K	.2.3 Flexibility and adherence	
tps://stanck	.2.4 iteh. Heat shock andards/iee/1052305h.f66a.4698.hdf3.3fe86535e85e/iee.615	.5.81453-202
K	.2.5 Retention of dielectric strength after bending	145
K.3	Testing during manufacturing	146
K	.3.1 General	146
K	.3.2 Routine test	146
K	.3.3 Sampling test	146
Annex	L (normative) Routine tests (production tests)	147
L.1	General	147
L.2	Protective earthing continuity test	147
L.3	Checking of no-load output voltage	147
L.4	Dielectric strength test	147
L.5	Checking of protective devices mounting	148
L.6	Visual inspection	148
L.7	Repetition test after routine dielectric strength test	148
Annex	M (informative) Examples to be used as a guide for 19.1	149
M.1	General	149
M.2	2 Coil-former	149
M	I.2.1 Concentric type	149
M	I.2.2 Side-by-side type	150
M.3	B Windings	150
M	I.3.1 Without screen	150

Annex N (informative) Examples for checking points of dielectric strength test voltages Annex O (void)	
	s152
Annex P (informative) Examples for measurement points of creepage distances and	154
clearances	155
Annex Q (informative) Explanation of IP numbers for degrees of protection	158
Q.1 General	158
Q.2 Degrees of protection against access to hazardous parts and against solid foreign objects	158
Q.3 Degrees of protection against ingress of water	160
Annex R (normative) Explanations of the application of 6.1.2.2.1 of IEC 60664-1:2007	161
R.1 Impulse dielectric test	161
R.2 Example	
Annex S (void)	
Annex T (void)	
Annex U (void)	
Annex V (informative) Symbols to be used for thermal cut-outs	
V.1 General	
V.2 Non-self-resetting thermal cut-out (see 3.3.4)	
V.3 Self-resetting thermal cut-out (see 3.3.3)	166
Annex W (normative) Coated printed circuit boards	
W.2 General W.3 Cold	
W.4 Rapid change of temperature	
W.5 Additional tests	
Bibliography	168
Index of defined terms	170
Figure 1 – IEC 61558 principle	13
Figure 2 – Mounting box for flush-type transformer	35
Figure 3 – Test pin (see IEC 61032, test probe 13)	46
Figure 4 – Standard test finger (see IEC 61032, test probe B)	47
Figure 5 – Example of back-to-back method – Single phase	54
Figure 6 – Example of back-to-back method – Three phase	55
Figure 7 – Amplitude spectrum density for random testing	66
Figure 0. No security of the design of the d	67
Figure 8 – Normalised spectrum of shock	74
·	
Figure 9 – Test voltage sequence	
·	81
Figure 9 – Test voltage sequence	
Figure 9 – Test voltage sequence Figure 10 – Test configuration: single-phase equipment on star TN or TT system Figure 11 – Abrasion resistance test for insulating coated layers Figure 12 – Flexing test apparatus Figure 13 – Test arrangement for checking mechanical withstanding of insulating	97
Figure 9 – Test voltage sequence Figure 10 – Test configuration: single-phase equipment on star TN or TT system Figure 11 – Abrasion resistance test for insulating coated layers Figure 12 – Flexing test apparatus Figure 13 – Test arrangement for checking mechanical withstanding of insulating materials in thin sheet layers	97
Figure 9 – Test voltage sequence Figure 10 – Test configuration: single-phase equipment on star TN or TT system Figure 11 – Abrasion resistance test for insulating coated layers Figure 12 – Flexing test apparatus Figure 13 – Test arrangement for checking mechanical withstanding of insulating	97 111 119

Figure A.4 – Example 4
Figure A.6 – Example 6.126Figure A.7 – Example 7.127Figure A.8 – Example 8.127Figure H.1 – Example of an electronic circuit with low-power points.140Figure J.1 – Measuring network for touch-current.143Figure M.1 – Examples for concentric type constructions.149Figure M.2 – Examples for side-by-side type constructions.150Figure M.3 – Examples for winding constructions without screen.150Figure M.4 – Examples for wrapped winding constructions.151
Figure A.7 – Example 7
Figure A.8 – Example 8.127Figure H.1 – Example of an electronic circuit with low-power points140Figure J.1 – Measuring network for touch-current143Figure M.1 – Examples for concentric type constructions149Figure M.2 – Examples for side-by-side type constructions150Figure M.3 – Examples for winding constructions without screen150Figure M.4 – Examples for wrapped winding constructions151
Figure H.1 – Example of an electronic circuit with low-power points140Figure J.1 – Measuring network for touch-current143Figure M.1 – Examples for concentric type constructions149Figure M.2 – Examples for side-by-side type constructions150Figure M.3 – Examples for winding constructions without screen150Figure M.4 – Examples for wrapped winding constructions151
Figure J.1 – Measuring network for touch-current
Figure M.1 – Examples for concentric type constructions149Figure M.2 – Examples for side-by-side type constructions150Figure M.3 – Examples for winding constructions without screen150Figure M.4 – Examples for wrapped winding constructions151
Figure M.2 – Examples for side-by-side type constructions
Figure M.3 – Examples for winding constructions without screen
Figure M.4 – Examples for wrapped winding constructions
Figure M.5 – Examples for winding constructions with screen
Figure N.1 – Transformer of class I construction with metal enclosure
Figure N.2 – Transformer of class II construction with metal enclosure
Figure N.3 – Transformer of class II construction with enclosure of insulating material 153
Figure P.1 – Transformer of class I construction
Figure P.2 – Transformer of class I construction with earthed metal screen
Figure P.3 – Transformer of class II construction with metal enclosure
Figure P.4 – Transformer of class II construction with enclosure of insulating material157
Figure V.1 – Restored by manual operation166
Figure V.2 – Restored by disconnection of the supply
Figure V.3 – Thermal link (see 3.3.5)
Figure V.4 – Self-resetting thermal cut-out
//standards.iteh.ai/catalog/standards/iec/1052305b-f66c-4698-bdf3-3fe86535e85e/iec-61558-2-8-2
Table 1 – Symbols used on equipment or in instructions41
Table 101 – Symbols indicating the kind of transformer
Table 2 – Values of maximum temperatures in normal use
Table 3 – Explanation of the maximum winding temperatures required in Table 257
Table 4 – Test temperature and testing time (in days) per cycle
Table 5 – Maximum values of temperatures under short-circuit or overload conditions60
Table 6 – Values of T and k for fuses
Table 7 – Pull force on pins
Table 8 – Conditions for vibration testing (random)
Table 9 – Amplitude spectrum density ASD values for accelerated life testing
Table 10 – Frequency values depending on the weight of the specimen
Table 11 – Excitation values for vibration testing
Table 12 – Solid-object-proof transformer test
Table 13 – Values of insulation resistance
Table 14 – Table of dielectric strength test voltages
Table 15 – Limits for currents
Table 16 – Nominal cross-sectional areas of external flexible cables or cords95

Table 17 – Pull and torque to be applied to external flexible cables or cords fixed to stationary and portable transformers	99
Table 18 – Torque to be applied to screws and connections	104
Table 19 – Torque test on glands	105
Table 20 – Clearances in mm	112
Table 21 – Creepage distances in mm	113
Table 22 – Distance through insulation in mm	114
Table 23 – Creepage distances and clearance between terminals for external connection	115
Table 24 – Values of FIW wires with minimum overall diameter and minimum test voltages according to the total enamel increase	117
Table A.1 – Width of groove values depending on the pollution degree	124
Table F.1 – Peak surge current of additional loads	134
Table I.1 – Dimensions of rectangular copper connectors	141
Table K.1 – Mandrel diameter	145
Table K.2 – Oven temperature	145
Table Q.1 – Degrees of protection against access to hazardous parts indicated by the first characteristic numeral	159
Table Q.2 – Degrees of protection against solid foreign objects indicated by the first characteristic numeral	159
Table Q.3 – Degrees of protection indicated by the second characteristic numeral	160
Table R.1 – Impulse test voltage according to 6.1.2.2.1 of IEC 60664-1:2007	161

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SAFETY OF TRANSFORMERS, REACTORS, POWER SUPPLY UNITS AND COMBINATIONS THEREOF –

Part 2-8: Particular requirements and tests for transformers and power supply units for bells and chimes

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
 - 6) All users should ensure that they have the latest edition of this publication.
 - 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the comprehensive content of the Standard.

IEC 61558-2-8:2024 EXV includes the content of IEC 61558-2-8:2024, and the references made to IEC 61558-1:2017.

The specific content of IEC 61558-2-8:2024 is displayed on a blue background.

IEC 61558-2-8 has been prepared by IEC technical committee 96: Transformers, reactors, power supply units and combinations thereof. It is an International Standard.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) adjustment of structure and references in accordance with IEC 61558-1:2017;
- b) new symbol for power supply unit with linearly regulated output voltage.

The text of this document is based on the following documents:

Draft	Report on voting
96/592/FDIS	96/598/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this document is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

It has the status of a group safety publication in accordance with IEC Guide 104.

This document is to be used in conjunction with IEC 61558-1:2017.

This document supplements or modifies the corresponding clauses in IEC 61558-1:2017, so as to convert that publication into the IEC standard: *Particular requirements and tests for transformers and power supply units for bells and chimes*.

A list of all parts in the IEC 61558 series published under the general title *Safety of transformers, reactors, power supply units and combinations thereof,* can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

Where this document states "addition", "modification" or "replacement", the relevant text of IEC 61558-1:2017 is to be adopted accordingly.

In this document, the following print types are used:

- requirements proper: in roman type;
- test specifications: in italic type;
- explanatory matter: in smaller roman type.

In the text of this document, the words in **bold** are defined in Clause 3.

Subclauses, notes, figures and tables additional to those in IEC 61558-1:2017 are numbered starting from 101; supplementary annexes are entitled AA, BB, etc.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 61558-2-8:2024

https://standards.iteh.ai/catalog/standards/iec/1052305b-f66c-4698-bdf3-3fe86535e85e/iec-61558-2-8-2024

– 12 –

This document covers safety requirements for **transformers**. Where the term **transformer** is used, it covers **transformers**, **reactors** and **power supply units** where applicable.

During the development of this document, to the extent possible, the requirements of IEC 60364 (all parts) were taken into consideration, so that a **transformer** can be installed in accordance with the wiring rules contained in that document. However, national wiring rules can differ.

This document recognizes the internationally accepted levels of protection against the possible electrical, mechanical, and fire hazards caused by **transformers** operating under normal conditions in accordance with the manufacturer's instructions. It also covers abnormal conditions which can occur in practice.

A **transformer** complying with this document will not necessarily be judged to comply with the safety principles of this document if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A **transformer** employing materials or having forms of construction differing from those detailed in this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the safety principles of this document.

The document dealing with non-safety aspects of electromagnetic compatibility (EMC) of transformers is IEC 62041. However, that document also includes tests that can subject the transformer to conditions involving safety aspects.

The objective of of IEC 61558-1 is to provide a set of requirements and tests considered to be generally applicable to most types of **transformers**, and which can be called up as required by the relevant part of IEC 61558-2. IEC 61558-1 is thus not to be regarded as a specification by itself for any type of **transformer**, and its provisions apply only to particular types of **transformers** to the extent determined by the appropriate part of IEC 61558-2. IEC 61558-1 also contains normative routine tests.

Each part of IEC 61558-2 in conjunction with this document contains all the necessary requirements for the **transformer** being covered and does not contain references to other parts of IEC 61558-2. For **transformers** with a protection index IP00 and associated **transformers**, it is possible to have circuits corresponding to different parts of IEC 61558-2 within the same construction (e.g. SELV output circuit according to IEC 61558-2-6 and a 230 V output circuit according to IEC 61558-2-4). However, if the **transformer** is covered by different parts IEC 61558-2, to the extent reasonable, the relevant part of IEC 61558-2 is applied to each function/application separately. If applicable, the effect of one function on the other is taken into consideration.

If an appropriate part of IEC 61558-2 does not exist for a particular **transformer** or group of **transformer**s, the nearest applicable part may be used as a guide to the requirements and tests.

However, individual countries may wish to consider its application, to the extent reasonable, to transformers not mentioned in the IEC 61558-2 series, and to transformers designed on new principles.

Where the requirements of any of the clauses of a part of IEC 61558-2 refer to IEC 61558-1 by the phrase "This clause of Part 1 is applicable", this phrase means that all the requirements of that clause of IEC 61558-1 are applicable, except those requirements that are clearly not applicable to the particular type of **transformer** covered by that part of IEC 61558-2.