



SLOVENSKI STANDARD SIST EN ISO 14922-3:2000

01-december-2000

Jfc YVf]n[UbY!'NU HJ YnU_U_cj cghj fc YVf]n[Ub] `dfYj`Y`bU_cbgfi _W'g_]`
YYa Yb]!'" "XY. GHUbXUXbYnU HJ YnU_U_cj cghfIGC`% - &&' .% - - Ł

Thermal spraying - Quality requirements of thermally sprayed structures - Part 3:
Standard quality requirements (ISO 14922-3:1999)

Thermisches Spritzen - Qualitätsanforderungen an thermisch gespritzte Bauteile - Teil 3:
Standard-Qualitätsanforderungen (ISO 14922-3:1999)

Projection thermique - Exigences qualité des constructions obtenues par projection
thermique - Partie 3: Exigences qualité standard (ISO 14922-3:1999)

[https://standards.iteh.ai/catalog/standards/sist/a3881466-8bf2-4c64-abac-](https://standards.iteh.ai/catalog/standards/sist/a3881466-8bf2-4c64-abac-e78dac373272/sist-en-iso-14922-3-2000)

Ta slovenski standard je istoveten z: EN ISO 14922-3:1999

ICS:

25.220.20 Površinska obdelava Surface treatment

SIST EN ISO 14922-3:2000 en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14922-3:2000](#)

<https://standards.iteh.ai/catalog/standards/sist/a3881466-8bf2-4c64-abac-e78dac373272/sist-en-iso-14922-3-2000>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 14922-3

June 1999

ICS 25.220

English version

Thermal spraying - Quality requirements of thermally sprayed structures - Part 3: Standard quality requirements (ISO 14922-3:1999)

Projection thermique - Exigences qualité des constructions obtenues par projection thermique - Partie 3: Exigences qualité standard (ISO 14922-3:1999)

Thermisches Spritzen - Qualitätsanforderungen an thermisch gespritzte Bauteile - Teil 3: Standard-Qualitätsanforderungen (ISO 14922-3:1999)

This European Standard was approved by CEN on 19 February 1999.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

SIST EN ISO 14922-3:2000

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword	3
1 Scope	4
2 Normative references	4
3 Definitions	5
4 Contract and design review	5
4.1 General	5
4.2 Application – Contract review	5
4.3 Application – Design review	5
5 Sub-contracting	6
6 Personnel for thermal spraying	6
6.1 General	6
6.2 Qualified thermal sprayer	6
6.3 Thermal spraying coordinator	6
7 Personnel for quality testing	6
7.1 General	6
7.2 Non-destructive testing	6
8 Equipment	6
8.1 Equipment for manufacturing	6
8.2 Description of equipment	7
8.3 Suitability of equipment	7
8.4 Maintenance	7
8.5 Health and safety and environmental aspects	7
9 Thermal spraying activities	7
9.1 Production plan	7
9.2 Thermal spraying procedure specification	8
9.3 Work instructions	8
9.4 Pre- and post-treatment	8
9.5 Documentation	8
10 Consumables for thermal spraying	8
10.1 General	8
10.2 Batch testing	8
10.3 Storage and handling	8
11 Storage and handling of substrate materials	8
12 Thermal spraying related inspection and testing	8
12.1 General	8
12.2 Inspection and testing before thermal spraying	8
12.3 Inspection and testing during thermal spraying	9
12.4 Inspection and testing after thermal spraying	9
12.5 Inspection and test status	9
13 Non-conformance and corrective actions	9
14 Calibration	9
15 Identification and traceability	9
16 Quality records	10
Annex ZA (informative) Bibliography	11



Foreword

The text of EN ISO 14922-3:1999 has been prepared by Technical Committee CEN/TC 240 "Thermal spraying and thermally sprayed coatings", the secretariat of which is held by DIN, in collaboration with Technical Committee ISO/TC 107 "Metallic and other inorganic coatings".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 1999, and conflicting national standards shall be withdrawn at the latest by December 1999.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 14922-3:2000](https://standards.iteh.ai/catalog/standards/sist/a3881466-8b12-4c64-abac-e78dac373272/sist-en-iso-14922-3-2000)

<https://standards.iteh.ai/catalog/standards/sist/a3881466-8b12-4c64-abac-e78dac373272/sist-en-iso-14922-3-2000>

1 Scope

This standard specifies requirements so that:

- It is independent of the type of the thermally sprayed structure.
- It defines quality requirements for thermal spraying both in workshops and on site.
- It provides guidance for describing a manufacturer's capability to produce thermally sprayed constructions to meet specified requirements.
- It may also be used as a basis for assessing the manufacturer in respect to his thermal spraying capability.

This standard is appropriate when demonstration of a manufacturer's capability to produce thermally sprayed construction, fulfilling specified quality requirements, are specified in one or more of the following:

- a contract between involved parties;
- an application standard;
- a regulatory requirement.

The requirements contained within this standard may be adopted in full or may be selectively deleted by the manufacturer if not applicable to the construction concerned. They provide a flexible framework for the control of thermal spraying in the following cases:

- Case 1

To provide specific requirements for thermal spraying in contracts which require the manufacturer to have a quality system other than EN ISO 9001 or EN ISO 9002.

- Case 2

To provide specific requirements for thermal spraying in contracts which require the manufacturer developing a quality system.

- Case 3

To provide specific requirements for thermal spraying in application standards which uses thermal spraying as part of its requirements or in a contract between relevant parties. It may however be more appropriate for EN ISO 14922-4 to be used in such cases.

2 Normative references

This European standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 473

Non-destructive testing – Qualification and certification of personnel

EN 582

Thermal spraying – Determination of the adhesive tensile strength

EN 657

Thermal spraying – terminology – Classification

EN 1274

Thermal spraying – Powders – Composition – Technical supply conditions

prEN 13214

Thermal spraying – Thermal spray coordination – Tasks and responsibilities

EN ISO 9001

Quality systems – Model for quality assurance in design/development, production, installation and servicing (ISO 9001 : 1994)

EN ISO 9002

Quality systems – Model for quality assurance in production, installation and servicing (ISO 9002 : 1994)

EN ISO 14918

Thermal spraying – Approval testing for thermal sprayers

prEN ISO 14919

Thermal spraying – Wires, rods and cords for flame and arc spraying – Classification – Technical supply conditions

EN ISO 14922-1

Thermal spraying – Quality requirements of thermally sprayed structures – Part 1: Guidelines for selection and use

ISO 8402 : 1994

Quality management and management assurance – Vocabulary

3 Definitions

For the purposes of this standard definitions given in EN 657 and listed in part 1 of this standard apply.

4 Contract and design review

4.1 General

The manufacturer shall review the contractual requirements and the design data provided by the purchaser or in-house data for construction designed by the manufacturer. This is to ensure that all information necessary to carry out the fabrication operations is available prior to the commencement of the work. The manufacturer shall affirm his capability to meet all thermal spraying contract requirements and ensure adequate planning of all quality related activities.

The items in 4.2 are typically considered at or before time of the contract review. The items in 4.3 usually form part of the design review and should be taken into account during the contract review if the design is not carried out by the manufacturer. It shall be ensured that all relevant information has been supplied by the purchaser.

When a contract does not exist, e.g. items made for stock, the manufacturer is required to take into consideration the requirements of 4.2, whilst carrying out his design review (4.3).

4.2 Application – Contract review

Contractual requirements to be considered should include:

- a) the application standard to be used, together with any supplementary requirements;
- b) the specification of thermal spraying procedures, non-destructive testing procedures and heat treatment procedures; <https://standards.iteh.ai/catalog/standards/sist/a3881466-8b12-4c64-abac-e78dac373272/sist-en-iso-14922-3-2000>
- c) the approval of personnel, if contractual agreed;
- d) inspection and testing;
- e) quality control arrangements, including any involvement of an independent inspection body;
- f) identification;
- g) environmental conditions relevant to thermal spraying on site;
- h) sub-contracting;
- i) handling of non-conformance.

4.3 Application – Design review

Design requirements to be considered should include:

- a) location, accessibility and sequence of all coatings;
- b) surface finish of the coating;
- c) substrate material specification and coating properties;
- d) dimensions and details of prepared substrate surfaces and sprayed coatings, masking;
- e) quality and acceptance requirements for coatings;
- f) other special requirements, e.g. acceptability of shotpeening, heat treatment, cooling.

5 Sub-contracting

When a manufacturer intends to use sub-contracted services (e.g. inspection, non-destructive testing, post treatment) all relevant specifications and requirements shall be supplied by the manufacturer to the sub-contractor. The subcontractor shall provide such records and documentation of his work as may be specified by the manufacturer.

Any sub-contractor shall work under the order and responsibility of the manufacturer and shall fully comply with the relevant requirements of this standard.

The information to be provided by the manufacturer to the sub-contractor shall include all relevant data from the contract review (see 4.2) and the design review (see 4.3). Additional requirements may need to be specified, if the design of a structure is to be sub-contracted.

6 Personnel for thermal spraying

6.1 General

The manufacturer shall have at his disposal sufficient and competent personnel for the planning, performing, supervising and examining of the thermal spraying production according to specified requirements.

6.2 Qualified thermal sprayer

All thermal sprayers must be approved by a suitable qualification test according to EN ISO 14918. All records of approval shall be maintained up to date.

6.3 Thermal spraying coordinator

The manufacturer shall have at his disposal appropriate thermal spraying coordination personnel who controls the correct performing of the work. Such persons having responsibility for quality activities shall have sufficient authority to enable any necessary action to be taken. The duties, inter-relationships and limits of responsibility of such persons should be clearly defined, see prEN 13214.

7 Personnel for quality testing

7.1 General

The manufacturer shall have at his disposal sufficient and competent personnel for planning and performing, supervising and inspection, testing and examination of the thermal spraying production according to specified requirements.

7.2 Non-destructive testing

The non-destructive testing personnel shall be approved according to EN 473.

8 Equipment

8.1 Equipment for manufacturing

The following equipment shall be available when necessary:

- workshops, generally as roofed working sites;
- stores for correct storage of substrate materials (to be coated components), consumables and other additives for thermal spraying;
- equipment for drying spray powders;
- equipment and machines to prepare and machine the components for thermal spraying (e.g. degreasing equipment, sand blasting cabins);
- spraying equipment, including equipment for supply, setting and control;
- handling systems (e.g. turntables, turning machines, robot systems);
- exhaust systems, dust filters, protective means against noise and radiation;
- equipment for thermal treatment of the components before and after spraying;
- cooling equipment;
- machines, tools and equipment for post treatment of thermal sprayed coatings (e.g. grinding, turning);
- equipment and means for testing and measuring materials and thermal sprayed coatings;
- for spraying on site, appropriate conditions have to be installed.

8.2 Description of equipment

The manufacturer shall maintain a list of essential equipment, used for thermal spraying production. This list shall identify items of major equipment, essential for an evaluation of workshop capacity and capability. The list includes for instance:

- capacity of the biggest crane;
- size of the components, that may be sprayed;
- capacity of blasting chambers and for spraying.

8.3 Suitability of equipment

The equipment shall be adequate for the application concerned. Approval of thermal spraying and pre- and post treatment equipment is not usually required unless specified in the contract.

8.4 Maintenance

The manufacturer shall ensure maintenance of the equipment.

Examples for such features are:

- conditions of guides in equipment for mechanised thermal spraying fixtures;
- conditions of equipment for measuring current and voltage, flow meters etc. used for the operation of the thermal spraying machines;
- conditions of cables, hoses, connectors etc;
- conditions of control system in mechanised and/or automatic thermal spraying;
- conditions of thermocouples and other temperature measurement instruments;
- condition of powder and wire feeders and conduits.

8.5 Health and safety and environmental aspects

Equipment necessary for health and safety and environmental protection must be available. All necessary activities to assure standards of health and safety and of emission have to be conducted.

9 Thermal spraying activities

9.1 Production plan

The manufacturer shall carry out adequate production planning, compatible with facilities as in 8.1. This shall include at least:

- specification of the sequence by which the construction shall be manufactured, e.g. as a single part or sub-assembly, and the order of subsequent final assembly;
- identification of the individual processes required to manufacture the construction;
- reference to the appropriate procedure specification for thermal spraying and allied processes;
- specification for inspection and testing, including the involvement of any independent inspection body;
- environment conditions, e.g. protection against wind and rain;

9.2 Thermal spraying procedure specification

The manufacturer shall prepare thermal spraying procedure specification and shall ensure that these are used correctly in production.

9.3 Work instructions

The manufacturer may use the thermal spraying procedure specification directly in the workshop for instruction purposes to the sprayer. Alternatively, he may use dedicated work instructions. Such dedicated work instructions shall be prepared from an approved thermal spraying procedure specification and do not require separate approval.