



Edition 8.0 2023-12 REDLINE VERSION

INTERNATIONAL STANDARD



Household and similar electrical appliances – Safety – Part 2-4: Particular requirements for spin extractors

Document Preview

IEC 60335-2-4:2023

https://standards.iteh.ai/catalog/standards/iec/a2e71ab8-7fc7-4564-8735-80549547f4c7/iec-60335-2-4-2023





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.







Edition 8.0 2023-12 REDLINE VERSION

INTERNATIONAL STANDARD



Household and similar electrical appliances – Safety – Part 2-4: Particular requirements for spin extractors

Document Preview

IEC 60335-2-4:2023

https://standards.iteh.ai/catalog/standards/iec/a2e71ab8-7fc7-4564-8735-80549547f4c7/iec-60335-2-4-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 97.060, 13.120

ISBN 978-2-8322-7984-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FO	REWORD	4
INT	RODUCTION	7
1	Scope	8
2	Normative references	9
3	Terms and definitions	9
4	General requirement	9
5	General conditions for the tests	9
6	Classification	10
7	Marking and instructions	10
8	Protection against access to live parts	10
9	Starting of motor-operated appliances	11
10	Power input and current	11
11	Heating	11
12	Void Charging of metal-ion batteries	13
13	Leakage current and electric strength at operating temperature	
14	Transient overvoltages	13
15	Moisture resistance	
16	Leakage current and electric strength	13
17	Overload protection of transformers and associated circuits	
18	Endurance	
19	Abnormal operation	14
20	Stability and mechanical hazards	
21	Mechanical strength	
s://sta: 22	ndards.iteh.ai/catalog/standards/iec/a2e/lab8-/ic/-4564-8/35-8054954/i4c//i Construction	
23	Internal wiring	
24	Components	
25	Supply connection and external flexible cords	
26	Terminals for external conductors	
27	Provision for earthing	
28	Screws and connections	
29	Clearances, creepage distances and solid insulation	
30	Resistance to heat and fire	
31	Resistance to rusting	
32	Radiation, toxicity and similar hazards	
	nexes	
Anr	nex B (normative) Battery-operated appliances, separable batteries and detach teries for battery-operated appliances	nable
	nex C (normative) Ageing test on motors	
	nex C (normative) Ageing test on motors	
	liography	

IEC 60335-2-4:2023 RLV © IEC 2023 - 3 -

Table	01 – Maximum temperature rises for specified external accessible surfaces	
under	ormal operating conditions1	2

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60335-2-4:202

https://standards.iteh.ai/catalog/standards/iec/a2e71ab8-7fc7-4564-8735-80549547f4c7/iec-60335-2-4-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-4: Particular requirements for spin extractors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60335-2-4:2021. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60335-2-4 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This eighth edition cancels and replaces the seventh edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) alignment with IEC 60335-1:2020;
- b) conversion of some notes to normative text (20.103, 20.104, 22.101);
- c) addition of test probe 19 for accessibility of live parts and moving parts (8.1.1, 20.2);
- d) addition of accessible surface temperature limits (11.3, 11.8);
- e) specified operating conditions for battery operated appliances (B.11.1).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61/7014/FDIS	61/7078/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances* – *Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for spin extractors.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;

notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations can need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

(https://standards.iteh.ai) Document Preview

IEC 60335-2-4:2023

https://standards.iteh.ai/catalog/standards/iec/a2e71ab8-7fc7-4564-8735-80549547f4c7/iec-60335-2-4-2023

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website

https://www.iec.ch/tc61/supportingdocuments

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may can differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-4: Particular requirements for spin extractors

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of:

- stand-alone electric spin extractors, and
- spin extractors incorporated in washing machines that have separate containers for washing and spin extraction

for household and similar purposes that have a capacity not exceeding 10 kg of dry cloth and a drum peripheral speed not exceeding 50 m/s, their **rated voltages** being not more than 250 V for single-phase appliances and 480 V for other appliances including direct current (DC) supplied appliances and **battery-operated appliances**.

Appliances not intended for normal household use but which nevertheless may can be a source of danger to the public, such as spin extractors intended to be used by laymen in shops, in light industry and on farms and spin extractors for communal use in blocks of flats or in launderettes, are within the scope of this standard.

As far as is practicable, this standard deals with the <u>common</u> reasonably foreseeable hazards presented by appliances that are encountered by all persons in <u>and around the home</u>. However, in general, it does not take into account: <u>60335-2-42023</u>

- physical, sensory or mental capabilities; or
- lack of experience and knowledge
- prevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

Attention is drawn to the fact that:

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements can be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

This standard does not apply to:

- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

IEC 60335-2-4:2023 RLV © IEC 2023 - 9 -

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60584-1, Thermocouples – Part 1: EMF specifications and tolerances

IEC 60730-2-12:2015, Automatic electrical controls – Part 2-12: Particular requirements for electrically operated door locks

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

3.1.9 Replacement Modification:

Replace the first paragraph with the following:

normal operation

operation of the appliance under the following conditions:

The drum is filled with textile material having a mass in the dry condition equal to the maximum mass specified in the instructions. The textile material consists of pre-washed double hemmed cotton sheets having dimensions of approximately 700 mm × 700 mm and a specific mass between 140 g/m² and 175 g/m² in the dry condition. It is saturated with water before being evenly distributed in the drum.

3.6 Definitions relating to parts of an appliance 2022

https://**3.6.3**lar**Replacement:**log/standards/iec/a2e71ab8-7fc7-4564-8735-80549547f4c7/iec-60335-2-4-2023

accessible part

part or surface that can be touched by means of test probe B and test probe 18 of IEC 61032:1997, and if the part or surface is metal, any conductive part connected to it

Note to entry: Accessible non-metallic parts with conductive coatings are considered to be accessible metal parts.

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

The tests of 21.101, 21.102 and 22.101 shall be carried out on the same appliance as that used for the test of Clause 18.

5.3 Addition:

The tests of 21.101 and 21.102 are carried out before the test of Clause 18. The test of 22.101 is carried out after the test of Clause 18.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 *Modification*:

Replace the first paragraph with the following:

Appliances shall be class I, class II or class III.

6.2 Addition:

Appliances shall be at least IPX4.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.10 Addition:

on: (https://standards.iteh.ai)

If the off position is only indicated by letters, the word "off" shall be used.

7.12 Addition:

IEC 60335-2-4:2023

The instructions shall specify the maximum mass of dry cloth in kilograms to be used in the 2023 appliance.

7.12.1 Addition:

If the label specified in 7.101 is supplied with the appliance, the installation instructions shall state that it has to be permanently fixed to the wall close to the appliance.

For appliances intended for communal use in blocks of flats, and having an interlock system that has to be energized in order to release the lid, the installation instructions shall state that a device for switching off the appliance automatically is not to be installed in the supply circuit.

7.101 Appliances intended for communal use in blocks of flats, and having an interlock system that has to be energized in order to release the lid, shall be supplied with a label that states the substance of the following, unless the instruction is marked on the appliance:

This spin extractor has to be connected to the supply mains before the lid can be opened. Do not force it open.

8 Protection against access to live parts

This clause of Part 1 is applicable except as follows.

8.1.1 Addition:

Test probe 18 of IEC 61032:1997 is applied with a force not exceeding 1 N, the appliance being in every possible position, except that appliances normally used on the floor and having a mass exceeding 40 kg are not tilted. Through openings, the test probe is applied to any depth that the probe will permit and is rotated or angled before, during and after insertion to any position. If the opening does not allow the entry of the probe, the force on the probe in the straight position is increased to 10 N. If the probe then enters the opening, the test is repeated with the probe in the angled position. The appliance shall be fully assembled as in normal use without removing any parts that are intended to be removed for user maintenance.

For parts of appliances situated not more than 850 mm above the floor after installation or in normal use, in addition to the use of test probe 18, test probe 19 of IEC 61032 is also applied wherever test probe 18 is used and with the same test conditions used for test probe 18. Test probe 19 is not applied to appliances for communal use in blocks of flats or in launderettes.

8.1.5 Addition:

Test probe 18 as specified in 8.1.1 is not used.

8.2 Addition:

Compliance is also checked by applying test probe 18 of IEC 61032:1997 in accordance with the conditions specified in 8.1.1. The test probe is applied to built-in appliances and fixed appliances only after installation.

9 Starting of motor-operated appliances

This clause of Part 1 is not applicable.

10 Power input and current ds/iec/a2e71ab8-7fc7-4564-8735-80549547f4c7/iec-60335-2-4-2023

This clause of Part 1 is applicable.

11 Heating

This clause of Part 1 is applicable except as follows.

11.3 Addition:

Where the external accessible surfaces are suitably flat and access permits, then the test probe of Figure 101 is used to measure the temperature rises of external accessible surfaces specified in **Table 101**. The probe is applied with a force of $4 \text{ N} \pm 1 \text{ N}$ to the surface in such a way that the best possible contact between the probe and the surface is ensured. The measurement is performed after a contact period of 30 s.

The probe may be held in place using a laboratory stand clamp or similar device. Any measuring instrument giving the same results as the probe may be used.

11.7 *Replacement Modification*:

Replace the first paragraph with the following:

Appliances are operated for five periods of water extraction, the periods being separated by a rest period. Each rest period, which includes the braking time, has a duration of 1 min for each kilogram of dry textile material or 4 min, whichever is longer. During the rest period, the textile material is re-saturated with water.

For appliances incorporating a programmer or timer, the water extraction period is the maximum allowed by the control.

For other appliances, the water extraction period has a duration of:

- 15 min for continuous-flow rinsing appliances;
- 5 min for other appliances.

If a longer period is indicated in the instructions, this period applies instead.

Replace the first dashed item of the third paragraph with the following:

- the **battery** that has been **fully discharged** is charged for 1 h, while the appliance is operated as specified performing its intended function, if allowed by the construction of the appliance.

11.8 *Modification:*

Replace the first paragraph with the following:

During the test, the temperature rises are monitored continuously and shall not exceed the values shown in Table 3 and Table 101.

	Surface	Temperature rise of external accessible surfaces ^{a, c} K				
//sta	standards.iteh.ai/catalog/standards/i	Surfaces of appliances situated not more than 850 mm above the floor after installation		Surfaces situated more than 850 mm above the floor after installation ^b		
		Front surfaces	Other surfaces ^b			
Ba	are metal	38	42	42		
С	oated metal ^d	42	49	49		
G	lass and ceramic	51	56	56		
PI	lastic and plastic coating > 0,4 mm ^{e, f}	58	62	62		
a b	or floor, where these surfaces are inaccessible to a 75 mm diameter probe having a hemispherical end.					
С	^c For surfaces within 25 mm from air outlets, the values may be increased by 10 K.					
d	^d Metal is considered coated when a coating having a minimum thickness of 90 μm made of enamel, powder or non-substantially plastic coating is used.					
е	^e The temperature rise limit of plastic also applies for plastic material having a metal finish of thickness less than 0,1 mm.					
f	^f When the thickness of the plastic coating does not exceed 0,4 mm, the temperature rise limits of coated metal for underlying metal apply or the temperature rise limits for glass or ceramic material for underlying glass or ceramic material apply.					

Table 101 – Maximum temperature rises for specified external accessible surfaces under normal operating conditions

-2023