

TECHNICAL SPECIFICATION



Field device tool (FDT) interface specification –
Part 43: Object model integration profile – CLI and HTML

<https://standards.iteh.ai>

Document Preview

[IEC TS 62453-43:2024](https://standards.iteh.ai/catalog/standards/iec/7d69e278-3c66-4225-8d6b-21987efe0109/iec-ts-62453-43-2024)

<https://standards.iteh.ai/catalog/standards/iec/7d69e278-3c66-4225-8d6b-21987efe0109/iec-ts-62453-43-2024>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

International
Standards
Document Preview
(iteh.ai)

[IEC TS 62453-43:2024](https://standards.iteh.ai/catalog/standards/iec/7d69e278-3c66-4225-8d6b-21987efe0109/iec-ts-62453-43-2024)

<https://standards.iteh.ai/catalog/standards/iec/7d69e278-3c66-4225-8d6b-21987efe0109/iec-ts-62453-43-2024>



TECHNICAL SPECIFICATION



**Field device tool (FDT) interface specification –
Part 43: Object model integration profile – CLI and HTML**

*iteh Standards
(<https://standards.iteh.ai>)
Document Preview*

[IEC TS 62453-43:2024](https://standards.iteh.ai/catalog/standards/iec/7d69e278-3c66-4225-8d6b-21987efe0109/iec-ts-62453-43-2024)

<https://standards.iteh.ai/catalog/standards/iec/7d69e278-3c66-4225-8d6b-21987efe0109/iec-ts-62453-43-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8327-0035-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	19
INTRODUCTION.....	21
1 Scope.....	23
2 Normative references	23
3 Terms, definitions, abbreviated terms and conventions	23
3.1 Terms and definitions.....	23
3.2 Abbreviated terms.....	30
3.3 Conventions.....	31
4 Implementation concept.....	31
4.1 General.....	31
4.2 Implementation of abstract FDT Object model.....	31
4.3 FDT Frame Application (FA).....	32
4.3.1 General	32
4.3.2 System communication	33
4.4 DTM Business Logic	34
4.4.1 General	34
4.4.2 DTM, DTM Device Type, and Device Ident Info.....	35
4.4.3 Device data info.....	36
4.4.4 Process data info.....	36
4.4.5 Diagnostic data info.....	37
4.4.6 Network management info	37
4.4.7 Function info.....	37
4.4.8 Report info.....	37
4.4.9 Document reference info.....	37
4.5 DTM functions.....	38
4.5.1 DTM User Interface	38
4.5.2 Function access control	38
4.5.3 User interaction in DTM WebUIs	38
4.5.4 Command functions	39
4.5.5 Static Function.....	39
4.6 Communication Channel	39
4.7 DTM categories	41
4.7.1 General	41
4.7.2 Device DTM.....	41
4.7.3 Communication DTM (CommDTM).....	41
4.7.4 Gateway DTM.....	42
4.7.5 Composite Device DTM	43
4.7.6 Module DTM	44
4.7.7 Block Type Manager	44
4.8 User management.....	46
4.8.1 General	46
4.8.2 Multi-user access.....	46
4.8.3 User levels	46
4.9 FDT and system topology	49
4.9.1 General	49
4.9.2 Topology management	50
4.9.3 Address management.....	52

4.9.4	Configuration of fieldbus master or communication scheduler	53
4.9.5	Data exchange between Frame Applications	54
4.10	Modularity	54
4.11	FDT communication	55
4.11.1	General	55
4.11.2	Point-to-point communication	56
4.11.3	Nested communication	57
4.11.4	Dynamic changes in network	58
4.12	Identification	59
4.12.1	DTM instance identification	59
4.12.2	System GUI label	59
4.12.3	Hardware identification	59
4.13	Scanning and DTM assignment	60
4.13.1	Scanning introduction	60
4.13.2	Scanning	60
4.13.3	DTM assignment	61
4.13.4	Manufacturer-specific device identification	61
4.14	DTM data persistence and synchronization	62
4.14.1	Persistence overview	62
4.14.2	Relations of DTMDataset	62
4.14.3	DTMDataset structure	63
4.14.4	Types of persistent DTM data	65
4.14.5	Data synchronization	65
4.15	Device data and IO information	66
4.15.1	Exposing device data and IO information	66
4.15.2	Data access control	67
4.15.3	Routed IO information	69
4.15.4	Comparison of DTM and device data	70
4.15.5	PLC tool support	70
4.15.6	Support for multirole devices	72
4.16	Clone of DTM instances	73
4.16.1	General	73
4.16.2	Replicating a part of topology with Parent DTM and a subset of its Child DTMs	73
4.16.3	Cloning of a DTM without its children	73
4.16.4	Delayed cloning	73
4.17	Lifecycle concepts	74
4.18	Audit trail	74
4.18.1	General	74
4.18.2	Audit trail events	74
5	Technical concepts	75
5.1	General	75
5.2	Support of HTML versions	77
5.3	Support of JavaScript versions	77
5.4	Support of .NET Common Language Runtime versions	78
5.4.1	General	78
5.4.2	DTM rules	78
5.4.3	Frame Application rules	78
5.5	Support for 32-bit and 64-bit target platforms	79

5.6	Object activation and deactivation.....	79
5.6.1	General	79
5.6.2	Assembly loading and object creation	79
5.6.3	Assembly dependencies	79
5.6.4	Shared assemblies	80
5.6.5	Object deactivation and unloading	81
5.7	Datatypes	81
5.7.1	General	81
5.7.2	Serialization / deserialization	82
5.7.3	Optional elements.....	82
5.7.4	Verify.....	83
5.7.5	Clone.....	83
5.7.6	Equals	84
5.7.7	Lists	84
5.7.8	Nullable	84
5.7.9	Enumeration	84
5.7.10	Protocol-specific datatypes.....	84
5.7.11	Custom datatypes.....	87
5.8	General object interaction	88
5.8.1	General	88
5.8.2	Decoupling of FDT Objects	88
5.8.3	Parameter interchange with .NET datatypes	90
5.8.4	Interaction patterns.....	90
5.8.5	Properties.....	90
5.8.6	Synchronous methods	90
5.8.7	Asynchronous methods.....	90
5.8.8	Events pattern	97
5.8.9	Exception handling	97
5.9	Threading	101
5.9.1	General	101
5.9.2	Races	101
5.9.3	Locks.....	102
5.9.4	Deadlocks.....	102
5.10	Threading rules.....	102
5.10.1	Implementation rules	102
5.10.2	Avoiding deadlocks.....	103
5.10.3	FDT Object interaction rules	103
5.11	Localization support.....	104
5.11.1	General	104
5.11.2	Access to localized resources and culture-dependent functions.....	104
5.11.3	Handling of cultures.....	104
5.11.4	Switching the User Interface language.....	105
5.12	DTM User Interface implementation	105
5.12.1	General	105
5.12.2	Private dialogs.....	106
5.12.3	Modal DTM WebUI	106
5.13	DTM User Interface hosting	106
5.13.1	General	106
5.13.2	Hosting DTM WebUI	107

5.14	Static Function implementation	110
5.15	Persistence	112
5.15.1	Overview	112
5.15.2	Data format	113
5.15.3	Adding / reading / writing / deleting of data	113
5.15.4	Searching for data	115
5.16	Comparison of DTM and device data	116
5.16.1	Comparison of datasets using IDeviceData / IInstanceData	116
5.16.2	Comparison of datasets using IComparison	117
5.17	Tracing	117
5.18	Report generation	117
5.18.1	Introduction	117
5.18.2	Report types	118
5.18.3	DTM report data format	118
5.18.4	Report data exchange	119
5.19	Security	119
5.19.1	General	119
5.19.2	Strong naming of assemblies	119
5.19.3	Identification of origin	120
5.19.4	Code access security	120
5.19.5	Validation of FDT compliance certification	120
6	FDT Objects and interfaces	122
6.1	General	122
6.2	Frame Application	123
6.2.1	General	123
6.2.2	Frame Application Business Logic	123
6.2.3	Frame Application WebUI	126
6.3	DTM Business Logic	126
6.3.1	DTM BL interfaces	126
6.3.2	State machines related to DTM BL	131
6.3.3	State machine of instance data	138
6.4	DTM User Interface	142
6.4.1	DTM WebUI	142
6.5	Communication Channel	143
6.6	Availability of interface methods	145
7	FDT datatypes	146
7.1	General	146
7.2	Datatypes – Base	146
7.3	General datatypes	147
7.4	Datatypes – DtmInfo / TypeInfo	147
7.5	Datatypes – DeviceIdentInfo	149
7.6	Datatypes for installation and deployment	154
7.6.1	Datatypes – DtmPackageManifest	154
7.6.2	Datatypes – DtmManifest	155
7.6.3	Datatypes – DtmWebUiManifest	156
7.7	Datatypes – Communication	157
7.8	Datatypes – BusCategory	163
7.9	Datatypes – Device / instance data	163
7.9.1	General	163

7.9.2	Datatypes used in reading and writing DeviceData	170
7.10	Datatypes for export and import	172
7.10.1	Datatypes – TopologyImportExport	172
7.10.2	Datatypes – ImportExportDataset	174
7.11	Datatypes for process data description	174
7.11.1	Datatypes – ProcessDataInfo	174
7.11.2	Datatypes – Process Image	179
7.12	Datatypes – Address information	181
7.13	Datatypes – NetworkDataInfo.....	184
7.14	Datatypes – DTM functions	186
7.15	Datatypes – DTM messages	188
7.16	Datatypes – CommunicationChannelInfo.....	189
7.17	Datatypes – HardwareIdentification and scanning	191
7.17.1	General	191
7.17.2	Datatypes – DeviceScanInfo.....	191
7.17.3	Example – HardwareIdentification and scanning for HART®	192
7.18	Datatypes – DTM report types.....	193
7.19	Information related to device modules in a monolithic DTM	194
8	Workflows.....	196
8.1	General.....	196
8.2	Instantiation, loading and release.....	196
8.2.1	Finding a DTM BL object	196
8.2.2	Instantiation of a new DTM BL	198
8.2.3	Configuring access rights	200
8.2.4	Loading a DTM BL	201
8.2.5	Loading a DTM with Expert user level.....	202
8.2.6	Release of a DTM BL.....	204
8.3	Persistent storage of a DTM.....	204
8.3.1	Saving instance data of a DTM	204
8.3.2	Copy and versioning of a DTM instance.....	205
8.3.3	Dataset commit failed	206
8.3.4	Export a DTM dataset to file	206
8.4	Locking and DataTransactions in multi-user environments	207
8.4.1	General	207
8.4.2	Propagation of changes	208
8.4.3	Synchronizing DTMs in multi-user environments.....	209
8.5	Execution of DTM Functions	211
8.5.1	General	211
8.5.2	Finding a DTM WebUI	211
8.5.3	Instantiation of a DTM WebUI	212
8.5.4	Release of a DTM WebUI	213
8.5.5	Execution of command functions	214
8.5.6	Opening of documents.....	215
8.5.7	Interaction between DTM WebUI and DTM Business Logic.....	216
8.5.8	Interaction between DTM Business Logic and DTM WebUI.....	218
8.5.9	Interaction between DTM WebUI and DTM Business Logic with Cancel.....	218
8.5.10	Retrieving information about available Static Functions	219
8.5.11	Executing a Static Function	221
8.6	DTM communication	223

8.6.1	General	223
8.6.2	Establishing a communication connection	223
8.6.3	Cancel establishment of communication connection	224
8.6.4	Communicating with the device.....	225
8.6.5	Frame Application or Child DTM disconnect a device.....	226
8.6.6	Terminating a communication connection	227
8.6.7	DTM aborts communication connection.....	228
8.6.8	Communication Channel aborts communication connection	229
8.7	Nested communication.....	230
8.7.1	General	230
8.7.2	Communication request for a nested connection	231
8.7.3	Propagation of errors for a nested connection.....	232
8.8	Topology planning.....	233
8.8.1	General	233
8.8.2	Adding a DTM to the topology.....	233
8.8.3	Removing a DTM from topology	234
8.8.4	Frame Application creates topology	235
8.8.5	DTM generates sub-topology	236
8.8.6	Physical Layer and DataLinkLayer	238
8.9	Instantiation, configuration, move and release of Child DTMs	238
8.9.1	General	238
8.9.2	Instantiation and configuration of Child DTM BL	239
8.9.3	Interaction between Parent DTM and Child DTM.....	240
8.9.4	Interaction between Parent DTM and Child DTM using IDtmMessaging	242
8.9.5	Parent DTM moves a Child DTM.....	242
8.9.6	Parent DTM removes Child DTM.....	243
8.10	Topology scan	244
8.10.1	General	244
8.10.2	Scan of network topology.....	244
8.10.3	Cancel topology scan	245
8.10.4	Scan based DTM assignment	246
8.10.5	Manufacturer-specific device identification.....	247
8.11	Configuration of communication networks	249
8.11.1	Configuration of a fieldbus master	249
8.11.2	Integration of a passive device	250
8.12	Using IO information	250
8.12.1	Assignment of symbolic name to process data.....	250
8.12.2	Creation of Process Image	252
8.12.3	Validation of changes in process image while PLC is running	253
8.12.4	Changing of variable names using process image interface	254
8.13	Managing addresses.....	255
8.13.1	Set DTM address with user interface	255
8.13.2	Set DTM addresses without user interface.....	257
8.13.3	Display or modify addresses of all Child DTMs with user interface.....	258
8.14	Device-initiated data transfer	259
8.15	Reading and writing data	260
8.15.1	Read/write instance data	260
8.15.2	Read/write device data	261
8.16	Comparing data	263

8.16.1	Comparing device dataset and instance dataset	263
8.16.2	Comparing different instance datasets	263
8.17	Reassigning a different DtmDeviceType at a device node	264
8.17.1	General	264
8.17.2	DTM detects a change in connected device type	265
8.17.3	Search matching DtmDeviceTypes after incompatible device exchange	267
8.17.4	Reassign DtmDeviceType after incompatible device exchange	268
8.18	Copying part of FDT Topology	270
8.18.1	Cloning of a single DTM without Children	270
8.18.2	Cloning of a DTM with all its Children	271
8.19	Sequences for audit trail	271
8.19.1	General	271
8.19.2	Audit trail of parameter modifications in instance dataset.....	271
8.19.3	Audit trail of parameter modifications in device dataset	272
8.19.4	Audit trail of function calls.....	273
8.19.5	Audit trail of general notification	274
9	Installation.....	274
9.1	General.....	274
9.2	Common rules.....	274
9.2.1	Predefined installation paths.....	274
9.2.2	Predefined web-server paths	276
9.2.3	Manifest files	277
9.2.4	Paths in manifest files.....	277
9.2.5	DTM Installation package format.....	277
9.2.6	Digital signatures of package components.....	278
9.3	Installation of FDT core assemblies	278
9.4	Installation of communication protocols.....	278
9.4.1	General	278
9.4.2	Registration	279
9.4.3	Protocol manifest.....	279
9.4.4	NuGet package.....	280
9.5	Installation of DTMs	281
9.5.1	General	281
9.5.2	Registration	282
9.5.3	DTM manifest	283
9.5.4	DTM WebUI manifest.....	284
9.5.5	WebUI container files	284
9.6	DTM package file	285
9.6.1	Naming convention	285
9.6.2	Structure (physical model)	286
9.6.3	Relationships (logical model).....	287
9.6.4	Core properties.....	288
9.6.5	License file	289
9.6.6	Readme file	289
9.6.7	Icon file	289
9.6.8	DTM package manifest	290
9.6.9	DTM device identification manifest	292
9.6.10	DTM package file creation rules.....	293
9.6.11	Countersignatures	293

9.6.12	Referenced NuGet packages	293
9.7	DTM deployment.....	294
9.8	Paths and file information	295
9.8.1	Path information provided by a DTM via IFunction	295
9.8.2	Paths and persistence	296
9.8.3	Multi-user systems.....	296
10	Life cycle concept.....	296
10.1	General.....	296
10.2	Technical concept.....	296
10.2.1	General	296
10.2.2	DtmManifest / DtmInfo	297
10.2.3	TypeInfo	298
10.2.4	Supported DataSet formats.....	299
10.2.5	DeviceIdentInfo	299
10.2.6	Dataset.....	300
10.2.7	DeviceScanInfo	300
10.3	DTM installation.....	301
10.3.1	General	301
10.3.2	Handling of DTM installations	302
10.4	Life cycle scenarios	302
10.4.1	Overview	302
10.4.2	Search for device type in DTM packages.....	304
10.4.3	Search for installed DTMs.....	304
10.4.4	Dataset migration for reassigned DTM.....	306
11	Frame Application architectures	307
11.1	General.....	307
11.2	Standalone application.....	307
11.3	Remote User Interface.....	307
11.4	Distributed multi-user application	308
11.5	OPC UA.....	309
11.6	Web services	310
Annex A (normative)	Use case model	312
A.1	Use case model overview	312
A.2	Actors	312
A.3	Use cases.....	313
A.3.1	Use case overview.....	313
A.3.2	Observation use cases	314
A.3.3	Operation use cases.....	315
A.3.4	Maintenance use cases	317
A.3.5	Planning use cases.....	321
A.3.6	Main operation.....	324
A.3.7	OEM service.....	324
A.3.8	Administration.....	325
Annex B (normative)	FDT interface definition and datatypes	326
Annex C (normative)	Mapping of services to interface methods	327
C.1	General.....	327
C.2	DTM services.....	327
C.3	Presentation object services	331

C.4	General channel services.....	331
C.5	Process Channel services.....	332
C.6	Communication Channel Services.....	332
C.7	Frame Application Services.....	333
Annex D	(normative) FDT version interoperability guide.....	337
D.1	Overview.....	337
D.2	General.....	337
D.3	Component interoperability	338
Annex E	(normative) Definition of JavaScript APIs	339
E.1	General.....	339
E.2	Request / Response datatypes	339
E.3	Message datatypes	340
E.3.1	SendMessages	340
E.3.2	Request datatype	340
E.3.3	Response datatype	341
E.4	API for WebUIs	341
E.5	API for tracing.....	344
Annex F	(informative) Implementation hints	347
F.1	IAsyncResult pattern.....	347
F.1.1	Overview	347
F.1.2	BeginOperationName.....	347
F.1.3	EndOperationName	347
F.1.4	Asynchronous Completed callback	348
F.2	Threading best practices.....	348
F.3	Testing DTM messages in regard to JSON serialization/deserialization.....	349
Annex G	(informative) Comparison of IEC TR 62453-42 and IEC TS 62453-43	351
Annex H	(informative) Physical layer examples.....	352
H.1	General.....	352
H.2	Interbus S	352
H.3	PROFIBUS	352
H.4	PROFINET.....	353
Annex I	(informative) Predefined SemanticIds.....	354
I.1	General.....	354
I.2	Data.....	354
I.3	Images.....	354
I.4	Documents.....	355
Annex J	(informative) Standard StaticFunctions	356
J.1	General.....	356
J.2	StaticFunction GetDeviceStatus.....	356
J.3	StaticFunction GetProcessValue	357
Bibliography	360
Figure 1	– Relation of IEC TS 62453-43 to the IEC 62453 series	21
Figure 2	– IEC TS 62453-43 Object model.....	32
Figure 3	– Frame Application	32
Figure 4	– Frame Application with integrated Communication Channel	34
Figure 5	– DTM Business Logic	34

Figure 6 – DTM, Device Type and Device Ident Info	35
Figure 7 – Process data info	36
Figure 8 – Communication Channel	40
Figure 9 – Device DTM	41
Figure 10 – Communication DTM	42
Figure 11 – Gateway DTM	42
Figure 12 – Composite Device DTM	43
Figure 13 – Module DTM	44
Figure 14 – Block Type Manager	45
Figure 15 – Logical topology and physical topology	50
Figure 16 – FDT and logical topology	50
Figure 17 – DTMs and physical topology	51
Figure 18 – Address setting via DTM WebUI	53
Figure 19 – Fieldbus master configuration tool as part of a DTM	54
Figure 20 – Point-to-point communication	57
Figure 21 – Nested communication	58
Figure 22 – Identification of connected devices	60
Figure 23 – Fieldbus scanning	61
Figure 24 – FDT storage and synchronization mechanism	62
Figure 25 – Relation between DTMDataset, DTM instance, and device	63
Figure 26 – DTMDataset structure	64
Figure 27 – Data Synchronization	65
Figure 28 – Example for same organization of FunctionInfo and DataInfo	67
Figure 29 – Routed IO information	69
Figure 30 – Process Image	70
Figure 31 – Transfer of layout information using IProcessImage	71
Figure 32 – Multirole device	72
Figure 33 – FDT .NET Assemblies	76
Figure 34 – FDT Object implementation	77
Figure 35 – Example: Assembly dependencies	80
Figure 36 – Example: Datatype definition	82
Figure 37 – Example: Data cloning	83
Figure 38 – Example: Methods without data cloning	84
Figure 39 – Protocol-specific datatypes	85
Figure 40 – Protocol manifest and type info attributes	86
Figure 41 – Example: Protocol assembly attributes	87
Figure 42 – Example: Handling of protocol-specific assemblies in Frame Application	87
Figure 43 – Example: Handling of KnownType for custom data types	88
Figure 44 – Decoupled FDT Objects in IEC TS 62453-43	89
Figure 45 – IAsyncResult pattern: blocking call	91
Figure 46 – Example: Blocking use of asynchronous interface	92
Figure 47 – IAsyncResult pattern (simplified): blocking call	92
Figure 48 – IAsyncResult pattern: non-blocking call	93

Figure 49 – Example: Non-blocking use of asynchronous interface	94
Figure 50 – IAsyncResult pattern (simplified depiction): non-blocking call	94
Figure 51 – IAsyncResult pattern: canceling an operation	95
Figure 52 – IAsyncResult pattern: providing progress events	96
Figure 53 – General concept for hosting DTM WebUI.....	107
Figure 54 – Example: Integration of a DTM WebUI into a Frame WebUI.....	108
Figure 55 – Example: Hosting a DTM WebUI in a WPF Frame Application	109
Figure 56 – Example: Integrating the WebData connector in a DTM WebUI	110
Figure 57 – Relation of StaticFunctionDescription to Static Function	111
Figure 58 – DTMDataset structure	112
Figure 60 – Example: Writing of DTM data in DTMDDataSubset.....	114
Figure 61 – Example: Reading of DTM data from a DTMDDataSubset.....	115
Figure 62 – Example: Creation of a BulkData.DTMDDataSubset with descriptor	116
Figure 63 – Example: Searching for DTMDDataSubsets with specific descriptor.....	116
Figure 64 – Skeleton of a DTM-specific report fragment.....	119
Figure 65 – Example: Conformity record file.....	121
Figure 66 – Example: checking conformity record file.....	122
Figure 67 – Frame Application BL interfaces.....	124
Figure 68 – Frame Application WebUI.....	126
Figure 69 – DTM Business Logic interfaces (Part 1).....	127
Figure 70 – DTM Business Logic interfaces (Part 2).....	128
Figure 71 – State machine of DTM BL.....	133
Figure 72 – Online state machine of DTM	135
Figure 73 – Modifications of data through a DTM	139
Figure 74 – ModifiedInDtm: State machine of instance data	140
Figure 75 – ModifiedInDevice: State machine related to device data	141
Figure 76 – DTM WebUI interfaces	142
Figure 77 – Example: Definition of DtmWebUi object	142
Figure 78 – Example: Access to DtmWebUi by Frame WebUI	142
Figure 79 – Communication Channel interfaces	143
Figure 80 – Connection state machine	144
Figure 81 – FdtDatatype and FdtList	146
Figure 82 – DtmInfo / TypeInfo – datatypes	148
Figure 83 – DeviceIdentInfo – datatypes	150
Figure 84 – DeviceIdentInfo – Example for HART®	151
Figure 85 – Example: DeviceIdentInfo creation	153
Figure 86 – Example: Using DeviceIdentInfo.....	154
Figure 87 – Example: DeviceIdentInfoTypeAttribute	154
Figure 88 – DtmPackageManifest – datatypes	155
Figure 89 – DtmManifest – datatypes	156
Figure 90 – DtmWebUiManifest – datatypes.....	157
Figure 91 – Communication datatypes – Connect	158
Figure 92 – Communication datatypes – Transaction	158