

Edition 3.0 2024-08 EXTENDED VERSION

# INTERNATIONAL STANDARD



This full version of IEC 61558-2-5:2024 includes the content of the references made to IEC 61558-1:2017

**GROUP ENERGY EFFICIENCY PUBLICATION** 

Safety of transformers, reactors, power supply units and combinations thereof – Part 2-5: Particular requirements and tests for transformers for shavers, power supply units for shavers and shaver supply units

## Document Preview

IEC 61558-2-5:2024

https://standards.iteh.ai/catalog/standards/iec/3baaa7f5-fb5e-4d7d-ab9e-334583b1bd7f/iec-61558-2-5-2024





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Secretariat** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch

#### www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.



Edition 3.0 2024-08 EXTENDED VERSION

# INTERNATIONAL STANDARD



This full version of IEC 61558-2-5:2024 includes the content of the references made to IEC 61558-1:2017

**GROUP ENERGY EFFICIENCY PUBLICATION** 

Safety of transformers, reactors, power supply units and combinations thereof – Part 2-5: Particular requirements and tests for transformers for shavers, power supply units for shavers and shaver supply units

## Document Preview

IEC 61558-2-5:2024

https://standards.iteh.ai/catalog/standards/iec/3baaa7f5-fb5e-4d7d-ab9e-334583b1bd7f/iec-61558-2-5-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.180 ISBN 978-2-8322-9558-8

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

FC	OREWORD	9
IN	ITRODUCTION to IEC 61558-1:2017	12
IN	ITRODUCTION to IEC 61558-2-5:2024	15
1	Scope	16
2	Normative references	17
3	Terms and definitions	20
	3.1 Transformers	21
	3.2 General terms	
	3.3 Operations and protections	26
	3.4 Circuits and windings	27
	3.5 Ratings	28
	3.6 No-load values	
	3.7 Insulation	
	3.8 Touch current and protective earthing conductor current	
4	General requirements	
5	General notes on tests	
6	Ratings	37
7	Classification	38
8	Marking and other information	39
9	Protection against electric shock	45
	9.1 General	45
	9.2 Protection against contact with hazardous-live-parts	45
	9.2.1 Determination of hazardous-live-parts	
	9.2.2 Accessibility to hazardous-live-parts	
	9.2.3 Accessibility to non hazardous-live-part	
	9.3 Protection against hazardous electrical discharge	
10		
11	, ,	
12	2 No-load output voltage	51
13	3 Short-circuit voltage	51
14	4 Heating	51
	14.1 General requirements	51
	14.1.1 Temperature-rise test	51
	14.1.2 Alternative temperature-rise test	
	14.1.3 Determination of steady-state conditions	
	14.2 Application of 14.1 or 14.3 according to the insulation system	
	14.3 Accelerated ageing test for undeclared class of insulation system	
	14.3.1 General	
	14.3.2 Heat run	
	14.3.4 Moisture treatment	
	14.3.5 Measurements	
15		
	15.1 General requirements	
	15.1.1 Short circuit and overload test method	

15.1	.2 Alternative short circuit and overload test method	62
15.2	Inherently short-circuit proof transformers	62
15.3	Non-inherently short-circuit proof transformers	62
15.4	Non-short-circuit proof transformers	63
15.5	Fail-safe transformers	63
16 Mecl	hanical strength	64
16.1	General	64
16.2	Stationary transformers	
16.3	Portable transformers (except portable transformers with integral pins for	
	introduction in socket-outlet in the fixed wiring)	66
16.4	Portable transformers provided with integral pins for introduction in socket- outlets of the fixed wiring	66
16.4	.1 General requirements	66
16.4	.2 Portable transformers provided with integral pins according to EN 50075 (IEC plug type C) for introduction in socket-outlets of the fixed wiring	67
16.5	Additional requirements for transformers to be used in vehicles and railway applications	
16.5	• •	
16.5		
	ection against harmful ingress of dust, solid objects and moisture	
	i la Ctan dared	
17.1	Degrees of protection provided by enclosures (IP code)	
17.1	(https://ctopdowdc.itoh.or)	
17.1		
17.2	Humidity treatment	
18 Insul	lation resistance, dielectric strength and leakage current	74
18.1	General	74
18.2	Insulation resistanceIEC 61558-2-5:2024	
sta18.3	Dielectric strength test 1./1ec/3baaa7f5-fb5e-4d7d-ab9e-334583b1bd7f/iec-61	558-74-202
18.4	Insulation between and within windings	76
18.5	Touch current and protective earthing conductor current	76
18.5		
18.5		
18.5		
	struction	
19.1	General construction	
_		
19.2	Flammability of materials	
19.3	Short-circuit characteristics of portable transformers	
19.4	Class II transformer contact prevention of accessible conductive parts	
19.5	Class II transformer insulation reassembling after service	
19.6	Loosening of wires, screws or similar parts	
19.7	Resistor or capacitor connection with accessible conductive parts	
19.8	Bridging of separated conductive parts by resistors or capacitors	81
19.9	Insulating material separating input and output windings	82
19.10	Accidental contact protection against hazardous-live-parts provided by isolating coating	82
19.11	Insulating material of handles, operating levers, knobs and similar parts	
19.11	Winding construction	
19.12	Fixing of handles, operating levers and similar parts	
19.14	Fixing of covers providing protection against electric shock	ď

19.15	Strain on fixed socket-outlets caused by pin-transformers connection	88
19.16 I	Portable transformers for use in irregular or harsh conditions	88
19.17 l	Drain hole of transformers protected against ingress of water	88
19.18 I	Plug connected transformers protected against ingress of water	88
19.19 I	Flexible cable or flexible cord connection for class I portable transformers	88
19.20	SELV- and PELV-circuit separation of live parts	88
19.21 I	Protection against contact for FELV-circuit	89
19.22 I	Protective earthing regarding class II transformers	89
	Protective earthing regarding class III transformers	
20 Comp	onents	90
21 Interna	al wiring	96
22 Supply	y connection and other external flexible cables or cords	96
23 Termii	nals for external conductors	103
24 Provis	sions for protective earthing	104
	s and connections	
	age distances, clearances and distances through insulation	
•		
	General	
	Creepage distances and clearances	
26.2.1		
26.2.2 26.2.3		
26.2.3 26.2.4		
26.2.4 26.2.5		
	Distance through insulation	
	tance to heat, fire and tracking	
	GeneralGeneral	
	Resistance to heat	
os://st-27.2 ds I 27.2.1		
27.2.1		
27.2.2	•	
_	Resistance to abnormal heat under fault conditions	
	Resistance to abnormal heat under fault conditions	
27.4.1		
27.4.2		
27.4.3	·	
	Resistance to tracking	
	tance to rusting	
	normative) Measurement of creepage distances and clearances	
-		
	normative) Testing a series of transformers	
	General	
	Requirements	
	Constructional inspection	
•	/oid)	
	/oid)	
Annex E (n	normative) Glow-wire test	135
E.1 (	General	135
E.2	Severity	135

E.3	Conditioning	135
E.4	Test procedure	135
	(normative) Requirements for manually operated switches which are parts of ners assembly	136
F.1	General	136
F.2	Switches tested as a separate component	136
F.3	Switches tested as part of the transformer	
Annex G	(normative) Tracking test	139
G.1	General	139
G.2	Test specimen	139
G.3	Test apparatus	
G.4	Procedure	
Annex H	(normative) Electronic circuits	140
H.1	General	140
H.2	General notes on tests (addition to Clause 5)	
H.3	Short circuit and overload protection (addition to Clause 15)	
H.4	Creepage distances, clearances and distances through insulation (addition to Clause 26)	
	(informative) Dimensions for rectangular cross-section connectors of ners, basic dimensions and coordination	
	(normative) Measuring network for touch-currents	
	(normative) Insulated winding wires	
K.1	General Genera	
K.2	Type tests	
K.2.		
K.2.	3	
K.2.	<u> </u>	
	4 iteh Heat shock and addish string strongth of the head fine	
K.2.	ě ě	
K.3	Testing during manufacturing	
K.3. K.3.		
K.3. K.3.		
	3 Sampling test	
L.1 L.2	General  Protective earthing continuity test	
L.2 L.3	Checking of no-load output voltage	
L.3 L.4	Dielectric strength test	
L.4 L.5	Checking of protective devices mounting	
L.6	Visual inspection	
L.7	Repetition test after routine dielectric strength test	
	(informative) Examples to be used as a guide for 19.1	
M.1	General	
M.2	Coil-former	
M.2		
M.2		
M.3	Windings	
M.3	· ·	

Annex N		
	(informative) Examples for checking points of dielectric strength test voltages.	
	(void)	15
	(informative) Examples for measurement points of creepage distances and es	15
	(informative) Explanation of IP numbers for degrees of protection	
Q.1	General	
Q.1 Q.2	Degrees of protection against access to hazardous parts and against solid	10
Q.2	foreign objects	16
Q.3	Degrees of protection against ingress of water	16
Annex R	(normative) Explanations of the application of 6.1.2.2.1 of IEC 60664-1:2007 $\ldots$	16
R.1	Impulse dielectric test	16
R.2	Example	
	(void)	
	(void)	
Annex U	(void)	16
Annex V	(informative) Symbols to be used for thermal cut-outs	16
V.1	General	
V.2	Non-self-resetting thermal cut-out (see 3.3.4)	
V.3	Self-resetting thermal cut-out (see 3.3.3)	16
Annex V		
W.1	Preamble	
W.2 W.3	GeneralCold	
w.3 W.4	Rapid change of temperature	
W.5	Additional tests	
Bibliogra	IDNY	5.217
D tolli Ci Ci Ci	defined terms	
DUMINION	511 <b>-</b> 511.417-64(4105)-5441144143-1-667-3-04(41715-1-05-6-1-47-4-407-6-53-1-3-05-0-1-47111-6-0-1-5	
Index of	511 <b>-</b> 511.417-64(4105)-5441144143-1-667-3-04(41715-1-05-6-1-47-4-407-6-53-1-3-05-0-1-47111-6-0-1-5	17
Index of Figure 1	defined terms	17
Index of Figure 1 Figure 2	defined terms  – IEC 61558 principle  – Mounting box for flush-type transformer	17
Index of Figure 1 Figure 2 Figure 3	defined terms  - IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)	17 1
Index of Figure 1 Figure 2 Figure 3 Figure 4	defined terms  - IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)	17
Index of Figure 1 Figure 2 Figure 3 Figure 4 Figure 5	defined terms  - IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method – Single phase	17
Figure 1 Figure 2 Figure 3 Figure 4 Figure 5 Figure 6	defined terms  - IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method – Single phase  - Example of back-to-back method – Three phase	17
Figure 1 Figure 2 Figure 3 Figure 4 Figure 5 Figure 6 Figure 7	defined terms  - IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method – Single phase  - Example of back-to-back method – Three phase  - Amplitude spectrum density for random testing	17 1 2 2 5 5
Figure 1 Figure 2 Figure 3 Figure 4 Figure 5 Figure 6 Figure 7 Figure 8	defined terms  - IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method – Single phase  - Example of back-to-back method – Three phase  - Amplitude spectrum density for random testing  - Normalised spectrum of shock	17 17 2 2 5 6
Figure 1 Figure 2 Figure 3 Figure 5 Figure 6 Figure 7 Figure 8 Figure 9	defined terms  - IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method – Single phase  - Example of back-to-back method – Three phase  - Amplitude spectrum density for random testing  - Normalised spectrum of shock  - Test voltage sequence	17 1 3 2 5 6 6
Figure 1 Figure 2 Figure 3 Figure 5 Figure 6 Figure 7 Figure 8 Figure 9 Figure 1	defined terms  - IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method - Single phase  - Example of back-to-back method - Three phase  - Amplitude spectrum density for random testing  - Normalised spectrum of shock  - Test voltage sequence  0 - Test configuration: single-phase equipment on star TN or TT system	17 1 4 4 5 6 6 7
Figure 1 Figure 2 Figure 3 Figure 5 Figure 6 Figure 7 Figure 8 Figure 9 Figure 1 Figure 1	defined terms  - IEC 61558 principle	17 17 4 4 5 6 6 7
Figure 1 Figure 2 Figure 3 Figure 5 Figure 6 Figure 7 Figure 8 Figure 9 Figure 1 Figure 1	- IEC 61558 principle	17 17 4 4 5 6 6 7
Figure 1 Figure 2 Figure 3 Figure 5 Figure 6 Figure 7 Figure 8 Figure 9 Figure 1 Figure 1 Figure 1	- IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method – Single phase  - Example of back-to-back method – Three phase  - Amplitude spectrum density for random testing  - Normalised spectrum of shock  - Test voltage sequence  0 – Test configuration: single-phase equipment on star TN or TT system  1 – Abrasion resistance test for insulating coated layers  2 – Flexing test apparatus  3 – Test arrangement for checking mechanical withstanding of insulating	17 17 1 4 5 6 6 7 7
Figure 1 Figure 3 Figure 3 Figure 5 Figure 6 Figure 7 Figure 8 Figure 9 Figure 1 Figure 1 Figure 1 Figure 1	- IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method – Single phase  - Example of back-to-back method – Three phase  - Amplitude spectrum density for random testing  - Normalised spectrum of shock  - Test voltage sequence  0 – Test configuration: single-phase equipment on star TN or TT system  1 – Abrasion resistance test for insulating coated layers  2 – Flexing test apparatus  3 – Test arrangement for checking mechanical withstanding of insulating in thin sheet layers	171717445667710
Figure 1 Figure 2 Figure 3 Figure 5 Figure 6 Figure 7 Figure 8 Figure 9 Figure 1	- IEC 61558 principle  - Mounting box for flush-type transformer  - Test pin (see IEC 61032, test probe 13)  - Standard test finger (see IEC 61032, test probe B)  - Example of back-to-back method – Single phase  - Example of back-to-back method – Three phase  - Amplitude spectrum density for random testing  - Normalised spectrum of shock  - Test voltage sequence  0 – Test configuration: single-phase equipment on star TN or TT system  1 – Abrasion resistance test for insulating coated layers  2 – Flexing test apparatus  3 – Test arrangement for checking mechanical withstanding of insulating	17171345667710

Figure A.3 – Example 3	128
Figure A.4 – Example 4	128
Figure A.5 – Example 5	129
Figure A.6 – Example 6	129
Figure A.7 – Example 7	130
Figure A.8 – Example 8	130
Figure H.1 – Example of an electronic circuit with low-power points	143
Figure J.1 – Measuring network for touch-current	146
Figure M.1 – Examples for concentric type constructions	152
Figure M.2 – Examples for side-by-side type constructions	153
Figure M.3 – Examples for winding constructions without screen	153
Figure M.4 – Examples for wrapped winding constructions	154
Figure M.5 – Examples for winding constructions with screen	154
Figure N.1 – Transformer of class I construction with metal enclosure	155
Figure N.2 – Transformer of class II construction with metal enclosure	156
Figure N.3 – Transformer of class II construction with enclosure of insulating material	156
Figure P.1 – Transformer of class I construction	158
Figure P.2 – Transformer of class I construction with earthed metal screen	159
Figure P.3 – Transformer of class II construction with metal enclosure	159
Figure P.4 – Transformer of class II construction with enclosure of insulating material	160
Figure V.1 – Restored by manual operation	169
Figure V.2 – Restored by disconnection of the supply	169
Figure V.3 – Thermal link (see 3.3.5)	
Figure V.4 – Self-resetting thermal cut-out.1.5.58.2.5.20024	169
Table 1 – Symbols used on equipment or in instructions	42
Table 101 – Symbols indicating the kind of transformer	43
Table 2 – Values of maximum temperatures in normal use	
Table 3 – Explanation of the maximum winding temperatures required in Table 2	58
Table 4 – Test temperature and testing time (in days) per cycle	59
Table 5 – Maximum values of temperatures under short-circuit or overload conditions	61
Table 6 – Values of T and k for fuses	62
Table 102 – Values of heights of fall	65
Table 7 – Pull force on pins	67
Table 8 – Conditions for vibration testing (random)	68
Table 9 – Amplitude spectrum density ASD values for accelerated life testing	68
Table 10 – Frequency values depending on the weight of the specimen	69
Table 11 – Excitation values for vibration testing	69
Table 12 – Solid-object-proof transformer test	71
Table 13 – Values of insulation resistance	74
Table 14 – Table of dielectric strength test voltages	75
Table 15 – Limits for currents	78
Table 16 – Nominal cross-sectional areas of external flexible cables or cords	98

Table 17 – Pull and torque to be applied to external flexible cables or cords fixed to stationary and portable transformers	102
Table 18 – Torque to be applied to screws and connections	107
Table 19 – Torque test on glands	108
Table 20 – Clearances in mm	115
Table 21 – Creepage distances in mm	116
Table 22 – Distance through insulation in mm	117
Table 23 – Creepage distances and clearance between terminals for external connection	118
Table 24 – Values of FIW wires with minimum overall diameter and minimum test voltages according to the total enamel increase	120
Table A.1 – Width of groove values depending on the pollution degree	127
Table F.1 – Peak surge current of additional loads	137
Table I.1 – Dimensions of rectangular copper connectors	144
Table K.1 – Mandrel diameter	148
Table K.2 – Oven temperature	148
Table Q.1 – Degrees of protection against access to hazardous parts indicated by the first characteristic numeral	162

## **Document Preview**

Table Q.2 – Degrees of protection against solid foreign objects indicated by the first

EC 61558-2-5:2024

https://standards.iteh.ai/catalog/standards/iec/3baaa7f5-fb5e-4d7d-ab9e-334583b1bd7f/iec-61558-2-5-2024

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

# SAFETY OF TRANSFORMERS, REACTORS, POWER SUPPLY UNITS AND COMBINATIONS THEREOF –

# Part 2-5: Particular requirements and tests for transformers for shavers, power supply units for shavers and shaver supply units

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
  - 6) All users should ensure that they have the latest edition of this publication.
  - 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
  - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
  - 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 61558-2-5:2024 EXV includes the content of IEC 61558-2-5:2024, and the references made to IEC 61558-1:2017.

The specific content of IEC 61558-2-5:2024 is displayed on a blue background.

**–** 10 **–** 

IEC 61558-2-5 has been prepared by IEC technical committee 96: Transformers, reactors, power supply units and combinations thereof. It is an International Standard.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) adjustment of structure and references in accordance with IEC 61558-1:2017;
- b) new symbol for power supply unit with linearly regulated output voltage.

The text of this International Standard is based on the following documents:

Draft	Report on voting
96/599/FDIS	96/600/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

It has the status of a group safety publication in accordance with IEC Guide 104.

This document is to be used in conjunction with IEC 61558-1:2017.

This document supplements or modifies the corresponding clauses in IEC 61558-1:2017, so as to convert that publication into the IEC standard: *Particular requirements and tests for transformers for shavers, power supply units for shavers and shaver supply units.* 

A list of all parts in the IEC 61558 series published under the general title *Safety of transformers, reactors, power supply units and combinations thereof,* can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

Where this document states "addition", "modification" or "replacement", the relevant text of IEC 61558-1:2017 is to be adopted accordingly.

In this document, the following print types are used:

- requirements proper: in roman type;
- test specifications: in italic type;
- explanatory matter: in smaller roman type.

In the text of this document, the words in **bold** are defined in Clause 3.

Subclauses, notes, figures and tables additional to those in IEC 61558-1:2017 are numbered starting from 101; supplementary annexes are entitled AA, BB, etc.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- · withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# iTeh Standards (https://standards.iteh.ai) Document Preview

EC 61558-2-5:2024

https://standards.iteh.ai/catalog/standards/iec/3baaa7f5-fb5e-4d7d-ab9e-334583b1bd7f/iec-61558-2-5-2024

### INTRODUCTION to IEC 61558-1:2017

This document covers safety requirements for **transformers**. Where the term **transformer** is used, it covers **transformers**, **reactors** and **power supply units** where applicable.

During the development of this document, to the extent possible, the requirements of IEC 60364 (all parts) were taken into consideration, so that a **transformer** can be installed in accordance with the wiring rules contained in that document. However, national wiring rules can differ.

This document recognizes the internationally accepted levels of protection against the possible electrical, mechanical, and fire hazards caused by **transformers** operating under normal conditions in accordance with the manufacturer's instructions. It also covers abnormal conditions which can occur in practice.

A **transformer** complying with this document will not necessarily be judged to comply with the safety principles of this document if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A **transformer** employing materials or having forms of construction differing from those detailed in this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the safety principles of this document.

The document dealing with non-safety aspects of electromagnetic compatibility (EMC) of transformers is IEC 62041. However, that document also includes tests that can subject the transformer to conditions involving safety aspects.

The objective of of IEC 61558-1 is to provide a set of requirements and tests considered to be generally applicable to most types of **transformers**, and which can be called up as required by the relevant part of IEC 61558-2. IEC 61558-1 is thus not to be regarded as a specification by itself for any type of **transformer**, and its provisions apply only to particular types of **transformers** to the extent determined by the appropriate part of IEC 61558-2. IEC 61558-1 also contains normative routine tests.

Each part of IEC 61558-2 in conjunction with this document contains all the necessary requirements for the **transformer** being covered and does not contain references to other parts of IEC 61558-2. For **transformers** with a protection index IP00 and associated **transformers**, it is possible to have circuits corresponding to different parts of IEC 61558-2 within the same construction (e.g. SELV output circuit according to IEC 61558-2-6 and a 230 V output circuit according to IEC 61558-2-4). However, if the **transformer** is covered by different parts IEC 61558-2, to the extent reasonable, the relevant part of IEC 61558-2 is applied to each function/application separately. If applicable, the effect of one function on the other is taken into consideration.

If an appropriate part of IEC 61558-2 does not exist for a particular **transformer** or group of **transformer**s, the nearest applicable part may be used as a guide to the requirements and tests.

However, individual countries may wish to consider its application, to the extent reasonable, to transformers not mentioned in the IEC 61558-2 series, and to transformers designed on new principles.

Where the requirements of any of the clauses of a part of IEC 61558-2 refer to IEC 61558-1 by the phrase "This clause of Part 1 is applicable", this phrase means that all the requirements of that clause of IEC 61558-1 are applicable, except those requirements that are clearly not applicable to the particular type of **transformer** covered by that part of IEC 61558-2.