This document is not an ASTM standard and is intended only to provide the user of an ASTM standard an indication of what changes have been made to the previous version. Because it may not be technically possible to adequately depict all changes accurately, ASTM recommends that users consult prior editions as appropriate. In all cases only the current version of the standard as published by ASTM is to be considered the official document.



Standard Terminology Relating to Commercial Spaceflight^{1,2}

This standard is issued under the fixed designation F3377; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ε) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This terminology standard is a compilation of definitions of terms used by ASTM Committee F47 on Commercial Spaceflight.

1.2 This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety, health, and environmental practices and determine the applicability of regulatory limitations prior to use.

1.3 This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.

2. Terminology

2.1 Terms and Definitions:

berthing, n—the process of mating of two separate free-flying space vehicles where a passive vehicle's mating interface is guided into that of another vehicle by means external to the passive vehicle.

docking, n—the process of joining of two separate free-flying space vehicles where an active vehicle's mating interface is guided into that of another vehicle by means integral to the active vehicle.

incorrect function, *n*—an event or occurrence with functional outputs outside of acceptable and expected ranges, including expected action, performance, or time.

loss of function, *n*—the absence of functional output(s), when required.


occupied vehicle, *n*—a vehicle that contains humans.

orbital vehicle, *n*—a vehicle that is designed to achieve a trajectory where it could remain in space for at least one orbit of the Earth.

spaceport, *n*—an area authorized by an appropriate authority to support launch or re-entry activities, or both.

¹ This terminology is under the jurisdiction of ASTM Committee F47 on Commercial Spaceflight and is the direct responsibility of Subcommittee F47.91 on Terminology. Current edition approved Aug. 1, 2020Aug. 1, 2023. Published August 2020August 2023. Originally approved in 2019. Last previous edition approved in 20192020 as F3377-19. DOI: 10.1520/F3377-20.-20. DOI: 10.1520/F3377-23.

² Pursuant to License Agreement with ASTM International (ASTM), Commercial Spaceflight Federation (CSF) contributed its technical expertise and content to ASTM leading to the development of this ASTM Standard.



suborbital vehicle, n—a vehicle that is not designed to achieve a trajectory where it could complete at least one orbit of the Earth.

unoccupied vehicle, *n*—a vehicle that does not contain humans.

3. Keywords

3.1 berthing; commercial spaceflight; definition; docking; occupied vehicle; orbital vehicle; suborbital vehicle; terminology; unoccupied vehicle

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org). Permission rights to photocopy the standard may also be secured from the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, Tel: (978) 646-2600; http://www.copyright.com/

iTeh Standards (https://standards.iteh.ai) Document Preview

ASTM F3377-23

https://standards.iteh.ai/catalog/standards/sist/c2cf2f4b-3e1e-4d9b-9704-44b54fb7b040/astm-f3377-23