

Edition 1.0 2023-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Industrial networks - Profiles - DARD PRRVIRW

Part 1-2: Fieldbus profiles - Communication Profile Family 2

Réseaux industriels - Profils -

Partie 1-2: Profils de bus de terrain - Famille de profils de communication 2

https://standards.iteh.ai/catalog/standards/sist/aa85047a-7312-45fc-b206-b7d2abde1975/ie







THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.



Edition 1.0 2023-03

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Industrial networks – Profiles – DARD PREVIEW
Part 1-2: Fieldbus profiles – Communication Profile Family 2

Réseaux industriels - Profils -

Partie 1-2: Profils de bus de terrain – Famille de profils de communication 2

https://standards.iteh.ai/catalog/standards/sist/aa85047a-7312-45fc-b206-b7d2abde1975/iec-

61784-1-2-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 35.100.20; 35.240.50 ISBN 978-2-8322-6584-0

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FORE	WORD	4
INTRO	DUCTION	6
1 Sc	cope	7
2 No	ormative references	7
3 Te	erms, definitions, abbreviated terms, symbols, and conventions	9
3.1	Terms and definitions	
3.2		
3.	2.1 Common abbreviations and symbols	
3.	2.2 Other abbreviations and symbols	9
3.3	Conventions	9
4 CI	PF 2 (CIP™)	9
4.1	General overview	9
4.2	CP 2/1 (ControlNet)	10
4.	2.1 Physical layer	10
4.	2.2 Data-link layer	12
4.	2.3 Application layer	14
4.3		17
4.	3.1 Physical layer	17
4.	3.2 Data-link layer	17
4.	3.3 Application layer	19
4.4	CP 2/3 (DeviceNet)	25
	4.1 Physical layer	
	4.2 Data-link layer	
	4.3 Application layer standards/sist/aa85047a-7312-456-b206-b7d2ab	
Annex	A (informative) CPF 2 (CIP) communication concepts	
A.1	Overview	
A.2		
A.3		
	3.1 Physical layer characteristics	
	3.2 Data-link layer characteristics	
	3.3 Management characteristics	
A.4	EtherNet/IP	
A.5	DeviceNet	
Bibliog	raphy	36
Table ²	1 – CPF 2: overview of profile sets	10
Table 2	2 – CP 2/1: PhL selection	11
	3 – CP 2/1: DLL service selection	
	4 – CP 2/1: DLL protocol selection	
	5 – CP 2/1: DLL protocol selection of management objects	
	6 - CP 2/1: AL service selection	
	7 – CP 2/1: AL protocol selection	
	8 – ClockIdentity encoding for CP 2/1	
Table 9	9 - CP 2/2: DLL protocol selection	18
Table '	10 – CP 2/2: DLL protocol selection of management objects	19

Table 11 – CP 2/2: AL service selection	20
Table 12 – CP 2/2: AL protocol selection	21
Table 13 – ClockIdentity encoding for CP 2/2	22
Table 14 – CP 2/2 implementation profiles	23
Table 15 – Features Supported for Type 2 Ethernet Transports implementation profile	23
Table 16 – Type 2 Ethernet transport profile supported Features	24
Table 17 – Supported Encapsulation Commands for transport profiles	24
Table 18 – CP 2/3: DLL protocol selection	26
Table 19 – CP 2/3: DLL protocol selection of management objects	26
Table 20 – CP 2/3: AL service selection	27
Table 21 – CP 2/3: AL protocol selection	28
Table 22 – Unconnected_Send request format (modified)	29
Table 23 – Unconnected_Send_Good response format (modified)	30
Table 24 – Unconnected_Send_Bad response format (modified)	30
Table 25 – ClockIdentity encoding for CP 2/3	31
Table 26 – Additional values of the state attribute	31
Table 27 – Additional value of the watchdog_timeout_action attribute	31

iTeh STANDARD PREVIEW (standards.iteh.ai)

IEC 61784-1-2:2023

https://standards.iteh.ai/catalog/standards/sist/aa85047a-7312-45fc-b206-b7d2abde1975/iec-61784-1-2-2023

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL NETWORKS – PROFILES –

Part 1-2: Fieldbus profiles – Communication Profile Family 2

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by their respective intellectual property right holders.

NOTE Combinations of protocol types are specified in the IEC 61784-1 series and the IEC 61784-2 series.

IEC 61784-1-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This first edition, together with the other parts of the same series, cancels and replaces the fifth edition of IEC 61784-1 published in 2019. This first edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 61784-1:2019:

- a) split of the original IEC 61784-1 into several subparts, one subpart for the material of a generic nature, and one subpart for each Communication Profile Family specified in the original document;
- b) addition of two DLL protocol management objects;
- c) addition of profile information removed from the Type standards.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1207/FDIS	65C/1236/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61784-1 series, published under the general title *Industrial networks* – *Profiles* – *Part 1: Fieldbus profiles*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed, ls. iteh.ai/catalog/standards/sist/aa85047a-7312-45fc-b206-b7d2abde1975/iec-
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The IEC 61784-1 series provides a set of Communication Profiles (CP) in the sense of ISO/IEC TR 10000-1. These answer the need of identifying the protocol families co-existing within the IEC 61158 series, as a result of the international harmonization of fieldbus technologies available on the market. More specifically, these profiles help to correctly state the compliance with the IEC 61158 series, and to avoid the spreading of divergent implementations, which would limit its use, clearness and understanding. Additional profiles to address specific market concerns, such as functional safety or information security, can be addressed by future parts of the IEC 61784-1 series.

The IEC 61784-1 series contains several Communication Profile Families (CPF), which specify one or more communication profiles. Such profiles identify, in a strict sense, protocol subsets of the IEC 61158 series via protocol specific communication profiles. They do not define device profiles that specify communication profiles together with application functions needed to answer the need of a specific application ("application profiles").

It is agreed that these latter classes of profiles would facilitate the use of the IEC 61158 series of standards; the profiles defined in the IEC 61784-1 series are a necessary step to achieve that task.

It is also important to clarify that interoperability – defined as the ability of two or more network systems to exchange information and to make mutual use of the information that has been exchanged (see ISO/IEC TR 10000-1) – can be directly achieved on the same link only for those devices complying with the same communication profile.

Profiles contained in the IEC 61784-1 series are constructed of references to IEC 61158-2 and the IEC 61158-3, IEC 61158-4, IEC 61158-5 and IEC 61158-6 series, and other IS, TS or worldwide-accepted standards, as appropriate ¹. Each profile is required to reference at least one part of the IEC 61158 series in addition to IEC 61158-1.

https://standards.iteh.ai/catalog/standards/sist/aa85047a-7312-45fc-b206-b7d2abde1975/iec-

Two or more Profiles, which are related to a common family, are specified within a "Communication Profile Family" (CPF).

International Standardised Profiles may contain normative references to specifications other than International Standards; see ISO/IEC JTC 1 N 4047: The Normative Referencing of Specifications other than International Standards in JTC 1 International Standardized Profiles – Guidelines for ISP Submitters.

INDUSTRIAL NETWORKS – PROFILES –

Part 1-2: Fieldbus profiles – Communication Profile Family 2

1 Scope

This part of IEC 61784-1 defines Communication Profile Family 2 (CPF 2). CPF 2 specifies a set of protocol specific communication profiles (CPs) based on the IEC 61158 series (Type 2) and other standards, to be used in the design of devices involved in communications in factory manufacturing and process control.

NOTE 1 All CPs are based on standards or draft standards or International Standards published by the IEC or on standards or International Standards established by other standards bodies or open standards processes.

NOTE 2 Some CPs of CPF 2 are specified in IEC 61784-2-2.

Each CP selects an appropriate consistent and compatible subset of services and protocols from the relevant set that is defined and modelled in the IEC 61158 series. For the selected subset of services and protocols, the profile also describes any possible or necessary constraints in parameter values.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as the IEC 61784-1 series and the IEC 61784-2 series are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61158 (all parts), Industrial communication networks – Fieldbus specifications

IEC 61158-2:2023, Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition

IEC 61158-3-2:2023, Industrial communication networks – Fieldbus specifications – Part 3-2: Data-link layer service definition – Type 2 elements

IEC 61158-4-2:2023, Industrial communication networks – Fieldbus specifications – Part 4-2: Data-link layer protocol specification – Type 2 elements

IEC 61158-5-2:2023, Industrial communication networks – Fieldbus specifications – Part 5-2: Application layer service definition – Type 2 elements

IEC 61158-6-2:2023, Industrial communication networks – Fieldbus specifications – Part 6-2: Application layer protocol specification – Type 2 elements

IEC 61588:2021, Precision clock synchronization protocol for networked measurement and control systems

IEC 61784-1-0:2023, Industrial networks – Profiles – Part 1-0: Fieldbus profiles – General concepts and terminology

IEC 61784-5-2, Industrial communication networks – Profiles – Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2

IEC 61918, Industrial communication networks – Installation of communication networks in industrial premises

IEC 62026-3, Low-voltage switchgear and controlgear – Controller-device interfaces (CDIs) – Part 3: DeviceNet

ISO/IEC/IEEE 8802-3, Telecommunications and exchange between information technology systems – Requirements for local and metropolitan area networks – Part 3: Standard for Ethernet

ISO 11898-1, Road vehicles – Controller area network (CAN) – Part 1: Data link layer and physical signalling

ISO 11898-2, Road vehicles – Controller area network (CAN) – Part 2: High-speed medium access unit

IETF RFC 768, J. Postel, *User Datagram Protocol*, August 1980, available at https://www.rfc-editor.org/info/rfc768 [viewed 2022-02-18]

IETF RFC 791, J. Postel, *Internet Protocol*, September 1981, available at https://www.rfc-editor.org/info/rfc791 [viewed 2022-02-18]

IETF RFC 792, J. Postel, *Internet Control Message Protocol*, September 1981, available at https://www.rfc-editor.org/info/rfc792 [viewed 2022-02-18] 12-456-b206-b7d2abde1975/iec-

IETF RFC 793, J. Postel, *Transmission Control Protocol*, September 1981, available at https://www.rfc-editor.org/info/rfc793 [viewed 2022-02-18]

IETF RFC 826, D. Plummer, An Ethernet Address Resolution Protocol: Or Converting Network Protocol Addresses to 48.bit Ethernet Address for Transmission on Ethernet Hardware, November 1982, available at https://www.rfc-editor.org/info/rfc826 [viewed 2022-02-18]

IETF RFC 894, C. Hornig, A Standard for the Transmission of IP Datagrams over Ethernet, April 1984, available at https://www.rfc-editor.org/info/rfc894 [viewed 2022-02-18]

IETF RFC 1112, S.E. Deering, *Host Extensions for IP Multicasting*, August 1989, available at https://www.rfc-editor.org/info/rfc1112 [viewed 2022-02-18]

IETF RFC 1122, R. Braden, *Requirements for Internet Hosts – Communication Layers*, October 1989, available at https://www.rfc-editor.org/info/rfc1122 [viewed 2022-02-18]

IETF RFC 1123, R. Braden, *Requirements for Internet Hosts – Application and Support*, October 1989, available at https://www.rfc-editor.org/info/rfc1123 [viewed 2022-02-18]

IETF RFC 1127, R.T. Braden, *Perspective on the Host Requirements RFCs*, October 1989, available at https://www.rfc-editor.org/info/rfc1127 [viewed 2022-02-18]

IETF RFC 2236, W. Fenner, *Internet Group Management Protocol, Version 2*, November 1997, available at https://www.rfc-editor.org/info/rfc2236 [viewed 2022-02-18]

3 Terms, definitions, abbreviated terms, symbols, and conventions

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in the IEC 61158 series and IEC 61784-1-0 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.2 Abbreviations and symbols

3.2.1 Common abbreviations and symbols

For the purposes of this document, all abbreviations and symbols defined in the IEC 61158 series and IEC 61784-1-0 apply.

CP communication profile

CPF communication profile family
MAU medium attachment unit

3.2.2 Other abbreviations and symbols PREVIEW

CAN Controller Area Network (see ISO 11898-1)

IP internet protocol (see IETF RFC 791)

TCP terminal control protocol (see IETF RFC 793)
UDP user datagram protocol (see IETF RFC 768)

https://standards.treh.au/catalog/standards/sist/aax3/04/a-/3/12-45fc-h206-b7d2abde1975/iec-

3.3 Conventions

For the purposes of this document, the conventions defined in IEC 61784-1-0 apply.

4 CPF 2 (CIP™2)

4.1 General overview

Communication Profile Family 2 defines several communication profiles based on IEC 61158-2 (protocol type 2), IEC 61158-3-2, IEC 61158-4-2, IEC 61158-5-2, and IEC 61158-6-2, and on other standards. These profiles all share for their upper layers the same communication system commonly known as the Common Industrial Protocol (CIP).

This document defines three communication profiles.

1) Profile 2/1 ControlNet^{™ 3}

This profile contains a selection of AL, DLL and PhL services and protocol definitions from IEC 61158-2 type 2, IEC 61158-3-2, IEC 61158-4-2, IEC 61158-5-2, and IEC 61158-6-2.

² CIP™ is a trade name of ODVA, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance with this profile does not require use of the trade name CIP™. Use of the trade name CIP™ requires permission of ODVA, Inc.

OntrolNet™ is a trade name of ODVA, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance with this profile does not require use of the trade name ControlNet™. Use of the trade name ControlNet™ requires permission of ODVA, Inc.

This profile uses the CIP common protocol and services in conjunction with the specific protocol type 2 DLL and PhL.

2) Profile 2/2 EtherNet/IP™4

This profile contains a selection of AL, DLL and PhL services and protocol definitions from IEC 61158-4-2, IEC 61158-5-2 and IEC 61158-6-2, and the TCP/UDP/IP/Ethernet protocol suite. This profile uses the CIP protocol and services in conjunction with the standard internet and Ethernet standards.

3) Profile 2/3 DeviceNet^{™ 5}

This profile contains a selection of AL, DLL and PhL services and protocol definitions from IEC 61158-4-2, IEC 61158-5-2 and IEC 61158-6-2, and IEC 62026-3. This profile uses the CIP protocol and services in conjunction with the CAN DLL and PhL (ISO 11898-1 and ISO 11898-2), and additional elements specified in IEC 62026-3.

NOTE 1 See Annex A for an overview of CIP and related networks communications concepts.

NOTE 2 Additional CPs are defined in IEC 61784-2-2.

It is strongly recommended that implementers of a specific profile comply with the appropriate conformance tests and validations provided by ODVA.

Table 1 gives a general overview of the corresponding profile sets.

Layer	CP 2/1 (ControlNet)	CP 2/2 (EtherNet/IP)	CP 2/3 (DeviceNet)
Application	IEC 61158-5-2, IEC 61158-6-2	IEC 61158-5-2, IIC IIC 61158-6-2	IEC 61158-5-2, IEC 61158-6-2, IEC 62026-3
Transport	Lands italy ai/antalog/atany	TCP/UDP (IETF RFC 793, IETF RFC 768) ^a	206 h7d2ahda1075/jaa
Network		IP (IETF RFC 791) ^a	<u> </u>
Data Link	IEC 61158-3-2, IEC 61158-4-2	ISO/IEC/IEEE 8802-3	ISO 11898-1, IEC 62026-3
Physical	Type 2 of IEC 61158-2	ISO/IEC/IEEE 8802-3 ^b	ISO 11898-1 and ISO 11898-2, IEC 62026-3

Table 1 – CPF 2: overview of profile sets

4.2 CP 2/1 (ControlNet)

4.2.1 Physical layer

Table 2 specifies the PhL selection within IEC 61158-2.

a Additional IETF RFC standards apply.

b Recommended connectors and cables are specified in IEC 61918 and IEC 61784-5-2.

⁴ EtherNet/IP™ is a trade name of ODVA, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance with this profile does not require use of the trade name EtherNet/IP™. Use of the trade name EtherNet/IP™ requires permission of ODVA, Inc.

DeviceNet™ is a trade name of ODVA, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance with this profile does not require use of the trade name DeviceNet™. Use of the trade name DeviceNet™ requires permission of ODVA, Inc.

Table 2 - CP 2/1: PhL selection

Clause	Header	Presence	Constraints
1	Scope	YES	_
2	Normative references	Partial	Relevant references only
3	Terms and definitions	_	_
3.1	Common terms and definitions	Partial	Relevant definitions only
3.2	Type 1: Terms and definitions	NO	_
3.3	Type 2: Terms and definitions	YES	_
Next subclauses	_	NO	_
4	Symbols and abbreviated terms	_	_
4.1	Symbols	_	_
4.1.1	Type 1: Symbols	NO	_
4.1.2	Type 2: Symbols	YES	_
Next subclauses		NO	_
4.2	Abbreviated terms	_	_
4.2.1	Type 1: Abbreviations	NO	_
4.2.2	Type 2: Abbreviations	YES	
Next subclauses		NO	
5	DLL - PhL interface	Lai)	_
5.1	General	YES	_
5.2	Type 1: Required services IEC 61784-1-2:2023	NO	_
5.3nttps://stand	Type 2: Required services lards/sist/aa85047a-73	YES5fc-b2) 6- b7d2abde1975/iec-
Next subclauses	61784-1-2-2023	NO	_
6 – 8		NO	_
9	Medium dependent sublayer (MDS)	_	_
9.1	General	YES	_
9.2 – 9.3		NO	_
9.4	Type 2: MDS: Wire and optical media	YES	_
Next subclauses		NO	_
10	MDS - MAU interface	_	_
10.1	General	YES	_
10.2 – 10.3		NO	_
10.4	Type 2: MDS – MAU interface: Wire and optical media	YES	Used MAU(s) are selected at device level
Next subclauses	_	NO	_
11 – 17	_	NO	_
18	Type 2: Medium attachment unit: 5 Mbit/s, voltage-mode, coaxial wire medium	YES	Used MAU(s) are selected at device level
19	Type 2: Medium attachment unit: 5 Mbit/s, optical medium	YES	Used MAU(s) are selected at device level
20	Type 2: Medium attachment unit: network access port (NAP)	YES	Used MAU(s) are selected at device level
Next clauses	_	NO	

Clause	Header	Presence	Constraints
Annex A – E		NO	_
Annex F	(normative) Type 2: Connector specification	YES	_
Annex G	(normative) Type 2: Repeater machine sublayers (RM, RRM) and redundant PhLs	YES	_
Annex H	(informative) Type 2: Reference design examples	YES	_
Next annexes	-	NO	_

Recommended connectors and cables are specified in IEC 61918 and IEC 61784-5-2.

4.2.2 Data-link layer

4.2.2.1 DLL service selection

Table 3 specifies the DLL service selection within IEC 61158-3-2.

Table 3 - CP 2/1: DLL service selection

Clause	Header	Presence	Constraints
1	Scope	YES	_
2	Normative references	YES	4.7
3	Terms, definitions, symbols, abbreviated terms and conventions	YES	
4	Connection-mode and connectionless-mode data-link service	YES	_
5	DL-management services	YES	_

IEC 61784-1-2:2023

https://standards.iteh.ai/catalog/standards/sist/aa85047a-7312-45fc-b206-b7d2abde1975/iec-

4.2.2.2 DLL protocol selection

4.2.2.2.1 General

Table 4 specifies the DLL protocol selection within IEC 61158-4-2.

Table 4 - CP 2/1: DLL protocol selection

Clause	Header	Presence	Constraints
1	Scope	YES	_
2	Normative references	YES	_
3	Terms, definitions, symbols, abbreviated terms and conventions	YES	_
4	Overview of the data-link protocol	YES	_
5	General structure and encoding of PhIDUs and DLPDUs and related elements of procedure	YES	_
6	Specific DLPDU structure, encoding and procedures	YES	_
7	Objects for station management	_	See Table 5
8	Other DLE elements of procedure	YES	_
9	Detailed specification of DL components	YES	_
Next clauses	_	NO	_
Annex A	(normative) - Indicators and switches	_	_
A.1	Purpose	YES	_
A.2	Indicators	_	_
A.2.1	General indicator requirements	YES	_
A.2.2	Common indicator requirements	YES	I EW
A.2.3	Fieldbus specific indicator requirements – option 1	YES	_
A.2.4	Fieldbus specific indicator requirements – option 2	NO de	_
A.2.5	Fieldbus specific indicator requirements – option 3	NO	_
A.3	Switches <u>IEC 61784-1-2:202</u>	3_	_
A.3.1ps://star	Common switch requirements Ids/sist/aa85047a-	YES-45fc-b	206-b7d2abde1975/iec-
A.3.2	Fieldbus specific switch requirements – option 1 23	YES	_
A.3.3	Fieldbus specific switch requirements – option 2	NO	_
A.3.4	Fieldbus specific switch requirements – option 3	NO	_

Table 5 specifies the management objects selection.

Table 5 - CP 2/1: DLL protocol selection of management objects

Clause	Header	Presence	Constraints
7	Objects for station management	_	_
7.1	General	Partial	Relevant objects only
7.2	ControlNet object	YES	_
7.3	Keeper object	YES	_
7.4	Scheduling object	YES	_
7.5 – 7.7	_	NO	_
7.8	Connection configuration object	YES	See 4.2.2.2.2
7.9 – 7.10	-	NO	_
7.11	Port object	YES	See 4.2.2.2.3
Next subclauses	_	NO	_