



SLOVENSKI STANDARD
SIST ETS 300 055-2:1996
01-XYW/a VYf-1996

Digitalno omrežje z integriranimi storitvami (ISDN) - Dopolnilna storitev: prenosljivost terminala (TP) - Protokol digitalne naročniške signalizacije št. 1 (DSS1) - 2. del: Izjava o skladnosti izvedbe protokola (PICS) - Proformna specifikacija

Integrated Services Digital Network (ISDN); Terminal Portability (TP) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 055-2:1996](https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996)

<https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996>

Ta slovenski standard je istoveten z: ETS 300 055-2 Edition 1

ICS:

| | | |
|--------|---|--|
| 33.080 | Digitalno omrežje z integriranimi storitvami (ISDN) | Integrated Services Digital Network (ISDN) |
|--------|---|--|

SIST ETS 300 055-2:1996

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 055-2:1996](#)

<https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 055-2

September 1995

Source: ETSI TC-SPS

Reference: DE/SPS-05028-E

ICS: 33.080

Key words: ISDN, supplementary service, PICS

**Integrated Services Digital Network (ISDN);
Terminal Portability (TP) supplementary service;
Digital Subscriber Signalling System No. one (DSS1) protocol;
Part 2: Protocol Implementation Conformance Statement (PICS)
proforma specification**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

*

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1995. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 055-2:1996](https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996)

<https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996>

Contents

| | |
|--|----|
| Foreword | 5 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Definitions | 8 |
| 4 Symbols and abbreviations | 8 |
| 5 Conformance | 9 |
| Annex A (normative): PICS proforma | 10 |
| A.1 Instructions for completing the PICS proforma | 10 |
| A.1.1 Identification of the implementation | 10 |
| A.1.2 Global statement of conformance | 10 |
| A.1.3 Explanation of PICS proforma subclauses | 10 |
| A.1.4 Symbols, abbreviations and terms | 11 |
| A.2 Identification of the implementation | 11 |
| A.2.1 Implementation Under Test (IUT) identification | 11 |
| A.2.2 System Under Test (SUT) identification | 11 |
| A.2.3 Product supplier | 12 |
| A.2.4 Client | 12 |
| A.2.5 PICS contact person | 13 |
| A.3 PICS/System Conformance Statement (SCS) | 13 |
| A.4 Identification of the protocol | 13 |
| A.5 Global statement of conformance | 14 |
| A.6 Roles | 14 |
| A.7 User | 15 |
| A.7.1 Major capabilities | 15 |
| A.7.2 Subsidiary capabilities | 15 |
| A.7.3 Protocol data units | 15 |
| A.7.4 Protocol data unit parameters | 15 |
| A.7.5 Timers | 15 |
| A.7.6 Call states | 15 |
| A.8 Network | 15 |
| A.8.1 Major capabilities | 15 |
| A.8.2 Subsidiary capabilities | 15 |
| A.8.3 Protocol data units | 15 |
| A.8.4 Protocol data unit parameters | 15 |
| A.8.5 Timers | 15 |
| A.8.6 Call states | 15 |

| | | |
|----------------------|--|----|
| Annex B (normative): | Requirements list | 16 |
| B.1 | User | 16 |
| B.1.1 | Requirements on items used in the basic call PICS | 16 |
| B.1.2 | Requirements on items used in the supplementary service interactions PICS..... | 16 |
| B.2 | Network..... | 17 |
| B.2.1 | Requirements on items used in the basic call PICS | 17 |
| B.2.2 | Requirements on items used in the supplementary service interactions PICS..... | 17 |
| History | | 18 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 055-2:1996](https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996)

<https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996>

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 055-2:1996](https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996)

<https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996>

1 Scope

This second part of ETS 300 055 is applicable to the stage three of the Terminal Portability (TP) supplementary service for the pan-European Integrated Services Digital Network (ISDN) as provided by European public telecommunications operators at the T reference point or coincident S and T reference point (as defined in ITU-T Recommendation I.411 [10]) by means of the Digital Subscriber Signalling System No. one (DSS1) protocol. Stage three identifies the protocol procedures and switching functions needed to support a telecommunications service (see CCITT Recommendation I.130 [9]).

This ETS provides the Protocol Implementation Conformance Statement (PICS) proforma for the ISDN DSS1 TP supplementary service protocol as specified in ETS 300 055-1 [1] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [8].

The supplier of a protocol implementation which is claimed to conform to ETS 300 055-1 [1] is required to complete a copy of the PICS proforma provided in annex A of this ETS and is required to provide the information necessary to identify both the supplier and the implementation.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 055-1(1991): "Integrated Services Digital Network (ISDN); Terminal Portability (TP) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".

NOTE: ETS 300 055-1 (1991) was initially published as ETS 300 055 (1991).

- [2] ETS 300 102-1: "Integrated Services Digital Network (ISDN); User-network interface layer 3; Specifications for basic call control".

- [3] ETS 300 195-1 (1995): "Integrated Services Digital Network (ISDN); Supplementary service interactions; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".

- [4] ETS 300 195-2: "Integrated Services Digital Network (ISDN); Supplementary service interactions; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".

- [5] I-ETS 300 314 (1994): "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1); Protocol Implementation Conformance Statement (PICS) proforma specification for the network layer signalling protocol for circuit-mode basic call control (basic access, user)".

- [6] I-ETS 300 316 (1994): "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1); Protocol Implementation Conformance Statement (PICS) proforma specification for the network layer signalling protocol for circuit-mode basic call control (basic access, network)".

- [7] ISO/IEC 9646-1: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 1: General concepts".

- [8] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".

- [9] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".
- [10] ITU-T Recommendation I.411 (1993): "ISDN user-network interfaces - Reference configurations".

3 Definitions

For the purposes of this ETS, the following definitions apply, in addition to those given in ETS 300 055-1 [1]:

Protocol Implementation Conformance Statement (PICS): A statement made by the supplier of an Open Systems Interconnection (OSI) implementation or system, stating which capabilities have been implemented for a given OSI protocol (see ISO/IEC 9646-1 [7]).

PICS proforma: A document, in the form of a questionnaire, designed by the protocol specifier or conformance test suite specifier, which, when completed for an OSI implementation or system, becomes the PICS (see ISO/IEC 9646-1 [7]).

static conformance review: A review of the extent to which the static conformance requirements are met by the IUT, accomplished by comparing the PICS with the static conformance requirements expressed in the relevant standard(s) (see ISO/IEC 9646-1 [7]).

4 Symbols and abbreviations

For the purposes of this ETS, the following abbreviations apply:

| | |
|------|--|
| AND | Boolean "and" |
| DSS1 | Digital Subscriber Signalling System No. one |
| ISDN | Integrated Services Digital Network |
| IUT | Implementation Under Test |
| M | Mandatory requirement (to be observed in all cases) |
| MC | Major Capabilities |
| MR | Messages Received |
| MT | Messages Transmitted |
| N/A | Not applicable, not supported or the conditions for status are not met |
| No | not supported |
| NOT | Boolean "not" |
| O | Option (may be selected to suit the implementation, provided that any requirements applicable to the option are observed) |
| O.n | Options, but support required for either at least one or only one of the options in the group labelled with the same numeral "n" |
| OR | Boolean "or" |
| OSI | Open Systems Interconnection |
| PICS | Protocol Implementation Conformance Statement |
| R | Roles |
| RL | Requirements List |
| SCS | System Conformance Statement |
| SS | Supplementary Service |
| SUT | System Under Test |
| TP | Terminal Portability |
| Yes | supported |

5 Conformance

A PICS proforma which conforms to this PICS proforma specification shall be technically equivalent to annex A, and shall preserve the numbering and ordering of the items in annex A.

A PICS which conforms to this PICS proforma specification shall:

- a) describe an implementation which claims to conform to ETS 300 055-1 [1];
- b) be a conforming ICS proforma which has been completed in accordance with the instructions for completion given in clause A.1;
- c) include the information necessary to uniquely identify both the supplier and the implementation.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 055-2:1996](https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996)

<https://standards.iteh.ai/catalog/standards/sist/174e23b6-e7f0-4e1c-98c1-eeeb18aa191a/sist-ets-300-055-2-1996>