INTERNATIONAL STANDARD

IEC 62052-21

First edition 2004-05

Electricity metering equipment (a.c.) – General requirements, tests and test conditions –

Part 21: Tariff and load control equipment

(https://standards.iteh.ai)
Document Preview

IEC 62052-21:2004

https://standards.iteh.ai/catalog/standards/iec/ad603ea7-0a01-4ad9-b5ff-1eff07e62aed/iec-62052-21-2004



Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

IEC Web Site (<u>www.iec.ch</u>)

. Catalogue of IEC publications

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

IEC Just Published

This summary of recently issued publications (www.iec.ch/online news/ justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

0052-21-2004/https://standards.iteh.ai/catalog/standards/iec/ad603ea7-0a01-4ad9-b5ff-1eff07e62aed/iec

Email: <u>custserv@iec.ch</u>
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 62052-21

First edition 2004-05

Electricity metering equipment (a.c.) – General requirements, tests and test conditions –

Part 21: Tariff and load control equipment

(https://standards.iteh.ai)
Document Preview

TEC 62052-21:2004

https://standards.iteh.ai/catalo.g/standards/jec/ad603ea7-0a01-4ad9-b5ff-1eff07e62aed/jec-62052-21-2004

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



PRICE CODE



CONTENTS

I Scope	FΟ	REWC	PRD4			
2 Normative references 7 3 Terms and definitions 8 3.1 General definitions 9 3.2 Definitions related to electronic ripple control receivers 9 3.3 Definitions related to the ripple control code and to the control element 10 3.4 Definitions related to time switches 11 3.5 Definitions related to the output elements 12 3.6 Definitions of mechanical elements 13 3.7 Definitions of insulations 14 3.8 Definitions of influence quantities 15 3.9 Definitions of influence quantities 15 3.9 Definition of tests 16 4.1 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference requency (fn) 16 4.2 Standard reference requency (fn) 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal<	INT	RODU	JCTION6			
2 Normative references 7 3 Terms and definitions 8 3.1 General definitions 9 3.2 Definitions related to electronic ripple control receivers 9 3.3 Definitions related to the ripple control code and to the control element 10 3.4 Definitions related to time switches 11 3.5 Definitions related to the output elements 12 3.6 Definitions of mechanical elements 13 3.7 Definitions of insulations 14 3.8 Definitions of influence quantities 15 3.9 Definitions of influence quantities 15 3.9 Definition of tests 16 4.1 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference requency (fn) 16 4.2 Standard reference requency (fn) 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal<						
2 Normative references 7 3 Terms and definitions 8 3.1 General definitions 9 3.2 Definitions related to electronic ripple control receivers 9 3.3 Definitions related to the ripple control code and to the control element 10 3.4 Definitions related to time switches 11 3.5 Definitions related to the output elements 12 3.6 Definitions of mechanical elements 13 3.7 Definitions of insulations 14 3.8 Definitions of influence quantities 15 3.9 Definitions of influence quantities 15 3.9 Definition of tests 16 4.1 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference requency (fn) 16 4.2 Standard reference requency (fn) 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal<	1	Scop	e7			
3 Terms and definitions 8 3.1 General definitions 9 3.2 Definitions related to electronic ripple control receivers 9 3.3 Definitions related to the ripple control code and to the control element 10 3.4 Definitions related to the output elements 12 3.6 Definitions of insulations 12 3.6 Definitions of insulations 14 3.7 Definitions of influence quantities 15 3.9 Definition of tests 16 4 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference frequency (In) 16 4.2 Standard requirements and tests 16 5.1 General mechanical requirements 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19<		•				
3.1 General definitions 9 3.2 Definitions related to electronic ripple control receivers 9 3.3 Definitions related to the ripple control code and to the control element 10 3.4 Definitions related to time switches 11 3.5 Definitions related to the output elements 12 3.6 Definitions of mechanical elements 13 3.7 Definitions of insulations 14 3.8 Definitions of influence quantities 15 3.9 Definition of tests 16 4 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference frequency (fn) 16 5 Mechanical requirements and tests 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Vo						
3.2Definitions related to electronic ripple control receivers93.3Definitions related to the ripple control code and to the control element103.4Definitions related to time switches113.5Definitions related to the output elements123.6Definitions of mechanical elements133.7Definitions of insulations143.8Definitions of influence quantities153.9Definition of tests164Standard electrical values164.1Standard reference voltage $(U_{\rm I})$ 164.2Standard reference frequency $(f_{\rm I})$ 165Mechanical requirements and tests165.1General mechanical requirements165.2Case175.3Window185.4Terminals, terminal block(s), protective earth terminal185.5Terminal cover(s)195.6Clearance and creepage distances195.7Insulating encased tariff and load control equipment of protective class II205.8Resistance to heat and fire205.9Protection against penetration of dust and water215.10Void215.12Marking of tariff and load control equipment226Climatic conditions, requirements and tests226.1Temperature range226.2Relative humidity236.3Tests of the effect of the climatic environments23 <td< td=""><td>3</td><td></td><td></td></td<>	3					
3.3Definitions related to the ripple control code and to the control element103.4Definitions related to time switches113.5Definitions related to the output elements123.6Definitions of mechanical elements133.7Definitions of insulations143.8Definitions of influence quantities153.9Definition of tests164Standard electrical values164.1Standard reference voltage $(U_{\rm I})$ 164.2Standard reference frequency $(f_{\rm I})$ 165Mechanical requirements and tests165.1General mechanical requirements165.2Case175.3Window185.4Terminals, terminal block(s), protective earth terminal185.5Terminal cover(s)195.6Clearance and creepage distances195.7Insulating encased tariff and load control equipment of protective class II205.8Resistance to heat and fire205.9Protection against penetration of dust and water215.10Void215.11Void215.12Marking of tariff and load control equipment226Climatic conditions, requirements and tests226.1Temperature range226.2Relative humidity236.3Tests of the effect of the climatic environments237Electrical requirements and tests <td< td=""><td></td><td></td><td></td></td<>						
3.4 Definitions related to time switches 11 3.5 Definitions of mechanical elements 12 3.6 Definitions of insulations 13 3.7 Definitions of influence quantities 15 3.9 Definition of tests 16 4 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference frequency (fn) 16 5.1 General mechanical requirements 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.12 Marking of tariff and load control equipment <t< td=""><td></td><td></td><td>• •</td></t<>			• •			
3.5Definitions related to the output elements123.6Definitions of mechanical elements133.7Definitions of insulations143.8Definitions of influence quantities153.9Definition of tests164Standard electrical values164.1Standard reference voltage $(U_{\rm I})$ 164.2Standard reference frequency $(f_{\rm I})$ 165Mechanical requirements and tests165.1General mechanical requirements165.2Case175.3Window185.4Terminals, terminal block(s), protective earth terminal185.5Terminal cover(s)195.6Clearance and creepage distances195.7Insulating encased tariff and load control equipment of protective class II205.8Resistance to heat and fire205.9Protection against penetration of dust and water215.10Void215.11Void215.12Marking of tariff and load control equipment226Climatic conditions, requirements and tests226.1Temperature range226.2Relative humidity236.3Tests of the effect of the climatic environments237Electrical requirements and tests247.1Supply voltage247.2Heating26						
3.6 Definitions of mechanical elements 13 3.7 Definitions of insulations 14 3.8 Definitions of influence quantities 15 3.9 Definition of tests 16 4 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference frequency (fn) 16 5 Mechanical requirements and tests 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests						
3.7 Definitions of insulations 14 3.8 Definitions of influence quantities 15 3.9 Definition of tests 16 4 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference frequency (fn) 16 5 Mechanical requirements and tests 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6. Climatic conditions, requirements and tests 22						
3.8 Definitions of influence quantities 15 3.9 Definition of tests 16 4 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference frequency (fn) 16 5 Mechanical requirements and tests 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22						
3.9 Definition of tests 16 4 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference frequency (fn) 16 5 Mechanical requirements and tests 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3						
4 Standard electrical values 16 4.1 Standard reference voltage (Un) 16 4.2 Standard reference frequency (fn) 16 5 Mechanical requirements and tests 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23						
4.1Standard reference voltage $(U_{\rm n})$ 164.2Standard reference frequency $(f_{\rm n})$ 165Mechanical requirements and tests.165.1General mechanical requirements.165.2Case.175.3Window.185.4Terminals, terminal block(s), protective earth terminal.185.5Terminal cover(s).195.6Clearance and creepage distances.195.7Insulating encased tariff and load control equipment of protective class II.205.8Resistance to heat and fire.205.9Protection against penetration of dust and water.215.10Void.215.11Void.215.12Marking of tariff and load control equipment.226Climatic conditions, requirements and tests.226.1Temperature range.226.2Relative humidity.236.3Tests of the effect of the climatic environments.237Electrical requirements and tests.247.1Supply voltage.247.2Heating.26						
4.2 Standard reference frequency (fn) 16 5 Mechanical requirements and tests 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26	4	Stand				
5 Mechanical requirements and tests 16 5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26		4.1	Standard reference voltage (U_n)			
5.1 General mechanical requirements 16 5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26						
5.2 Case 17 5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26	5	Mech				
5.3 Window 18 5.4 Terminals, terminal block(s), protective earth terminal 18 5.5 Terminal cover(s) 19 5.6 Clearance and creepage distances 19 5.7 Insulating encased tariff and load control equipment of protective class II 20 5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26		5.1	General mechanical requirements16			
5.4Terminals, terminal block(s), protective earth terminal185.5Terminal cover(s)195.6Clearance and creepage distances195.7Insulating encased tariff and load control equipment of protective class II205.8Resistance to heat and fire205.9Protection against penetration of dust and water215.10Void215.11Void215.12Marking of tariff and load control equipment226Climatic conditions, requirements and tests226.1Temperature range226.2Relative humidity236.3Tests of the effect of the climatic environments237Electrical requirements and tests247.1Supply voltage247.2Heating26		5.2	Case17			
5.5 Terminal cover(s)		5.3	Window			
5.6 Clearance and creepage distances		5.4	Terminals, terminal block(s), protective earth terminal			
5.7Insulating encased tariff and load control equipment of protective class II205.8Resistance to heat and fire205.9Protection against penetration of dust and water215.10Void215.11Void215.12Marking of tariff and load control equipment226Climatic conditions, requirements and tests226.1Temperature range226.2Relative humidity236.3Tests of the effect of the climatic environments237Electrical requirements and tests247.1Supply voltage247.2Heating26		5.5	Terminal cover(s)			
5.8 Resistance to heat and fire 20 5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26		5.6	Clearance and creepage distances19004			
5.9 Protection against penetration of dust and water 21 5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26		5.7	Insulating encased tariff and load control equipment of protective class II20			
5.10 Void 21 5.11 Void 21 5.12 Marking of tariff and load control equipment 22 6 Climatic conditions, requirements and tests 22 6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26		5.8	Resistance to heat and fire			
5.11 Void215.12 Marking of tariff and load control equipment226 Climatic conditions, requirements and tests226.1 Temperature range226.2 Relative humidity236.3 Tests of the effect of the climatic environments237 Electrical requirements and tests247.1 Supply voltage247.2 Heating26		5.9	Protection against penetration of dust and water21			
5.12 Marking of tariff and load control equipment226 Climatic conditions, requirements and tests226.1 Temperature range226.2 Relative humidity236.3 Tests of the effect of the climatic environments237 Electrical requirements and tests247.1 Supply voltage247.2 Heating26		5.10	Void21			
6 Climatic conditions, requirements and tests		5.11	Void21			
6.1 Temperature range 22 6.2 Relative humidity 23 6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26		5.12	Marking of tariff and load control equipment22			
6.2 Relative humidity236.3 Tests of the effect of the climatic environments237 Electrical requirements and tests247.1 Supply voltage247.2 Heating26	6	Clima	tic conditions, requirements and tests22			
6.2 Relative humidity236.3 Tests of the effect of the climatic environments237 Electrical requirements and tests247.1 Supply voltage247.2 Heating26		6.1	Temperature range			
6.3 Tests of the effect of the climatic environments 23 7 Electrical requirements and tests 24 7.1 Supply voltage 24 7.2 Heating 26		6.2				
7 Electrical requirements and tests		6.3	·			
7.1 Supply voltage 24 7.2 Heating 26	7					
7.2 Heating						
ř						
7.4 Output elements						
7.5 Functional requirements and tests			·			
7.6 Electromagnetic compatibility (EMC)			·			
7.7 Radio interference suppression						

8 Test	conditions and type test	35
8.1	Test conditions	35
8.2	Type test	35
	(normative) Relationship between ambient air temperature and relative	
•		
	(normative) Reference and limiting values of the influence quantities	37
	(normative) Electromagnet for testing the influence of externally produced fields	38
Annex D	(informative) Test set-up for EMC tests	39
Annex E	(informative) Test schedule	40
Annex F	(informative) Acceptance tests	42
Bibliogra	phie	44
Figure A	.1 – Relationship between ambient air temperature and relative humidity	36
Figure C	.1 – Electromagnet for testing the influence of externally produced magnetic fie	lds 38
Figure D	.1 – Test set-up for the test of immunity to electromagnetic RF fields	39
Figure D	.2 – Test set-up for fast transient burst test	39
	- Clearances and creepage distances for insulating encased tariff and load quipment of protective class I	20
	- Clearances and creepage distances for insulating encased tariff and load quipment of protective class II	20
Table 3 -	- Temperature range	23
	- Relative humidityIEC.62052-21:2004	
Table 5 -	- Voltage range:/standards/iec/ad603ea7-0a01-4ad9-b5ff-1eff07e62aed/iec-620	52-2.124
	- Power consumption	
	- Rated breaking voltages	
Table 8 -	- Rated breaking currents	29
	1 – Reference and limiting values	
	1 – Test schedule	
	1 – Single sample plan	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICITY METERING EQUIPMENT (AC) – GENERAL REQUIREMENTS, TESTS AND TEST CONDITIONS –

Part 21: Tariff and load control equipment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62052-21 has been prepared by IEC technical committee 13: Equipment for electrical energy measurement and load control.

This standard, in conjunction with IEC 62054-11 and IEC 62054-21, cancels and replaces IEC 61038:1990, *Electricity metering – Tariff and load control – Particular requirements for time switches* and all amendments. This standard is to be used in conjunction with the relevant parts of the IEC 62054 and the IEC 62059 series.

The text of this standard is based on the following documents:

FDIS	Report on voting
13/1307/FDIS	13/1316/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until 2013. At this date, the publication will be

- reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62052-21:2004

https://standards.iteh.ai/catalog/standards/jec/ad603ea7-0a01-4ad9-b5ff-1eff07e62aed/jec-62052-21-2004

INTRODUCTION

This standard distinguishes between protective class I and protective class II tariff and load control equipment.

The test levels are regarded as minimum values to guarantee the proper functioning of the equipment under normal working conditions. For special application, other test levels might be necessary and should be agreed on between the user and the manufacturer.

For information, the relevant parts of IEC 62052, IEC 62054 and IEC 62059 are listed:

- IEC 62052-21 Electricity metering (a.c.) General requirements, tests and test conditions Part 21: Tariff and load control equipment

 (Replaces the general requirements of IEC 61037 and IEC 61038.)
- IEC 62054-11 Electricity metering (a.c.) Tariff and load control Part 11: Particular requirements for electronic ripple control receivers

 (Replaces the particular requirements of IEC 61037.)
- IEC 62054-21 Electricity metering (a.c.) Tariff and load control Part 21: Particular requirements for time switches¹

 (Replaces the particular requirements of IEC 61038.)
- IEC 62059-11 Electricity metering equipment (a.c.) Dependability Part 11: General concepts
- IEC 62059-21 Electricity metering equipment (a.c.) Dependability Part 21: Collection of meter dependability data from the field
- IEC 62059-41 Electricity metering equipment (a.c.) Dependability Part 41: Reliability prediction²

IEC 62052-21:2004

https://standards.iteh.ai/catalo.g/standards/iec/ad603ea7-0a01-4ad9-b5ff-1eff07e62aed/iec-62052-21-2004

¹ To be published.

² To be published.

ELECTRICITY METERING EQUIPMENT (AC) – GENERAL REQUIREMENTS, TESTS AND TEST CONDITIONS –

Part 21: Tariff and load control equipment

1 Scope

This part of IEC 62052 specifies general requirements for the type test of newly manufactured indoor tariff and load control equipment, like electronic ripple control receivers and time switches that are used to control electrical loads, multi-tariff registers and maximum demand indicator devices.

This standard gives no requirements for constructional details internal to the tariff and load control equipment.

In the case where tariff and load control functionality is integrated into multifunction electricity metering equipment, the relevant parts of this standard apply.

This standard does not cover the acceptance tests and the conformity tests. Nevertheless, an example of what could be an acceptance test is given in Annex F.

The dependability aspect is covered by the documents of the IEC 62059 series.

2 Normative references coment Preview

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-300:2001 International Electrotechnical Vocabulary (IEV) — Electrical and electronic measurements and measuring instruments — Part 311: General terms relating to measurements — Part 312: General terms relating to electrical measurements — Part 313: Types of electrical measuring instruments — Part 314: Specific terms according to the type of instrument

IEC 60060-1:1989, High-voltage test techniques – Part 1: General definitions and test requirements

IEC 60068-2-1:1990, Environmental testing - Part 2: Tests - Tests A: Cold

IEC 60068-2-2:1974, Environmental testing – Part 2: Tests – Tests B: Dry heat

IEC 60068-2-6:1995, Environmental testing – Part 2: Tests – Test Fc: Vibration (sinusoidal)

IEC 60068-2-27:1987, Environmental testing – Part 2: Tests – Test Ea and guidance: Shock

IEC 60068-2-30:1980, Environmental testing – Part 2: Tests – Test Db and guidance: Damp heat, cyclic (12 + 12-hour cycle)

IEC 60068-2-75:1997, Environmental testing – Part 2-75: Tests – Test Eh: Hammer test

IEC 60085:1984, Thermal evaluation and classification of electrical insulation

IEC 60269-3-1:1994, Low-voltage fuses – Part 3-1: Supplementary requirements for fuses for use by unskilled persons (fuses mainly for household and similar applications) – Sections I to IV

IEC 60417-2:1998, Graphical symbols for use on equipment – Part 2: Symbol originals Amendment 1(2000)

IEC 60529:1989, Degrees of protection provided by enclosures (IP Code)

IEC 60695-2-10:2000, Fire Hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedures

IEC 60695-2-11:2000, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products

IEC 60721-3-3:1994, Classification of environmental conditions — Part 3: Classification of groups of environmental parameters and their severities — Section 3: Stationary use at weather protected locations

IEC 61000-4-2:1995, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test. Basic EMC publication

IEC 61000-4-3:2002, Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test

IEC 61000-4-4:1995, Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 4: Electrical fast transient/burst immunity test. Basic EMC publication

IEC 61000-4-5:1995, Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test

IEC 61000-4-6:1996, Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields

IEC 62054-11, Electricity metering (a.c.) – Tariff and load control equipment – Part 11: Particular requirements for electronic ripple control tariff and load control equipment ³

IEC 62054-21, Electricity metering (a.c.)— Tariff and load control equipment — Part 21: Particular requirements for time switches 3

CISPR 22:1997, Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement

ISO 75-2:1993, Plastics – Determination of temperature of deflection under load – Part 2: Plastics and ebonite

3 Terms and definitions

For the purposes of this document, the following definitions, together with those of IEC 60050-300, apply.

Where there is a difference between the definitions in the glossary and those contained in product standards produced by TC 13 then the latter shall take precedence in applications of the relevant standard.

³ To be published.

General definitions 3.1

tariff and load control equipment

device intended to make or break or change over circuits controlling tariff devices of electricity meters or controlling electrical loads, based on a pre-determined time schedule and/or commands received from a control centre over suitable media and using suitable protocols

3.1.2

control element

functional element controlling the display and/or the operation indicator and the output element. In the case of ripple control receivers, it comprises the decoding element and may contain a timing element. In the case of time switches, it comprises the time-keeping element and the element comparing the actual date and time with the schedule stored in the time switch

3.1.3

reference voltage

value of the supply voltage in accordance with which the relevant performance of the tariff and load control equipment is fixed

3.1.4

reference frequency

 f_n value of the frequency of the supply voltage in accordance with which the relevant performance of the tariff and load control equipment is fixed

3.1.5

type

term used to define a particular design of tariff and load control equipment, manufactured by one manufacturer, having the same uniform construction of parts determining the functional, and, when applicable, the metrological properties. The type may have several values of reference voltage and frequency. Tariff and load control equipment are designated by the manufacturer by one or more groups of letters or numbers, or a combination of letters and numbers. Each type has one designation only

NOTE The type is represented by the sample tariff and load control equipment intended for type tests, whose characteristics are chosen from the values given in the tables proposed by the manufacturer.

3.2 Definitions related to electronic ripple control receivers

3.2.1

electronic ripple control receiver

device with an input and decoder circuit for the reception and interpretation of pulses of a single audio frequency superimposed on the voltage of an electricity distribution network and for the execution of the corresponding operations

3.2.2

standard receiver

receiver for mounting on equipment board, a meter board or an instrument rail (or which is a part of the meter)

3.2.3

special receiver

receiver intended for particular applications, for example, street lighting receivers

3.2.4

input element

functional element that separates the control signals from the supply voltage and transmits them to the decoding element

3.2.4.1

control voltage

 U_{S}

audio-frequency voltage superimposed on the supply system voltage. Throughout this standard, its steady r.m.s. value is used and is expressed as a percentage of the rated supply voltage $U_{\rm n}$ of the receiver

3.2.4.2

reference control voltage

 U_{n}

value of the control voltage $U_{\rm s}$ in accordance with which the relevant performance of the ripple control receiver is fixed

3.2.4.3

operate voltage

U4

minimum value of the control voltage that, under prescribed conditions, is sufficient to ensure correct operation of the receivers, the message being coded according to the system considered

3.2.4.4

non-operate voltage

 U_{nt}

maximum value of the control voltage for which, under prescribed conditions, the receivers do not operate, the message being coded according to the system considered

3.2.4.5

maximum control voltage

max

maximum value of the control voltage that, under prescribed conditions, ensures correct operation of the receivers receiving a message coded according to the system considered

3.2.4.6

reference control frequency

 $f_{\mathbf{s}}$

value of the control frequency in accordance with which the relevant performance of the ripple control receiver is fixed

3.3 Definitions related to the ripple control code and to the control element

3.3.1

code

sequence of a given number of pulse positions having a specified cycle duration

- NOTE 1 Examples of time diagrams for ripple control codes are given in Annex E of IEC 62054-11.
- NOTE 2 Each pulse position is designated by a number.

3.3.2

decoding element

part of the control element that identifies from the signals received from the input element those corresponding to the commands for which it is programmed. For this purpose, the decoding element checks the presence and, possibly, the absence of information pulses at the positions for which it is programmed and passes on the information to the control element