INTERNATIONAL STANDARD

IEC 60092-506

Second edition 2003-06

Electrical installations in ships -

Part 506:
Special features –
Ships carrying specific dangerous goods
and materials hazardous only in bulk

(standards.iteh.ai)

Installations électriques à bord des navires -

IEC 60092-506:2003

https:// Rattie: 1506/catalog/standards/sist/933872e6-b38b-425a-9f66-

Caractéristiques spéciales 6-2003

Navires transportant des matières ou des marchandises spécifiques dangereuses, seulement en vrac



Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- IEC Web Site (<u>www.iec.ch</u>)
- Catalogue of IEC publications

The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

• IEC Just Published standards.iteh.ai)

This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information 72c6-b38b-425a-9f66-

• Customer Service Centre

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: <u>custserv@iec.ch</u>
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60092-506

Second edition 2003-06

Electrical installations in ships -

Part 506:
Special features –
Ships carrying specific dangerous goods
and materials hazardous only in bulk

(standards.iteh.ai)

Installations électriques à bord des navires -

IEC 60092-506:2003

https:/// Partie. i506/catalog/standards/sist/933872e6-b38b-425a-9f66-

Caractéristiques spéciales -2003

Navires transportant des matières ou des marchandises spécifiques dangereuses, seulement en vrac

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL INSTALLATIONS IN SHIPS -

Part 506: Special features – Ships carrying specific dangerous goods and materials hazardous only in bulk

FOREWORD

- The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters, express as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latters://standards.itch.ai/catalog/standards/sist/933872e6-b38b-425a-9166-a41546205e38/iec-60092-506-2003
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60092-506 has been prepared by IEC technical committee 18: Electrical installations of ships and of mobile and fixed offshore units.

This second edition of IEC 60092-506 cancels and replaces the first edition published in 1996 and constitutes a technical revision.

The major changes with respect to the first edition are as follows:

- a) the latest revisions of the IMO Conventions have been incorporated;
- b) cognisance has been taken of the publication of IEC 60092-502, fifth edition, by giving comparisons with zones 1 and 2 hazardous areas and the incorporation of protection by overpressure.

The text of this standard is based on the following documents:

FDIS	Report on voting
18/937/FDIS	18/940/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is based on the following IMO documents:

- International Convention for the Safety of Life at Sea (SOLAS)
 - Chapter II-2, Regulation 19 Part G: Special requirements for ships carrying dangerous goods
 - Chapter VII: Carriage of dangerous goods
- Code of safe practice for solid bulk cargoes (BC-Code)
- International Maritime Dangerous Goods Code (IMDG Code)

The committee has decided that the contents of this publication will remain unchanged until 2009. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 60092-506:2003</u> https://standards.iteh.ai/catalog/standards/sist/933872e6-b38b-425a-9f66-a41546205e38/iec-60092-506-2003

INTRODUCTION

The Regulations and Codes of the International Maritime Organization (IMO) applicable to the carriage of dangerous goods and materials hazardous only in bulk are contained in several chapters and paragraphs spread over a number of publications. The conditions necessary for the stowage of particular types and sources of ignition etc. are laid down in these IMO publications. These conditions are updated from time to time as ships become more complex with advancing technology. This part of IEC 60092 summarizes the present IMO electrical requirements and gives in a single publication details of suitable measures regarding the explosion protection of electrical equipment, where such cargoes might cause risk of fire or explosion.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>IEC 60092-506:2003</u> https://standards.iteh.ai/catalog/standards/sist/933872e6-b38b-425a-9f66-a41546205e38/iec-60092-506-2003

ELECTRICAL INSTALLATIONS IN SHIPS -

Part 506: Special features – Ships carrying specific dangerous goods and materials hazardous only in bulk

1 Scope

- **1.1** This part of IEC 60092 is applicable to the electrical installations on the following types of ships and cargo spaces:
- a) ships and cargo spaces not specifically designed for the carriage of freight containers but intended for the carriage of dangerous goods in packaged form including goods in freight containers and portable tanks;
- b) purpose-built container ships and cargo spaces intended for the carriage of dangerous goods in freight containers and portable tanks;
- c) ro/ro ships and ro/ro cargo spaces intended for the carriage of dangerous goods;
- d) ships and cargo spaces intended for the carriage of solid dangerous goods in bulk and materials hazardous only in bulk (MHB);
- e) ships and cargo spaces intended for the carriage of dangerous goods, other than liquids and gases in bulk, in shipborne barges.
- **1.2** Dangerous goods, for which safety measures may be required with respect to the electrical equipment, are specified in the IMO documents listed in the Foreword and grouped into the following classes.

 IEC 60092-506:2003
- a) Dangerous goods in packaged form a41546205e38/iec-60092-506-2003
 - Class 1 Explosives, except goods in division 1.4, compatibility group S of the IMDG Code
 - Class 2.1 All flammable gases, compressed, liquefied or dissolved under pressure
 - Class 3 All flammable liquids having a flashpoint from -18 °C up to 23 °C (closed-cup test)
 - Class 6.1 All toxic substances having a flashpoint below 23 °C (closed-cup test)
 - Class 8 All corrosive liquids having a flashpoint 23 °C and below (closed-cup test)
- b) Solid dangerous goods in bulk
 - Class 4.1 Flammable solids
 - Class 4.2 Substances liable to spontaneous combustion
 - Class 4.3 Substances which, in contact with water, emit flammable gases
 - Class 5.1 Oxidizing substances
 - Class 9 Miscellaneous dangerous substances, that is, any other substance which experience has shown, or may show, to be of such a dangerous character that the provisions of this part will apply to it.
- c) MHB Materials which, when carried in bulk, present sufficient hazards to require specific precautions

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079 (all parts), Electrical apparatus for explosive gas atmospheres

IEC 60092-101:1994, Electrical installations in ships – Part 101: Definitions and general requirements

IEC 60092-502:1999, Electrical installations in ships – Part 502: Tankers – Special features

IEC 60529:1989, Degrees of protection provided by enclosures (IP code)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

hazardous area

area in which an explosive atmosphere is likely to occur in normal operation (comparable with zone 1 as defined in IEO 60092-502) AND ARD PREVIEW

NOTE An explosive atmosphere may exist due to gas and/or dust. Standards.itch.ai)

3.2

extended hazardous area

area in which an explosive atmosphere is not likely to occur in normal operation and, if it does occur, is likely to do so only infrequently and will exist for a short period only (and comparable with zone 2 as defined in IEC 60092-502)

4 Hazardous areas

4.1 General

Any electrical apparatus permitted in these areas requires special precautions with respect to its construction, certification, and use and, when applicable, its installation.

NOTE All appropriate measures should be taken to prevent flammable gas and/or dust entering spaces adjacent to the hazardous areas.

The following are identified as hazardous areas.

4.2 Dangerous goods class 1

Hazardous areas for dangerous goods class 1 as defined in 1.2a):

- a) closed cargo spaces and closed or open ro/ro cargo spaces as indicated in Annex B, item A
- b) permanently fixed magazines as indicated in Annex B, item A

4.3 Dangerous goods as defined in 1.2b) and 1.2c)

4.3.1 Classes 4.1, 4.2, 9 and MHB capable of creating explosive dust atmosphere

Hazardous areas (comparable with zone 1):

- a) closed cargo spaces as indicated in Annex B, item A;
- b) ventilation ducts, if any, serving the spaces identified in 4.3.1 as indicated in Annex B, item B.

4.3.2 Class 4.3 capable of creating explosive gas atmosphere

- Hazardous areas (comparable with zone 1):
 - a) closed cargo spaces as indicated in Annex B, item A;
 - b) ventilation ducts, if any, serving the spaces identified in 4.3.2 as indicated in Annex B, item B:
 - c) areas on open deck, or semi-enclosed spaces on open deck, within 1,5 m of any exhaust ventilation outlet of a hazardous area as indicated in Annex B, item G;
 - d) enclosed or semi-enclosed spaces having a direct opening into any of the areas as identified in 4.3.2a) or 4.3.2b) as indicated in Annex B, item C, unless appropriate measures are taken to prevent flammable gas or dust entering such spaces as indicated in Annex B, items D, E or F;
- Extended hazardous areas (comparable with zone 2):
 - e) Enclosed or semi-enclosed spaces having a direct opening into any of the areas identified in 4.3.2a) or (4.3.2b) which are provided with the closing arrangements indicated in Annex B, item D, and inside the air lock itself if arranged as indicated in Annex B, item F;
 - f) Areas of 1,5_{tt}m/surrounding.jopengor.semi-enclosed/spaces2of-Zone 1 as specified in 4.3.2c) as indicated in Annex-Beitem Gec-60092-506-2003

4.3.3 Dangerous goods class 2.1, 3, 6.1* and 8*, as defined in 1.2a)

- Hazardous areas (comparable with zone 1):
 - a) closed cargo spaces as indicated in Annex B, item A;
 - b) ventilation ducts, if any, serving the spaces identified in 4.3.3 as indicated in Annex B, item B:
 - c) areas on open deck, or semi-enclosed spaces on open deck, within 1,5 m of any exhaust ventilation outlet of a hazardous area as indicated in Annex B, item G;
 - d) enclosed or semi-enclosed spaces having a direct opening into any of the areas as identified in 4.3.3a) or 4.3.3b) as indicated in Annex B, item C, unless appropriate measures are taken to prevent flammable gas or dust entering such spaces as indicated in Annex B, items D, E or F.
- Extended hazardous areas (comparable with zone 2):
 - e) enclosed or semi-enclosed spaces having a direct opening into any of the areas identified in 4.3.3a) or 4.3.3b) which are provided with the closing arrangements indicated in Annex B, item D, and inside the air lock itself if arranged as indicated in Annex B, item F;
 - f) areas of 1,5 m surrounding open or semi-enclosed spaces of zone 1 as specified in 4.3.3c) as indicated in Annex B, item G.

Liquids having a flashpoint of 23 °C and below (closed-cup test)