

Edition 6.0 2024-08 EXTENDED VERSION

# INTERNATIONAL STANDARD



This full version of IEC 60335-2-12:2024 includes the content of the references made to IEC 60335-1:2020

Household and similar electrical appliances – Safety – Part 2-12: Particular requirements for warming plates and similar appliances

## Document Preview

IEC 60335-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/a3951d99-cd5f-4638-a81f-fb7860fccc5c/iec-60335-2-12-2024





### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Secretariat** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.





Edition 6.0 2024-08 EXTENDED VERSION

# INTERNATIONAL STANDARD



This full version of IEC 60335-2-12:2024 includes the content of the references made to IEC 60335-1:2020

Household and similar electrical appliances – Safety – Part 2-12: Particular requirements for warming plates and similar appliances

## Document Preview

IEC 60335-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/a3951d99-cd5f-4638-a81f-fb7860fccc5c/iec-60335-2-12-2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 13.120; 97.040.50 ISBN 978-2-8322-9614-1

Warning! Make sure that you obtained this publication from an authorized distributor.

# iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60335-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/a3951d99-cd5f-4638-a81f-fb7860fccc5c/iec-60335-2-12-2024

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

IEC 60335-1 Edition 6.0 2020-09

#### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES - SAFETY -

#### Part 1: General requirements

#### INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this Interpretation Sheet is based on the following documents:

Draft	Report on voting
61/5999/DISH	61/6009/RVDISH

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

#### IEC 60335-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/a3951d99-cd5f-4638-a81f-fb7860fccc5c/iec-60335-2-12-2024

#### INTRODUCTION

Edition 6 of IEC 60335-1:2020 defines and introduces requirements for a detachable power supply part of an appliance. In the document, 24.2 prohibits the use of a power supply in a flexible cord.

#### QUESTION:

Does Subclause 24.2 prohibit the use of a detachable power supply part?

#### **ANSWER**

No, a "detachable power supply part" is a defined term and is not captured by the term "power supply" as used in Subclause 24.2.

NOTE A detachable power supply part is captured by the defined term when the output of the power supply part is detachable from the class III construction part of the appliance at:

- the power supply part, or
- the class III construction part of the appliance.

However, the supply cord (if any) does not have to be detachable from the detachable power supply part.

## **CONTENTS**

FOF	REWORD	6
INT	RODUCTION to IEC 60335-1:2020	g
INT	RODUCTION to IEC 60335-2-12:2024	11
1	Scope	12
2	Normative references	12
3	Terms and definitions	17
4	General requirement	29
5	General conditions for the tests	29
6	Classification	33
7	Marking and instructions	33
8	Protection against access to live parts	43
9	Starting of motor-operated appliances	45
10	Power input and current	45
11	Heating	47
12	Charging of metal-ion batteries	53
13	Leakage current and electric strength at operating temperature	55
14	Transient overvoltages	58
15	Moisture resistance	
16	Leakage current and electric strength	62
17	Overload protection of transformers and associated circuits	64
18	Endurance Document 1 16 VICW	64
19	Abnormal operation	64
20	Stability and mechanical hazards	,74
21	Mechanical strength	
22	Construction	78
23	Internal wiring	
24	Components	92
25	Supply connection and external flexible cords	97
26	Terminals for external conductors	105
27	Provision for earthing	108
28	Screws and connections	109
29	Clearances, creepage distances and solid insulation	
30	Resistance to heat and fire	120
31	Resistance to rusting	
32	Radiation, toxicity and similar hazards	
	ex A (informative) Routine tests	139
	ex B (normative) Battery-operated appliances, separable batteries and detachable eries for battery-operated appliances	141
	ex C (normative) Ageing test on motors	
	nex D (normative) Thermal motor protectors	
	ex E (normative) Needle-flame test	
	nex E (normative) Canacitors	165

Annex G (normative) Safety isolating transformers	167
Annex H (normative) Switches	168
Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance	170
Annex J (normative) Coated printed circuit boards	172
Annex K (informative) Overvoltage categories	173
Annex L (informative) Guidance for the measurement of clearances and creepage distances	174
Annex M (informative) Pollution degree	177
Annex N (normative) Proof tracking test	178
Annex O (informative) Selection and sequence of the tests of Clause 30	179
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates	184
Annex Q (informative) Sequence of tests for the evaluation of electronic circuits	186
Annex R (normative) Software evaluation	189
Annex S (informative) Guidance for the application of this standard on measurement of power input and current based on the requirements of 10.1 and 10.2 concerning the representative period	203
Annex T (normative) UV-C radiation effect on non-metallic materials	204
Annex U (normative) Appliances intended for remote communication through public networks	207
Bibliography	211
Index of defined terms	214
mack of defined terms	4 14
Document Preview	214
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature 33 for single-phase connection of other than class II appliances or parts of class II	<b>125</b> 5-2-12-202
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature 33 for single-phase connection of other than class II appliances or parts of class II construction	<b>125</b> 5-2-12-202
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature 33 for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction	125 5-2-12-202 126
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II	125 5-2-12-202 126 127
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature 33 for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction	125 5-2-12-202 126 127
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part	125 5-2-12-202 126 127 128 129
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature 33 for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part  Figure 6 – Example of an electronic circuit with low-power points	125 5-2-12-202 126 127 128 129 129
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature) 33 for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part	125 5-2-12-202 126 127 128 129 129 130
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature 33 for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part	125 5-2-12-202 126 127 128 129 129 130 131
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part	125 5-2-12-202 126 127 128 129 130 131 132
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part	125 5-2-12-202 126 127 128 129 129 130 131 132 133
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part	125 5-2-12-202 126 127 128 129 129 130 131 132 133 134
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part	125 5-2-12-202 126 127 128 129 130 131 132 133 134 135
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature 33 for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part  Figure 6 – Example of an electronic circuit with low-power points  Figure 7 – Test finger nail  Figure 8 – Flexing test apparatus  Figure 9 – Constructions of cord anchorages  Figure 10 – An example of parts of an earthing terminal  Figure 12 – Example of the placement of the cylinder	125 5-2-12-202 126 127 128 129 130 131 132 133 134 135
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction  Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction  Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction  Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction  Figure 5 – Small part	125 5-2-12-202 126 127 128 129 130 131 132 133 134 135 136 137

normative Annex B <i>(1 of 2)</i>	
Figure B.2 – Examples of correct polarity connection marking representing three batteries	161
Figure I.1 – Simulation of faults	
Figure L.1 – Sequence for the determination of clearances	
Figure L.2 – Sequence for the determination of creepage distances	
Figure L.3 – Measurement of clearances	
Figure O.1 – Tests for resistance to heat	
Figure O.2 – Selection and sequence of tests for resistance to fire in hand-held	
appliances	180
Figure O.3 – Selection and sequence of tests for resistance to fire in attended	
appliances	180
Figure O.4 – Selection and sequence of tests for resistance to fire in unattended appliances	181
Figure O.5 – Some applications of the term "within a distance of 3 mm"	
Figure Q.1 – Flowchart outlining the sequence of tests for the evaluation of electronic	
circuits (1 of 2)	
Figure S.1 – Flowchart giving guidance on measurement of power input and current	
concerning the representative period	203
Table 1 – Power input deviation	45
Table 2 – Current deviation	46
Table 3 – Maximum normal temperature rises	50
Table 101 – Maximum temperature rises of external accessible surfaces under norm operating conditions	
Table 4 – Voltage for electric strength test	
Table 5 – Characteristics of high-voltage sources	
Table 6 – Impulse test voltage	
Table 7 – Test voltages	63
Table 8 – Maximum winding temperature	67
Table 9 – Maximum abnormal temperature rise	72
Table 10 – Dimensions of cables and conduits	98
Table 11 – Minimum cross-sectional area of conductors	100
Table 12 – Pull force and torque	102
Table 13 – Nominal cross-sectional area of conductors	107
Table 14 – Torque for testing screws and nuts	111
Table 15 – Rated impulse voltage	113
	113
Table 16 – Minimum clearances	
Table 16 – Minimum clearances  Table 17 – Minimum creepage distances for basic insulation	117
Table 17 – Minimum creepage distances for basic insulation	118 g
Table 17 – Minimum creepage distances for basic insulation	118 g 120
Table 17 – Minimum creepage distances for basic insulation	118 g 120 140

Table B.3 – Volume of air injected at 2 070 kPa	151
Table C.1 – Test conditions	162
Table R.1 – General fault/error conditions	191
Table R.2 – Specific fault/error conditions	193
Table R.3 – Semi-formal methods	199
Table R.4 – Software architecture specification	199
Table R.5 – Module design specification	200
Table R.6 – Design and coding standards	201
Table R.7 – Software safety validation	201
Table T.1 – Minimum property retention limits after UV-C exposure	205
Table T.2 – Minimum electric strength for internal wiring after UV-C exposure	206
Table U.1 – Examples of acceptable measures against unauthorised access and transmission fault/error modes	209

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

# Part 2-12: Particular requirements for warming plates and similar appliances

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication. 167860 [ccc5c/iec-60335-2-12-2024]
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 60335-2-12:2024 EXV includes the content of IEC 60335-2-12:2024, and the references made to IEC 60335-1:2020.

The specific content of IEC 60335-2-12:2024 is displayed on a blue background.

IEC 60335-2-12 has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This sixth edition cancels and replaces the fifth edition published in 2002, Amendment 1:2008 and Amendment 2:2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) alignment with IEC 60335-1:2020;
- b) conversion of some notes to normative text (Clause 1, 5.2, 7.12, 15.2, 15.101, 24.1.5);
- c) application of test probe 19 (8.1.1, 20.2, B.22.3, B.22.4);
- d) clarification of applicability of requirements for remote operation (22.40, 22.49, 22.51).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61/7265/FDIS	61/7283/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 60335 series, under the general title: Household and similar electrical appliances – Safety, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for warming plates and similar appliances.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in bold in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations can need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT - The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### INTRODUCTION to IEC 60335-1:2020

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website –

www.iec.ch/tc61/supportingdocuments

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If the functions of an appliance are covered by different parts 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

Throughout this publication, when "part 2" is mentioned, it refers to the relevant part of IEC 60335.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

Individual countries may wish to consider the application of this standard, as far as is reasonable, to appliances not mentioned in a part 2, and to appliances designed on new principles. In this case, consideration should be given to defining normal operation, specifying the classification of the appliance according to Clause 6 and specifying whether the appliance is operated attended or unattended. Consideration should also be given to particular categories of likely users and to related specific risks such as access to live parts, hot surfaces or hazardous moving parts.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of this standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with this standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

## iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 60335-2-12:2024

https://standards.iteh.ai/catalog/standards/iec/a3951d99-cd5f-4638-a81f-fb7860fccc5c/iec-60335-2-12-2024