



SLOVENSKI STANDARD

SIST ETS 300 141-2:1997

01-december-1997

8 [[]HJbc`ca fYy`Y`n`]bhY[f]fUb]a]'glcf]hj Ua]'fG8 Bk!'8 cdc`b]bUglcf]hYj .`nUXfyUb`Y`
_`]WUfkC@k!'Dfclt_c`X]]]HJbY`bUfc b]y`Y`g]] bU]nUWY`Y`yh`%fB GG%k!'&`XY .
n`Uj Uc`g`_UXbcgh`]nj YXVY`dfclt_c`UfD`7 Gk!'Dfclt`Zfa bUgdYWZ`_UWY`U

Integrated Services Digital Network (ISDN); Call Hold (HOLD) supplementary service;
Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol
Implementation Conformance Statement (PICS) proforma specification

iteh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 141-2:1997](https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997)

[https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-](https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997)

[bdf5d0d71e62/sist-ets-300-141-2-1997](https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997)

Ta slovenski standard je istoveten z: **ETS 300 141-2 Edition 1**

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

SIST ETS 300 141-2:1997

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 141-2:1997](#)

<https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 141-2

September 1996

Source: ETSI TC-SPS

Reference: DE/SPS-05028-S

ICS: 33.080

Key words: ISDN, DSS1, supplementary service, HOLD, PICS

**Integrated Services Digital Network (ISDN);
Call Hold (HOLD) supplementary service;
Digital Subscriber Signalling System No. one (DSS1) protocol;
Part 2: Protocol Implementation Conformance Statement (PICS)
proforma specification**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 141-2:1997](https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997)

<https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997>

Contents

Foreword	5
1 Scope	7
2 Normative references	7
3 Definitions	8
4 Symbols and abbreviations	8
5 Conformance	9
Annex A (normative): PICS proforma for ETS 300 141-1	10
A.1 Instructions for completing the PICS proforma	10
A.1.1 Identification of the implementation	10
A.1.2 Global statement of conformance	10
A.1.3 Explanation of PICS proforma subclauses	10
A.1.4 Symbols, abbreviations and terms	11
A.2 Identification of the implementation	11
A.2.1 Implementation Under Test (IUT) identification	11
A.2.2 System Under Test (SUT) identification	11
A.2.3 Product supplier	12
A.2.4 Client	12
A.2.5 PICS contact person	13
A.3 PICS/System Conformance Statement (SCS)	13
A.4 Identification of the protocol	13
A.5 Global statement of conformance	14
A.6 Roles	14
A.7 User	15
A.7.1 Major capabilities	15
A.7.2 Subsidiary capabilities	15
A.7.3 Protocol data units	15
A.7.4 Protocol data unit parameters	15
A.7.5 Timers	15
A.7.6 Call states	15
A.8 Network	16
A.8.1 Major capabilities	16
A.8.2 Subsidiary capabilities	16
A.8.3 Protocol data units	16
A.8.4 Protocol data unit parameters	16
A.8.5 Timers	17
A.8.6 Call states	17

Annex B (normative):	Requirements list	18
B.1	User	18
B.1.1	Requirements on items used in the basic call PICS	18
B.1.2	Requirements on items used in the generic functional protocol PICS	18
B.1.3	Requirements on items used in the supplementary service interactions PICS.....	19
B.2	Network.....	20
B.2.1	Requirements on items used in the basic call PICS	20
B.2.2	Requirements on items used in the generic functional protocol PICS	20
B.2.3	Requirements on items used in the supplementary service interactions PICS.....	21
History		22

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 141-2:1997](https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997)

<https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is part 2 of a multi-part standard covering the Digital Subscriber Signalling System No. one (DSS1) protocol specification for the Integrated Services Digital Network (ISDN) Call Hold (HOLD) supplementary service, as described below:

Part 1: "Protocol specification";

Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";

Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the user";

Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user";

Part 5: "TSS&TP specification for the network";

Part 6: "ATS and partial PIXIT proforma specification for the network".

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a given Open Systems Interconnection (OSI) protocol. Such a statement is called a Protocol Implementation Conformance Statement (PICS).

Transposition dates	
Date of adoption of this ETS:	6 September 1996
Date of latest announcement of this ETS (doa):	31 December 1996
Date of latest publication of new National Standard or endorsement of this ETS (dope):	30 June 1997
Date of withdrawal of any conflicting National Standard (dow):	30 June 1997

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 141-2:1997](https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997)

<https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997>

1 Scope

This second part of ETS 300 141 is applicable to the stage three of the Call Hold (HOLD) supplementary service for the pan-European Integrated Services Digital Network (ISDN) as provided by European public telecommunications operators at the T reference point or coincident S and T reference point (as defined in ITU-T Recommendation I.411 [14]) by means of the Digital Subscriber Signalling System No. one (DSS1) protocol. Stage three identifies the protocol procedures and switching functions needed to support a telecommunications service (see CCITT Recommendation I.130 [13]).

This ETS provides the Protocol Implementation Conformance Statement (PICS) proforma for the ISDN DSS1 HOLD supplementary service protocol as specified in ETS 300 141-1 [2] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [12].

The supplier of a protocol implementation which is claimed to conform to ETS 300 141-1 [2] is required to complete a copy of the PICS proforma provided in annex A of this ETS and is required to provide the information necessary to identify both the supplier and the implementation.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 102-1: "Integrated Services Digital Network (ISDN); User-network interface layer 3; Specifications for basic call control".
- [2] ETS 300 141-1 (1992): "Integrated Services Digital Network (ISDN); Conference call add on (CONF) supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".
- [3] ETS 300 195-1 (1995): "Integrated Services Digital Network (ISDN); Supplementary service interactions; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1: Protocol specification".
- [4] ETS 300 195-2: "Integrated Services Digital Network (ISDN); Supplementary service interactions; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".
- [5] ETS 300 196-1 (1993): "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 1 Protocol specification".
- [6] ETS 300 196-2: "Integrated Services Digital Network (ISDN); Generic functional protocol for the support of supplementary services; Digital Subscriber Signalling System No. one (DSS1) protocol; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification".
- [7] I-ETS 300 314: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1); Protocol Implementation Conformance Statement (PICS) proforma specification for the network layer signalling protocol for circuit-mode basic call control (basic access, user)".
- [8] I-ETS 300 315: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1); Protocol Implementation Conformance Statement (PICS) proforma specification for the network layer signalling protocol for circuit-mode basic call control (primary rate access, user)".

- [9] I-ETS 300 316: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1); Protocol Implementation Conformance Statement (PICS) proforma specification for the network layer signalling protocol for circuit-mode basic call control (basic access, network)".
- [10] I-ETS 300 317: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1); Protocol Implementation Conformance Statement (PICS) proforma specification for the network layer signalling protocol for circuit-mode basic call control (primary rate access, network)".
- [11] ISO/IEC 9646-1: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [12] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [13] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".
- [14] ITU-T Recommendation I.411 (1993): "ISDN user-network interfaces - Reference configurations".

3 Definitions

For the purposes of this ETS, the following definitions apply, in addition to those given in ETS 300 141-1 [2]:

Protocol Implementation Conformance Statement (PICS): A statement made by the supplier of an Open Systems Interconnection (OSI) implementation or system, stating which capabilities have been implemented for a given OSI protocol (see ISO/IEC 9646-1 [11]).

PICS proforma: A document, in the form of a questionnaire, designed by the protocol specifier or conformance test suite specifier, which, when completed for an OSI implementation or system becomes the PICS (see ISO/IEC 9646-1 [11]).

static conformance review: A review of the extent to which the static conformance requirements are met by the IUT, accomplished by comparing the PICS with the static conformance requirements expressed in the relevant standard(s) (see ISO/IEC 9646-1 [11]).

4 Symbols and abbreviations

For the purposes of this ETS, the following abbreviations apply:

AND	Boolean "and"
AS	Auxiliary States
C	Conditional requirement (to be observed if the relevant conditions apply)
DSS1	Digital Subscriber Signalling System No. one
HOLD	Call Hold
IER	Information Elements Received
IET	Information Elements Transmitted
ISDN	Integrated Services Digital Network
IUT	Implementation Under Test
M	Mandatory requirement (to be observed in all cases)
MC	Major Capabilities
MR	Messages Received
MT	Messages Transmitted
N/A	Not applicable, not supported or the conditions for status are not met
No	not supported
NOT	Boolean "not"

O	Option (may be selected to suit the implementation, provided that any requirements applicable to the option are observed)
O.n	Options, but support required for either at least one or only one of the options in the group labelled with the same numeral "n"
OR	Boolean "or"
OSI	Open Systems Interconnection
P	Parameters
PICS	Protocol Implementation Conformance Statement
SC	Subsidiary Capabilities
SCS	System Conformance Statement
SUT	System Under Test
TM	Timers
Yes	supported

5 Conformance

A PICS proforma which conforms to this PICS proforma specification shall be technically equivalent to annex A, and shall preserve the numbering and ordering of the items in annex A.

A PICS which conforms to this PICS proforma specification shall:

- a) describe an implementation which claims to conform to ETS 300 141-1 [2];
- b) be a conforming ICS proforma which has been completed in accordance with the instructions for completion given in clause A.1;
- c) include the information necessary to uniquely identify both the supplier and the implementation.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 141-2:1997](https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997)

<https://standards.iteh.ai/catalog/standards/sist/47dba3f2-04d0-4dd5-802f-bdf5d0d71e62/sist-ets-300-141-2-1997>